

2025 COLORS | GME


DIVISION BAÑOS

SHOWER ENCLOSURES AND BATH COMPLEMENTS

Immediate service 100% Stock



CERTIFIED QUALITY



Concerned about the quality we offer our customers, GME DIVISIÓN BAÑOS SL has certificates that guarantee the quality of all its products, which comply with all European regulations. **Our PVD-treated metal finishes are the same as our IO faucets and can be combined to perfection.**

At the same time, GME DIVISIÓN BAÑOS SL is associated with the AIDIMME technological institute, where inspections and laboratory tests are carried out to guarantee the quality and proper functioning of the products we offer.

ASOCIADO N° 11666
AIDIMME
INSTITUTO TECNOLÓGICO



The quality levels of our products allow us to extend the warranty established by law to 3 years. This warranty does not cover plastic parts or rollers and will be void if the products are misused or mishandled.



INTERNATIONAL PRESENCE

Malta	USA	Spain
Romania	Algeria	Portugal
Mauritania	Slovenia	Andorra
Morocco	Belgium	France
Dominican Rep.	Luxembourg	Italy
Estonia	Switzerland	England
Lithuania	Netherlands	Greece
Slovakia	Poland	Germany



Committed to sustainable development and care for the environment, we are in the process of implementing ISO 14001 standards, as well as projects to reduce our carbon footprint through the electrification of our machinery and vehicles, the procurement and use of renewable resources and the recycling and reuse of our raw materials. In addition, more than 75% of our products are already packaged in environmentally friendly recycled cardboard packaging, reducing the use of plastics to a minimum.



GME DIVISIÓN BAÑOS one of the 500 leading companies in Business Growth in 2023

CEPYME500 is a CEPYME initiative that aims to identify, select and promote a set of 500 companies that are leading business growth, both for their results and their capacity to generate added value, employment, innovation and international projection.

WHO WE ARE

GME DIVISIÓN BAÑOS S.L. is a Valencian family company that belongs to LORENTE HOLDING VLC. With more than 30 years of experience in the commercialization and distribution of products oriented to the integral conditioning of the bathroom. The group develops two general lines of business, one of them acts as a delegation of first level manufacturers, the other manufactures and markets products under the brand GME.

Through permanent contact with our customers through our wide commercial network, we develop the product lines to be marketed to cover the current market needs, always trying to improve the existing offer in terms of price, quality and service.



Our 35000 m2 warehouse allows us to have a large stock of all the references in our catalog. This, together with our commitment to prepare your orders the same day they are received, makes it possible that delivery times, under normal conditions.

All this makes it possible to meet our goal:
"Quality does have a price".



Technical
sheets



Installation
videos



B2B
Registration



List of kits
Batch references and
their breakdown by
components and units
(e.g. 5401 = 5001+5434)



Tariff 2025
Reference, description,
weight, volume, RRP, tariff
code, EAN.

7-31

33-57

ALUMINIUM SLIDERS



TWENTY ● ● ● ●



KENNA ● ● ●

59-97

99-115



BASIC ● ● ● ● ● ● ●



AKTUAL / PRESTIGE

117-139

141-159

STEEL



VETRUM / TEMPLE / FUTURA / MOVING



SCREEN ● ● ● ● ● ● ●

161-199



FOLDING OPEN ● ●

201-237



HINGE GLASS ● ● ● ● ● ● ●

239-253



BIFOLD ● ●

255-263



+SOLUTIONS

265-287



BATHTUB ● ● ● ● ● ● ●

311-321



SHOWER TRAYS

twenty

20mm

"Technology and beauty
with only 20mm of profile
and Soft Close"

-  8-13 CHROME
-  14-19 BLACK
-  20-25 GOLD
-  26-31 COPPER



TWENTY 1 fix + 1 sliding door



Soft close/open



Hidden roller



Detachable guide






Extra-flat handle option

Description	Range	Opening	References	Points
Wall-to-wall TWENTY 1F1S 115	110-115	43-48	1999+2021	560
Wall-to-wall TWENTY 1F1S 120	115-120	46-51	2000+2021	566
Wall-to-wall TWENTY 1F1S 125	120-125	49-54	2001+2021	572
Wall-to-wall TWENTY 1F1S 130	125-130	51-56	2002+2021	578
Wall-to-wall TWENTY 1F1S 135	130-135	54-59	2003+2021	584
Wall-to-wall TWENTY 1F1S 140	135-140	56-61	2004+2021	590
Wall-to-wall TWENTY 1F1S 145	140-145	59-64	2005+2021	596
Wall-to-wall TWENTY 1F1S 150	145-150	61-66	2006+2021	602
Wall-to-wall TWENTY 1F1S 155	150-155	64-69	2007+2022	633
Wall-to-wall TWENTY 1F1S 160	155-160	66-71	2008+2022	639
Wall-to-wall TWENTY 1F1S 165	160-165	69-74	2009+2022	645
Wall-to-wall TWENTY 1F1S 170	165-170	71-76	2010+2022	650
Wall-to-wall TWENTY 1F1S 175	170-175	74-79	2011+2022	657
Wall-to-wall TWENTY 1F1S 180	175-180	76-81	2012+2022	663

*Breakdown by references/item on page 306

TWENTY 2 fix + 2 sliding doors



Description	Range	Opening	References	Points
Wall-to-wall TWENTY 2F2S 140 (75+75)	131-141	44-54	2031+2031+2042	825
Wall-to-wall TWENTY 2F2S 150 (80+80)	141-151	49-59	2032+2032+2042	837
Wall-to-wall TWENTY 2F2S 160 (85+85)	151-161	54-64	2033+2033+2042	853
Wall-to-wall TWENTY 2F2S 170 (90+90)	161-171	59-69	2034+2034+2042	867
Wall-to-wall TWENTY 2F2S 180 (95+95)	171-181	64-74	2035+2035+2042	879
Wall-to-wall TWENTY 2F2S 190 (100+100)	181-191	69-79	2036+2036+2042	891
Long extra-flat handle option 39,5x1,4x1,6cm			2052	68

*Fixed sidewall on both sides possible, see page 12



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32


*Delivery time 3 weeks (more information on p. 288)

TWENTY corner



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)



combinations TWENTY corner

Measure	Ranges	Opening	References	Points
70X70	65-70/65-70	30-35	2030+2030+2038	825
75X70	70-75/65-70	32-37	2031+2030+2038	832
80X70	75-80/65-70	34-39	2032+2030+2038	838
85X70	80-85/65-70	36-41	2033+2030+2038	846
90X70	85-90/65-70	38-43	2034+2030+2038	853
95X70	90-95/65-70	40-45	2035+2030+2038	859
100X70	95-100/65-70	42-47	2036+2030+2038	865
120X70	115-120/65-70	52-57	2037+2030+2038	894
Measure	Ranges	Opening	References	Points
75X75	70-75/70-75	34-39	2031+2031+2038	839
80X75	75-80/70-75	36-41	2032+2031+2038	845
85X75	80-85/70-75	38-43	2033+2031+2038	853
90X75	85-90/70-75	40-45	2034+2031+2038	860
95X75	90-95/70-75	42-47	2035+2031+2038	866
100X75	95-100/70-75	45-50	2036+2031+2038	872
120X75	115-120/70-75	54-59	2037+2031+2038	901
Measure	Ranges	Opening	References	Points
80X80	75-80/75-80	38-43	2032+2032+2038	851
85X80	80-85/75-80	40-45	2033+2032+2038	859
90X80	85-90/75-80	42-47	2034+2032+2038	866
95X80	90-95/75-80	45-50	2035+2032+2038	872
100X80	95-100/75-80	47-52	2036+2032+2038	878
120X80	115-120/75-80	56-61	2037+2032+2038	907
Measure	Ranges	Opening	References	Points
90X90	85-90/85-90	47-52	2034+2034+2038	881
95X90	90-95/85-90	49-54	2035+2034+2038	887
100X90	95-100/85-90	50-55	2036+2034+2038	893
120X90	115-120/85-90	60-65	2037+2034+2038	922

*Breakdown by references/item on page 306



Innovative anti-tipping system



Hidden roller



Double-side metallic handle




Soft open

TWENTY front + fix side panel 6 mm



Description	Range	Ref.	Points
Fix side TWENTY 70	66,5-69,5	2013	260
Fix side TWENTY 75	71,5-74,5	2014	270
Fix side TWENTY 80	76,5-79,5	2015	282
Fix side TWENTY 90	86,5-89,5	2016	305



combinations **TWENTY** + fix side panel 6 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x70	110-115/66,5-69,5	1999+2021+2013	820	115x75	110-115/71,5-74,5	1999+2021+2014	830
120x70	115-120/66,5-69,5	2000+2021+2013	826	120x75	115-120/71,5-74,5	2000+2021+2014	836
125x70	120-125/66,5-69,5	2001+2021+2013	832	125x75	120-125/71,5-74,5	2001+2021+2014	842
130x70	125-130/66,5-69,5	2002+2021+2013	838	130x75	125-130/71,5-74,5	2002+2021+2014	848
135x70	130-135/66,5-69,5	2003+2021+2013	844	135x75	130-135/71,5-74,5	2003+2021+2014	854
140x70	135-140/66,5-69,5	2004+2021+2013	850	140x75	135-140/71,5-74,5	2004+2021+2014	860
145x70	140-145/66,5-69,5	2005+2021+2013	856	145x75	140-145/71,5-74,5	2005+2021+2014	866
150x70	145-150/66,5-69,5	2006+2021+2013	862	150x75	145-150/71,5-74,5	2006+2021+2014	872
155x70	150-155/66,5-69,5	2007+2022+2013	893	155x75	150-155/71,5-74,5	2007+2022+2014	903
160x70	155-160/66,5-69,5	2008+2022+2013	899	160x75	155-160/71,5-74,5	2008+2022+2014	909
165x70	160-165/66,5-69,5	2009+2022+2013	905	165x75	160-165/71,5-74,5	2009+2022+2014	915
170x70	165-170/66,5-69,5	2010+2022+2013	910	170x75	165-170/71,5-74,5	2010+2022+2014	920
175x70	170-175/66,5-69,5	2011+2022+2013	917	175x75	170-175/71,5-74,5	2011+2022+2014	927
180x70	175-180/66,5-69,5	2012+2022+2013	923	180x75	175-180/71,5-74,5	2012+2022+2014	933
115x80	110-115/76,5-79,5	1999+2021+2015	842	115x90	110-115/86,5-89,5	1999+2021+2016	865
120x80	115-120/76,5-79,5	2000+2021+2015	848	120x90	115-120/86,5-89,5	2000+2021+2016	871
125x80	120-125/76,5-79,5	2001+2021+2015	854	125x90	120-125/86,5-89,5	2001+2021+2016	877
130x80	125-130/76,5-79,5	2002+2021+2015	860	130x90	125-130/86,5-89,5	2002+2021+2016	883
135x80	130-135/76,5-79,5	2003+2021+2015	866	135x90	130-135/86,5-89,5	2003+2021+2016	889
140x80	135-140/76,5-79,5	2004+2021+2015	872	140x90	135-140/86,5-89,5	2004+2021+2016	895
145x80	140-145/76,5-79,5	2005+2021+2015	878	145x90	140-145/86,5-89,5	2005+2021+2016	901
150x80	145-150/76,5-79,5	2006+2021+2015	884	150x90	145-150/86,5-89,5	2006+2021+2016	907
155x80	150-155/76,5-79,5	2007+2022+2015	915	155x90	150-155/86,5-89,5	2007+2022+2016	938
160x80	155-160/76,5-79,5	2008+2022+2015	921	160x90	155-160/86,5-89,5	2008+2022+2016	944
165x80	160-165/76,5-79,5	2009+2022+2015	927	165x90	160-165/86,5-89,5	2009+2022+2016	950
170x80	165-170/76,5-79,5	2010+2022+2015	932	170x90	165-170/86,5-89,5	2010+2022+2016	955
175x80	170-175/76,5-79,5	2011+2022+2015	939	175x90	170-175/86,5-89,5	2011+2022+2016	962
180x80	175-180/76,5-79,5	2012+2022+2015	945	180x90	175-180/86,5-89,5	2012+2022+2016	968

The openings are the same as on the wall-to-wall. Allows combination with fix side panel on both sides.



Fix side panels to measure (more information on page 291)

Description	References	Points	Boxed
Fix side to measure TWENTY until 40 cm	1375	318	+32
Fix side to measure TWENTY from 40 until 80cm	1376	437	+32
Fix side to measure TWENTY from 80 until 120cm	1377	542	+32

*Delivery time 3 weeks


TWENTY BLACK 1 fix + 1 sliding door



Soft close/open



Hidden roller



Extra-flat handle option




*Set of 2 black vertical rubber bands
ref. 0014, 23 points



Description	Range	Opening	Ref.	Points
Wall-to-wall TWENTY 1F1S BLACK 115	110-115	43-48	1999+2023	577
Wall-to-wall TWENTY 1F1S BLACK 120	115-120	46-51	2000+2023	583
Wall-to-wall TWENTY 1F1S BLACK 125	120-125	49-54	2001+2023	589
Wall-to-wall TWENTY 1F1S BLACK 130	125-130	51-56	2002+2023	595
Wall-to-wall TWENTY 1F1S BLACK 135	130-135	54-59	2003+2023	601
Wall-to-wall TWENTY 1F1S BLACK 140	135-140	56-61	2004+2023	607
Wall-to-wall TWENTY 1F1S BLACK 145	140-145	59-64	2005+2023	613
Wall-to-wall TWENTY 1F1S BLACK 150	145-150	61-66	2006+2023	619
Wall-to-wall TWENTY 1F1S BLACK 155	150-155	64-69	2007+2024	657
Wall-to-wall TWENTY 1F1S BLACK 160	155-160	66-71	2008+2024	663
Wall-to-wall TWENTY 1F1S BLACK 165	160-165	69-74	2009+2024	669
Wall-to-wall TWENTY 1F1S BLACK 170	165-170	71-76	2010+2024	674
Wall-to-wall TWENTY 1F1S BLACK 175	170-175	74-79	2011+2024	681
Wall-to-wall TWENTY 1F1S BLACK 180	175-180	76-81	2012+2024	687

*Breakdown by references/item on page 306

TWENTY BLACK 2 fix + 2 sliding doors



Description	Range	Opening	Ref.	Points
Wall-to-wall TWENTY 2F2S BLACK 140 (75+75)	131-141	44-54	2031+2031+2043	846
Wall-to-wall TWENTY 2F2S BLACK 150 (80+80)	141-151	49-59	2032+2032+2043	858
Wall-to-wall TWENTY 2F2S BLACK 160 (85+85)	151-161	54-64	2033+2033+2043	874
Wall-to-wall TWENTY 2F2S BLACK 170 (90+90)	161-171	59-69	2034+2034+2043	888
Wall-to-wall TWENTY 2F2S BLACK 180 (95+95)	171-181	64-74	2035+2035+2043	900
Wall-to-wall TWENTY 2F2S BLACK 190 (100+100)	181-191	69-79	2036+2036+2043	912
Long extra-flat handle option 39,5x1,4x1,6cm			2052N	71

*Fixed sidewall on both sides possible, see page 20



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32


*Delivery time 3 weeks (more information on p. 288)

TWENTY BLACK corner



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)



combinations **TWENTY BLACK** corner

Measure	Ranges	Opening	References	Points
70X70	65-70/65-70	30-35	2030+2030+2039	846
75X70	70-75/65-70	32-37	2031+2030+2039	853
80X70	75-80/65-70	34-39	2032+2030+2039	859
85X70	80-85/65-70	36-41	2033+2030+2039	867
90X70	85-90/65-70	38-43	2034+2030+2039	874
95X70	90-95/65-70	40-45	2035+2030+2039	880
100X70	95-100/65-70	42-47	2036+2030+2039	886
120X70	115-120/65-70	52-57	2037+2030+2039	915
Measure	Ranges	Opening	References	Points
75X75	70-75/70-75	34-39	2031+2031+2039	860
80X75	75-80/70-75	36-41	2032+2031+2039	866
85X75	80-85/70-75	38-43	2033+2031+2039	874
90X75	85-90/70-75	40-45	2034+2031+2039	881
95X75	90-95/70-75	42-47	2035+2031+2039	887
100X75	95-100/70-75	45-50	2036+2031+2039	893
120X75	115-120/70-75	54-59	2037+2031+2039	922
Measure	Ranges	Opening	References	Points
80X80	75-80/75-80	38-43	2032+2032+2039	872
85X80	80-85/75-80	40-45	2033+2032+2039	880
90X80	85-90/75-80	42-47	2034+2032+2039	887
95X80	90-95/75-80	45-50	2035+2032+2039	893
100X80	95-100/75-80	47-52	2036+2032+2039	899
120X80	115-120/75-80	56-61	2037+2032+2039	928
Measure	Ranges	Opening	References	Points
90X90	85-90/85-90	47-52	2034+2034+2039	902
95X90	90-95/85-90	49-54	2035+2034+2039	908
100X90	95-100/85-90	50-55	2036+2034+2039	914
120X90	115-120/85-90	60-65	2037+2034+2039	943

*Breakdown by references/item on page 306



Innovative anti-tipping system



Hidden roller



Soft open



*Set of 2 black vertical rubber bands
ref. 0014, 23 points

TWENTY BLACK front + fix side panel 6mm




Description	Range	Ref.	Points
Fix side TWENTY BLACK 70	66,5-69,5	2017	267
Fix side TWENTY BLACK 75	71,5-74,5	2018	282
Fix side TWENTY BLACK 80	76,5-79,5	2019	297
Fix side TWENTY BLACK 90	86,5-89,5	2020	320



Fix side panels to measure (more information on page 291)

Description	References	Points	Boxed
Fix side to measure TWENTY until 40 cm	1375N	326	+32
Fix side to measure TWENTY from 40 until 80cm	1376N	445	+32
Fix side to measure TWENTY from 80 until 120cm	1377N	550	+32

*Delivery time 3 weeks



combinations TWENTY BLACK + fix side panel 6 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x70	110-115/66,5-69,5	1999+2023+2017	844	115x75	110-115/71,5-74,5	1999+2023+2018	859
120x70	115-120/66,5-69,5	2000+2023+2017	850	120x75	115-120/71,5-74,5	2000+2023+2018	865
125x70	120-125/66,5-69,5	2001+2023+2017	856	125x75	120-125/71,5-74,5	2001+2023+2018	871
130x70	125-130/66,5-69,5	2002+2023+2017	862	130x75	125-130/71,5-74,5	2002+2023+2018	877
135x70	130-135/66,5-69,5	2003+2023+2017	868	135x75	130-135/71,5-74,5	2003+2023+2018	883
140x70	135-140/66,5-69,5	2004+2023+2017	874	140x75	135-140/71,5-74,5	2004+2023+2018	889
145x70	140-145/66,5-69,5	2005+2023+2017	880	145x75	140-145/71,5-74,5	2005+2023+2018	895
150x70	145-150/66,5-69,5	2006+2023+2017	886	150x75	145-150/71,5-74,5	2006+2023+2018	901
155x70	150-155/66,5-69,5	2007+2024+2017	924	155x75	150-155/71,5-74,5	2007+2024+2018	939
160x70	155-160/66,5-69,5	2008+2024+2017	930	160x75	155-160/71,5-74,5	2008+2024+2018	945
165x70	160-165/66,5-69,5	2009+2024+2017	936	165x75	160-165/71,5-74,5	2009+2024+2018	951
170x70	165-170/66,5-69,5	2010+2024+2017	941	170x75	165-170/71,5-74,5	2010+2024+2018	956
175x70	170-175/66,5-69,5	2011+2024+2017	948	175x75	170-175/71,5-74,5	2011+2024+2018	963
180x70	175-180/66,5-69,5	2012+2024+2017	954	180x75	175-180/71,5-74,5	2012+2024+2018	969
Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x80	110-115/76,5-79,5	1999+2023+2019	874	115x90	110-115/86,5-89,5	1999+2023+2020	897
120x80	115-120/76,5-79,5	2000+2023+2019	880	120x90	115-120/86,5-89,5	2000+2023+2020	903
125x80	120-125/76,5-79,5	2001+2023+2019	886	125x90	120-125/86,5-89,5	2001+2023+2020	909
130x80	125-130/76,5-79,5	2002+2023+2019	892	130x90	125-130/86,5-89,5	2002+2023+2020	915
135x80	130-135/76,5-79,5	2003+2023+2019	898	135x90	130-135/86,5-89,5	2003+2023+2020	921
140x80	135-140/76,5-79,5	2004+2023+2019	904	140x90	135-140/86,5-89,5	2004+2023+2020	927
145x80	140-145/76,5-79,5	2005+2023+2019	910	145x90	140-145/86,5-89,5	2005+2023+2020	933
150x80	145-150/76,5-79,5	2006+2023+2019	916	150x90	145-150/86,5-89,5	2006+2023+2020	939
155x80	150-155/76,5-79,5	2007+2024+2019	954	155x90	150-155/86,5-89,5	2007+2024+2020	977
160x80	155-160/76,5-79,5	2008+2024+2019	960	160x90	155-160/86,5-89,5	2008+2024+2020	983
165x80	160-165/76,5-79,5	2009+2024+2019	966	165x90	160-165/86,5-89,5	2009+2024+2020	989
170x80	165-170/76,5-79,5	2010+2024+2019	971	170x90	165-170/86,5-89,5	2010+2024+2020	994
175x80	170-175/76,5-79,5	2011+2024+2019	978	175x90	170-175/86,5-89,5	2011+2024+2020	1001
180x80	175-180/76,5-79,5	2012+2024+2019	984	180x90	175-180/86,5-89,5	2012+2024+2020	1007

The openings are the same as on the wall-to-wall. Allows combination with fix side panel on both sides.



Detachable guide



Hidden roller



Soft close/open



*Set of 2 black vertical rubber bands
ref. 0014, 23 points

TWENTY GOLD 1 fix + 1 sliding door



Soft close/open



Hidden roller



Detachable guide






Extra-flat handle option

Description	Range	Opening	Ref.	Points
Wall-to-wall TWENTY 1F1S GOLD 115	110-115	43-48	1999+2044	626
Wall-to-wall TWENTY 1F1S GOLD 120	115-120	46-51	2000+2044	632
Wall-to-wall TWENTY 1F1S GOLD 125	120-125	49-54	2001+2044	638
Wall-to-wall TWENTY 1F1S GOLD 130	125-130	51-56	2002+2044	644
Wall-to-wall TWENTY 1F1S GOLD 135	130-135	54-59	2003+2044	650
Wall-to-wall TWENTY 1F1S GOLD 140	135-140	56-61	2004+2044	656
Wall-to-wall TWENTY 1F1S GOLD 145	140-145	59-64	2005+2044	662
Wall-to-wall TWENTY 1F1S GOLD 150	145-150	61-66	2006+2044	668
Wall-to-wall TWENTY 1F1S GOLD 155	150-155	64-69	2007+2045	710
Wall-to-wall TWENTY 1F1S GOLD 160	155-160	66-71	2008+2045	716
Wall-to-wall TWENTY 1F1S GOLD 165	160-165	69-74	2009+2045	722
Wall-to-wall TWENTY 1F1S GOLD 170	165-170	71-76	2010+2045	727
Wall-to-wall TWENTY 1F1S GOLD 175	170-175	74-79	2011+2045	734
Wall-to-wall TWENTY 1F1S GOLD 180	175-180	76-81	2012+2045	740

*Breakdown by references/item on page 306

TWENTY GOLD 2 fix + 2 sliding doors



Description	Range	Opening	Ref.	Points
Wall-to-wall TWENTY 2F2S GOLD 140 (75+75)	131-141	44-54	2031+2031+2047	902
Wall-to-wall TWENTY 2F2S GOLD 150 (80+80)	141-151	49-59	2032+2032+2047	914
Wall-to-wall TWENTY 2F2S GOLD 160 (85+85)	151-161	54-64	2033+2033+2047	930
Wall-to-wall TWENTY 2F2S GOLD 170 (90+90)	161-171	59-69	2034+2034+2047	944
Wall-to-wall TWENTY 2F2S GOLD 180 (95+95)	171-181	64-74	2035+2035+2047	956
Wall-to-wall TWENTY 2F2S GOLD 190 (100+100)	181-191	69-79	2036+2036+2047	968
Long extra-flat handle option 39,5x1,4x1,6cm			2052OR	75

*Fixed sidewall on both sides possible, see page 24.



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)


TWENTY GOLD corner

Brushed gold



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32


*Delivery time 3 weeks (more information on p. 288)



combinations **TWENTY GOLD** corner

Measure	Ranges	Opening	References	Points
70X70	65-70/65-70	30-35	2030+2030+2046	901
75X70	70-75/65-70	32-37	2031+2030+2046	908
80X70	75-80/65-70	34-39	2032+2030+2046	914
85X70	80-85/65-70	36-41	2033+2030+2046	922
90X70	85-90/65-70	38-43	2034+2030+2046	929
95X70	90-95/65-70	40-45	2035+2030+2046	935
100X70	95-100/65-70	42-47	2036+2030+2046	941
120X70	115-120/65-70	52-57	2037+2030+2046	970
Measure	Ranges	Opening	References	Points
75X75	70-75/70-75	34-39	2031+2031+2046	915
80X75	75-80/70-75	36-41	2032+2031+2046	921
85X75	80-85/70-75	38-43	2033+2031+2046	929
90X75	85-90/70-75	40-45	2034+2031+2046	936
95X75	90-95/70-75	42-47	2035+2031+2046	942
100X75	95-100/70-75	45-50	2036+2031+2046	948
120X75	115-120/70-75	54-59	2037+2031+2046	977
Measure	Ranges	Opening	References	Points
80X80	75-80/75-80	38-43	2032+2032+2046	927
85X80	80-85/75-80	40-45	2033+2032+2046	935
90X80	85-90/75-80	42-47	2034+2032+2046	942
95X80	90-95/75-80	45-50	2035+2032+2046	948
100X80	95-100/75-80	47-52	2036+2032+2046	954
120X80	115-120/75-80	56-61	2037+2032+2046	983
Measure	Ranges	Opening	References	Points
90X90	85-90/85-90	47-52	2034+2034+2046	957
95X90	90-95/85-90	49-54	2035+2034+2046	963
100X90	95-100/85-90	50-55	2036+2034+2046	969
120X90	115-120/85-90	60-65	2037+2034+2046	998

*Breakdown by references/item on page 306



Innovative anti-tipping system



Hidden roller



Double metal handle



Soft open

TWENTY GOLD front + fix side panel 6mm

Brushed gold




Description	Range	Ref.	Points
Fix side TWENTY GOLD 70	66,5-69,5	2048	300
Fix side TWENTY GOLD 75	71,5-74,5	2049	312
Fix side TWENTY GOLD 80	76,5-79,5	2050	326
Fix side TWENTY GOLD 90	86,5-89,5	2051	351



Fix side panels to measure (more information on page 291)

Description	References	Points	Boxed
Fix side to measure TWENTY until 40 cm	1375OR	341	+32
Fix side to measure TWENTY from 40 until 80cm	1376OR	460	+32
Fix side to measure TWENTY from 80 until 120cm	1377OR	565	+32

*Delivery time 3 weeks



combinations **TWENTY GOLD** + fix side panel 6 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x70	110-115/66,5-69,5	1999+2044+2048	926	115x75	110-115/71,5-74,5	1999+2044+2049	938
120x70	115-120/66,5-69,5	2000+2044+2048	932	120x75	115-120/71,5-74,5	2000+2044+2049	944
125x70	120-125/66,5-69,5	2001+2044+2048	938	125x75	120-125/71,5-74,5	2001+2044+2049	950
130x70	125-130/66,5-69,5	2002+2044+2048	944	130x75	125-130/71,5-74,5	2002+2044+2049	956
135x70	130-135/66,5-69,5	2003+2044+2048	950	135x75	130-135/71,5-74,5	2003+2044+2049	962
140x70	135-140/66,5-69,5	2004+2044+2048	956	140x75	135-140/71,5-74,5	2004+2044+2049	968
145x70	140-145/66,5-69,5	2005+2044+2048	962	145x75	140-145/71,5-74,5	2005+2044+2049	974
150x70	145-150/66,5-69,5	2006+2044+2048	968	150x75	145-150/71,5-74,5	2006+2044+2049	980
155x70	150-155/66,5-69,5	2007+2045+2048	1010	155x75	150-155/71,5-74,5	2007+2045+2049	1022
160x70	155-160/66,5-69,5	2008+2045+2048	1016	160x75	155-160/71,5-74,5	2008+2045+2049	1028
165x70	160-165/66,5-69,5	2009+2045+2048	1022	165x75	160-165/71,5-74,5	2009+2045+2049	1034
170x70	165-170/66,5-69,5	2010+2045+2048	1027	170x75	165-170/71,5-74,5	2010+2045+2049	1039
175x70	170-175/66,5-69,5	2011+2045+2048	1034	175x75	170-175/71,5-74,5	2011+2045+2049	1046
180x70	175-180/66,5-69,5	2012+2045+2048	1040	180x75	175-180/71,5-74,5	2012+2045+2049	1052
Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x80	110-115/76,5-79,5	1999+2044+2050	809	115x90	110-115/86,5-89,5	1999+2044+2051	977
120x80	115-120/76,5-79,5	2000+2044+2050	958	120x90	115-120/86,5-89,5	2000+2044+2051	983
125x80	120-125/76,5-79,5	2001+2044+2050	964	125x90	120-125/86,5-89,5	2001+2044+2051	989
130x80	125-130/76,5-79,5	2002+2044+2050	970	130x90	125-130/86,5-89,5	2002+2044+2051	995
135x80	130-135/76,5-79,5	2003+2044+2050	976	135x90	130-135/86,5-89,5	2003+2044+2051	1001
140x80	135-140/76,5-79,5	2004+2044+2050	982	140x90	135-140/86,5-89,5	2004+2044+2051	1007
145x80	140-145/76,5-79,5	2005+2044+2050	988	145x90	140-145/86,5-89,5	2005+2044+2051	1013
150x80	145-150/76,5-79,5	2006+2044+2050	994	150x90	145-150/86,5-89,5	2006+2044+2051	1019
155x80	150-155/76,5-79,5	2007+2045+2050	1036	155x90	150-155/86,5-89,5	2007+2045+2051	1061
160x80	155-160/76,5-79,5	2008+2045+2050	1042	160x90	155-160/86,5-89,5	2008+2045+2051	1067
165x80	160-165/76,5-79,5	2009+2045+2050	1048	165x90	160-165/86,5-89,5	2009+2045+2051	1073
170x80	165-170/76,5-79,5	2010+2045+2050	1053	170x90	165-170/86,5-89,5	2010+2045+2051	1078
175x80	170-175/76,5-79,5	2011+2045+2050	1060	175x90	170-175/86,5-89,5	2011+2045+2051	1085
180x80	175-180/76,5-79,5	2012+2045+2050	1066	180x90	175-180/86,5-89,5	2012+2045+2051	1091

The openings are the same as on the wall-to-wall. Allows combination with fix side panel on both sides.



Detachable guide



Hidden roller



Double metal handle



Soft close/open

TWENTY COPPER 1 fix + 1 sliding door



Soft close/open



Hidden roller



Detachable guide






Extra-flat handle option

Description	Range	Opening	Ref.	Points
Wall-to-wall TWENTY 1F1S COPPER 115	110-115	43-48	1999+2060	626
Wall-to-wall TWENTY 1F1S COPPER 120	115-120	46-51	2000+2060	632
Wall-to-wall TWENTY 1F1S COPPER 125	120-125	49-54	2001+2060	638
Wall-to-wall TWENTY 1F1S COPPER 130	125-130	51-56	2002+2060	644
Wall-to-wall TWENTY 1F1S COPPER 135	130-135	54-59	2003+2060	650
Wall-to-wall TWENTY 1F1S COPPER 140	135-140	56-61	2004+2060	656
Wall-to-wall TWENTY 1F1S COPPER 145	140-145	59-64	2005+2060	662
Wall-to-wall TWENTY 1F1S COPPER 150	145-150	61-66	2006+2060	668
Wall-to-wall TWENTY 1F1S COPPER 155	150-155	64-69	2007+2061	710
Wall-to-wall TWENTY 1F1S COPPER 160	155-160	66-71	2008+2061	716
Wall-to-wall TWENTY 1F1S COPPER 165	160-165	69-74	2009+2061	722
Wall-to-wall TWENTY 1F1S COPPER 170	165-170	71-76	2010+2061	727
Wall-to-wall TWENTY 1F1S COPPER 175	170-175	74-79	2011+2061	734
Wall-to-wall TWENTY 1F1S COPPER 180	175-180	76-81	2012+2061	740

*Breakdown by references/item on page 306

TWENTY COPPER 2 fix + 2 sliding doors



Description	Range	Opening	Ref.	Points
Wall-to-wall TWENTY 2F2S COPPER 140 (75+75)	131-141	44-54	2031+2031+2063	902
Wall-to-wall TWENTY 2F2S COPPER 150 (80+80)	141-151	49-59	2032+2032+2063	914
Wall-to-wall TWENTY 2F2S COPPER 160 (85+85)	151-161	54-64	2033+2033+2063	930
Wall-to-wall TWENTY 2F2S COPPER 170 (90+90)	161-171	59-69	2034+2034+2063	944
Wall-to-wall TWENTY 2F2S COPPER 180 (95+95)	171-181	64-74	2035+2035+2063	956
Wall-to-wall TWENTY 2F2S COPPER 190 (100+100)	181-191	69-79	2036+2036+2063	968
Long extra-flat handle option 39,5x1,4x1,6cm			2052CB	75

*Fixed sidewall on both sides possible, see page 30.



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32


*Delivery time 3 weeks (more information on p. 288)

TWENTY COPPER corner



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)



combinations **TWENTY COPPER** corner

Measure	Ranges	Opening	References	Points
70X70	65-70/65-70	30-35	2030+2030+2062	901
75X70	70-75/65-70	32-37	2031+2030+2062	908
80X70	75-80/65-70	34-39	2032+2030+2062	914
85X70	80-85/65-70	36-41	2033+2030+2062	922
90X70	85-90/65-70	38-43	2034+2030+2062	929
95X70	90-95/65-70	40-45	2035+2030+2062	935
100X70	95-100/65-70	42-47	2036+2030+2062	941
120X70	115-120/65-70	52-57	2037+2030+2062	970
Measure	Ranges	Opening	References	Points
75X75	70-75/70-75	34-39	2031+2031+2062	915
80X75	75-80/70-75	36-41	2032+2031+2062	921
85X75	80-85/70-75	38-43	2033+2031+2062	929
90X75	85-90/70-75	40-45	2034+2031+2062	936
95X75	90-95/70-75	42-47	2035+2031+2062	942
100X75	95-100/70-75	45-50	2036+2031+2062	948
120X75	115-120/70-75	54-59	2037+2031+2062	977
Measure	Ranges	Opening	References	Points
80X80	75-80/75-80	38-43	2032+2032+2062	927
85X80	80-85/75-80	40-45	2033+2032+2062	935
90X80	85-90/75-80	42-47	2034+2032+2062	942
95X80	90-95/75-80	45-50	2035+2032+2062	948
100X80	95-100/75-80	47-52	2036+2032+2062	954
120X80	115-120/75-80	56-61	2037+2032+2062	983
Measure	Ranges	Opening	References	Points
90X90	85-90/85-90	47-52	2034+2034+2062	957
95X90	90-95/85-90	49-54	2035+2034+2062	963
100X90	95-100/85-90	50-55	2036+2034+2062	969
120X90	115-120/85-90	60-65	2037+2034+2062	998


*Breakdown by references/item on page 306



Innovative anti-tipping system



Hidden roller



Double-side metallic handle



Soft open

TWENTY COPPER front + fix side panel 6mm




Description	Range	Ref.	Points
Fix side TWENTY COPPER 70	66,5-69,5	2065	300
Fix side TWENTY COPPER 75	71,5-74,5	2066	312
Fix side TWENTY COPPER 80	76,5-79,5	2067	326
Fix side TWENTY COPPER 90	86,5-89,5	2068	351



Fix side panels to measure (more information on page 291)

Description	References	Points	Boxed
Fix side to measure TWENTY until 40 cm	1375CB	341	+32
Fix side to measure TWENTY from 40 until 80cm	1376CB	460	+32
Fix side to measure TWENTY from 80 until 120cm	1377CB	565	+32

*Delivery time 3 weeks



combinations **TWENTY COPPER** + fix side panel 6 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x70	110-115/66,5-69,5	1999+2060+2065	926	115x75	110-115/71,5-74,5	1999+2060+2066	938
120x70	115-120/66,5-69,5	2000+2060+2065	932	120x75	115-120/71,5-74,5	2000+2060+2066	944
125x70	120-125/66,5-69,5	2001+2060+2065	938	125x75	120-125/71,5-74,5	2001+2060+2066	950
130x70	125-130/66,5-69,5	2002+2060+2065	944	130x75	125-130/71,5-74,5	2002+2060+2066	956
135x70	130-135/66,5-69,5	2003+2060+2065	950	135x75	130-135/71,5-74,5	2003+2060+2066	962
140x70	135-140/66,5-69,5	2004+2060+2065	956	140x75	135-140/71,5-74,5	2004+2060+2066	968
145x70	140-145/66,5-69,5	2005+2060+2065	962	145x75	140-145/71,5-74,5	2005+2060+2066	974
150x70	145-150/66,5-69,5	2006+2060+2065	968	150x75	145-150/71,5-74,5	2006+2060+2066	980
155x70	150-155/66,5-69,5	2007+2061+2065	1010	155x75	150-155/71,5-74,5	2007+2061+2066	1022
160x70	155-160/66,5-69,5	2008+2061+2065	1016	160x75	155-160/71,5-74,5	2008+2061+2066	1028
165x70	160-165/66,5-69,5	2009+2061+2065	1022	165x75	160-165/71,5-74,5	2009+2061+2066	1034
170x70	165-170/66,5-69,5	2010+2061+2065	1027	170x75	165-170/71,5-74,5	2010+2061+2066	1039
175x70	170-175/66,5-69,5	2011+2061+2065	1034	175x75	170-175/71,5-74,5	2011+2061+2066	1046
180x70	175-180/66,5-69,5	2012+2061+2065	1040	180x75	175-180/71,5-74,5	2012+2061+2066	1052
Measure	Ranges	References	Points	Measure	Ranges	References	Points
115x80	110-115/76,5-79,5	1999+2060+2067	952	115x90	110-115/86,5-89,5	1999+2060+2068	977
120x80	115-120/76,5-79,5	2000+2060+2067	958	120x90	115-120/86,5-89,5	2000+2060+2068	983
125x80	120-125/76,5-79,5	2001+2060+2067	964	125x90	120-125/86,5-89,5	2001+2060+2068	989
130x80	125-130/76,5-79,5	2002+2060+2067	970	130x90	125-130/86,5-89,5	2002+2060+2068	995
135x80	130-135/76,5-79,5	2003+2060+2067	976	135x90	130-135/86,5-89,5	2003+2060+2068	1001
140x80	135-140/76,5-79,5	2004+2060+2067	982	140x90	135-140/86,5-89,5	2004+2060+2068	1007
145x80	140-145/76,5-79,5	2005+2060+2067	988	145x90	140-145/86,5-89,5	2005+2060+2068	1013
150x80	145-150/76,5-79,5	2006+2060+2067	994	150x90	145-150/86,5-89,5	2006+2060+2068	1019
155x80	150-155/76,5-79,5	2007+2061+2067	1036	155x90	150-155/86,5-89,5	2007+2061+2068	1061
160x80	155-160/76,5-79,5	2008+2061+2067	1042	160x90	155-160/86,5-89,5	2008+2061+2068	1067
165x80	160-165/76,5-79,5	2009+2061+2067	1048	165x90	160-165/86,5-89,5	2009+2061+2068	1073
170x80	165-170/76,5-79,5	2010+2061+2067	1053	170x90	165-170/86,5-89,5	2010+2061+2068	1078
175x80	170-175/76,5-79,5	2011+2061+2067	1060	175x90	170-175/86,5-89,5	2011+2061+2068	1085
180x80	175-180/76,5-79,5	2012+2061+2067	1066	180x90	175-180/86,5-89,5	2012+2061+2068	1091

The openings are the same as on the wall-to-wall. Allows combination with fix side panel on both sides.



Detachable guide



Hidden roller



Double-side metallic handle



Soft close/open

kenna

8mm

"Avant-garde design with the absence of profiles while maintaining the interior sliding system."

● 34-41 CHROME

● 42-49 BLACK

● 50-57 GOLD





KENNA 1 fix + 1 sliding door





Wall to wall KENNA 1 fix + 1 sliding door

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA 1F1S 100	95-100	34-39	6530CR	605
Wall-to-wall KENNA 1F1S 105	100-105	37-42	6531CR	623
Wall-to-wall KENNA 1F1S 110	105-110	39-44	6532CR	626
Wall-to-wall KENNA 1F1S 115	110-115	42-47	6533CR	629
Wall-to-wall KENNA 1F1S 120	115-120	44-49	6534CR	647
Wall-to-wall KENNA 1F1S 125	120-125	47-52	6535CR	659
Wall-to-wall KENNA 1F1S 130	125-130	49-54	6536CR	668
Wall-to-wall KENNA 1F1S 135	130-135	52-57	6537CR	680
Wall-to-wall KENNA 1F1S 140	135-140	52-57	6538CR	716
Wall-to-wall KENNA 1F1S 145	140-145	57-62	6539CR	740
Wall-to-wall KENNA 1F1S 150	145-150	57-62	6540CR	763
Wall-to-wall KENNA 1F1S 155	150-155	62-67	6541CR	772
Wall-to-wall KENNA 1F1S 160	155-160	64-69	6542CR	792
Wall-to-wall KENNA 1F1S 165	160-165	64-69	6543CR	804
Wall-to-wall KENNA 1F1S 170	165-170	64-69	6544CR	813
Wall-to-wall KENNA 1F1S 175	170-175	64-69	6545CR	824
Wall-to-wall KENNA 1F1S 180	175-180	64-69	6546CR	834

Breakdown by references/item on page 307



Orientable steel bar



Double-side metallic handle



Roller integrated in glass



Handle option
Extra-flat 22x1,6x0,7cm
Ref. 1731 - 30 points



Handle option
Length 40x1,2x1,5cm
Ref. 1732 - 50 points




Option parallel bar 200 cm, ref. 5546
Increase 98 points



In the Free format the range is reduced by 2 cm.

KENNA 2 fix + 2 sliding doors





Wall to wall KENNA 2 fix + 2 sliding doors

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA 2F2S 140 (75+75)	131-141	41-51	KNSP140	1002
Wall-to-wall KENNA 2F2S 150 (80+80)	141-151	46-56	KNSP150	1024
Wall-to-wall KENNA 2F2S 160 (85+85)	151-161	51-61	KNSP160	1032
Wall-to-wall KENNA 2F2S 170 (90+90)	161-171	46-66	KNSP170	1062
Wall-to-wall KENNA 2F2S 180 (95+95)	171-181	61-71	KNSP180	1084
Wall-to-wall KENNA 2F2S 190 (100+100)	181-191	66-76	KNSP190	1102
Wall-to-wall KENNA 2F2S 200 (105+105)	196-206	75-85	KNSP200	1138
Wall-to-wall KENNA 2F2S 210 (110+110)	206-216	80-90	KNSP210	1144
Wall-to-wall KENNA 2F2S 220 (115+115)	216-226	85-95	KNSP220	1150
Wall-to-wall KENNA 2F2S 230 (120+120)	221-231	90-100	KNSP230	1206

*Ranges calculated without expanding the profile +1.5 cm, per side

Wall to wall KENNA XXL 2 fix + 2 sliding doors

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA 2F2S 240 (125+125)	234-244	95-105	KNSP240	1348
Wall-to-wall KENNA 2F2S 250 (130+130)	244-254	100-110	KNSP250	1366
Wall-to-wall KENNA 2F2S 260 (135+135)	254-264	105-115	KNSP260	1390
Wall-to-wall KENNA 2F2S 270 (140+140)	264-274	105-115	KNSP270	1462
Wall-to-wall KENNA 2F2S 280 (145+145)	274-284	115-125	KNSP280	1510
Wall-to-wall KENNA 2F2S 290 (150+150)	284-294	115-125	KNSP290	1534
Wall-to-wall KENNA 2F2S 300 (155+155)	294-304	125-135	KNSP300	1574
Wall-to-wall KENNA 2F2S 310 (160+160)	304-314	130-140	KNSP310	1614

*Ranges calculated without expanding the profile +1.5 cm, per side



Orientable steel bar



Double-side metallic handle



Roller integrated in glass






Handle option
Extra-flat 22x1,6x0,7cm
Ref. 1731 - 30 points



Handle option
Length 40x1,2x1,5cm
Ref. 1732 - 50 points

KENNA corner





Combinations KENNA corner

Measure	Ranges	Openings	References	Points
70x70	65-70/65-70	32-35	KNAV7070	978
75x70	70-75/65-70	34-37	KNAV7570	987
80x70	75-80/65-70	36-39	KNAV8070	998
85x70	80-85/65-70	38-41	KNAV8570	1002
90x70	85-90/65-70	40-43	KNAV9070	1017
95x70	85-95/65-70	42-45	KNAV9570	1028
100x70	95-100/65-70	44-47	KNAV10070	1037
120x70	115-120/65-70	48-51	KNAV12070	1089
75x75	70-75/70-75	36-39	KNAV7575	996
80x75	75-80/70-75	38-41	KNAV8075	1007
85x75	80-85/70-75	40-43	KNAV8575	1011
90x75	85-90/70-75	42-45	KNAV9075	1026
95x75	85-95/70-75	44-47	KNAV9575	1037
100x75	95-100/70-75	46-49	KNAV10075	1046
120x75	115-120/70-75	50-53	KNAV12075	1098
80x80	75-80/75-80	39-42	KNAV8080	1018
85x80	80-85/75-80	41-44	KNAV8580	1022
90x80	85-90/75-80	43-46	KNAV9080	1037
95x80	85-95/75-80	45-48	KNAV9580	1048
100x80	95-100/75-80	47-50	KNAV10080	1057
120x80	115-120/75-80	51-54	KNAV12080	1109
90x90	85-90/85-90	46-49	KNAV9090	1056
95x90	85-95/85-90	48-51	KNAV9590	1067
100x90	95-100/85-90	50-53	KNAV10090	1076
120x90	115-120/85-90	54-57	KNAV12090	1128
100x100	95-100/ 95-100	54-57	KNAV100100	1096
120x100	115-120/95-100	58-61	KNAV120100	1148
120x120	115-120/115-120	67-70	KNAV120120	1200

*Maximum range is obtained by expanding the profile (+1.5cm)

*Breakdown by references/item on page 307



Orientable steel bar



Double-side metallic handle



Roller integrated in glass



Handle option
Extra-flat 22x1,6x0,7cm
Ref. 1731 - 30 points




Handle option
Length 40x1,2x1,5cm
Ref. 1732 - 50 points

KENNA front + fix side panel 8 mm



Description	Range	Ref.	Points
Fix side KENNA 70	67-69	6547CR	314
Fix side KENNA 75	72-74	6548CR	324
Fix side KENNA 80	77-79	6549CR	335
Fix side KENNA 90	87-89	6550CR	354



Fronts combinations KENNA + fix side panel 8 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
100x70	95-100/67-69	KNAF10070	919	100x75	95-100/72-74	KNAF10075	929
110x70	105-110/67-69	KNAF11070	940	110x75	105-110/72-74	KNAF11075	950
120x70	115-120/67-69	KNAF12070	961	120x75	115-120/72-74	KNAF12075	971
130x70	125-130/67-69	KNAF13070	982	130x75	125-130/72-74	KNAF13075	992
140x70	135-140/67-69	KNAF14070	1030	140x75	135-140/72-74	KNAF14075	1040
150x70	145-150/67-69	KNAF15070	1077	150x75	145-150/72-74	KNAF15075	1087
160x70	155-160/67-69	KNAF16070	1106	160x75	155-160/72-74	KNAF16075	1116
170x70	165-170/67-69	KNAF17070	1127	170x75	165-170/72-74	KNAF17075	1137
180x70	175-180/67-69	KNAF18070	1148	180x75	175-180/72-74	KNAF18075	1158
Measure	Ranges	References	Points	Measure	Ranges	References	Points
100x80	95-100/77-79	KNAF10080	940	100x90	95-100/87-89	KNAF10090	959
110x80	105-110/77-79	KNAF11080	961	110x90	105-110/87-89	KNAF11090	980
120x80	115-120/77-79	KNAF12080	982	120x90	115-120/87-89	KNAF12090	1001
130x80	125-130/77-79	KNAF13080	1003	130x90	125-130/87-89	KNAF13090	1022
140x80	135-140/77-79	KNAF14080	1051	140x90	135-140/87-89	KNAF14090	1070
150x80	145-150/77-79	KNAF15080	1098	150x90	145-150/87-89	KNAF15090	1117
160x80	155-160/77-79	KNAF16080	1127	160x90	155-160/87-89	KNAF16090	1146
170x80	165-170/77-79	KNAF17080	1148	170x90	165-170/87-89	KNAF17090	1167
180x80	175-180/77-79	KNAF18080	1169	180x90	175-180/87-89	KNAF18090	1188

Combinations with intermediate sizes of wall-to-wall and up to 175 cm are possible. The opening is +2cm more than on the front.



Option parallel bar 200 cm, ref. 5546
Increase 98 points



Handle option
Extra-flat 22x1,6x0,7cm
Ref. 1731 - 30 points



Handle option
Length 40x1,2x1,5cm
Ref. 1732 - 50 points




Fix side panels to measure (more information on page 291)

Description	Ref.	Points	Boxed
Measure until 40 cm	1365	386	+32
Measure from 40 until 80cm	1366	513	+32
Measure from 80 until 120cm	1367	618	+32

*Delivery time 3 weeks

KENNA BLACK 1 fix + 1 sliding door





Wall to wall KENNA BLACK 1 fix + 1 sliding door

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA 1F1S BLACK 100	95-100	34-39	6530N	620
Wall-to-wall KENNA 1F1S BLACK 105	100-105	37-42	6531N	638
Wall-to-wall KENNA 1F1S BLACK 110	105-110	39-44	6532N	641
Wall-to-wall KENNA 1F1S BLACK 115	110-115	42-47	6533N	644
Wall-to-wall KENNA 1F1S BLACK 120	115-120	44-49	6534N	662
Wall-to-wall KENNA 1F1S BLACK 125	120-125	47-52	6535N	674
Wall-to-wall KENNA 1F1S BLACK 130	125-130	49-54	6536N	683
Wall-to-wall KENNA 1F1S BLACK 135	130-135	52-57	6537N	695
Wall-to-wall KENNA 1F1S BLACK 140	135-140	52-57	6538N	731
Wall-to-wall KENNA 1F1S BLACK 145	140-145	57-62	6539N	755
Wall-to-wall KENNA 1F1S BLACK 150	145-150	57-62	6540N	767
Wall-to-wall KENNA 1F1S BLACK 155	150-155	62-67	6541N	787
Wall-to-wall KENNA 1F1S BLACK 160	155-160	64-69	6542N	807
Wall-to-wall KENNA 1F1S BLACK 165	160-165	64-69	6543N	819
Wall-to-wall KENNA 1F1S BLACK 170	165-170	64-69	6544N	828
Wall-to-wall KENNA 1F1S BLACK 175	170-175	64-69	6545N	839
Wall-to-wall KENNA 1F1S BLACK 180	175-180	64-69	6546N	849

Breakdown by references/item on page 307



Orientable steel bar



Double-side metallic handle



Roller integrated in glass



Handle option
Extra-flat 22x1,6x0,7cm
Ref. 9031 - 30 points



Handle option
Length 40x1,2x1,5cm
Ref. 1732N - 50 points




Option parallel bar 200 cm, ref. 5546N
Increase 98 points



In the Free format the range is reduced by 2 cm.

KENNA BLACK 2 fix + 2 sliding doors





Wall to wall KENNA BLACK 2 fix + 2 sliding doors

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA BLACK 2F2S 140 (75+75)	131-141	41-51	KNSP140N	1017
Wall-to-wall KENNA BLACK 2F2S 150 (80+80)	141-151	46-56	KNSP150N	1039
Wall-to-wall KENNA BLACK 2F2S 160 (85+85)	151-161	51-61	KNSP160N	1047
Wall-to-wall KENNA BLACK 2F2S 170 (90+90)	161-171	46-66	KNSP170N	1077
Wall-to-wall KENNA BLACK 2F2S 180 (95+95)	171-181	61-71	KNSP180N	1099
Wall-to-wall KENNA BLACK 2F2S 190 (100+100)	181-191	66-76	KNSP190N	1117
Wall-to-wall KENNA BLACK 2F2S 200 (105+105)	196-206	75-85	KNSP200N	1153
Wall-to-wall KENNA BLACK 2F2S 210 (110+110)	206-216	80-90	KNSP210N	1159
Wall-to-wall KENNA BLACK 2F2S 220 (115+115)	216-226	85-95	KNSP220N	1165
Wall-to-wall KENNA BLACK 2F2S 230 (120+120)	221-231	90-100	KNSP230N	1221

*Ranges calculated without expanding the profile +1.5 cm, per side

Wall to wall KENNA BLACK XXL 2 fix + 2 sliding doors

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA BLACK 2F2S 240 (125+125)	234-244	95-105	KNSP240N	1378
Wall-to-wall KENNA BLACK 2F2S 250 (130+130)	244-254	100-110	KNSP250N	1396
Wall-to-wall KENNA BLACK 2F2S 260 (135+135)	254-264	105-115	KNSP260N	1420
Wall-to-wall KENNA BLACK 2F2S 270 (140+140)	264-274	105-115	KNSP270N	1492
Wall-to-wall KENNA BLACK 2F2S 280 (145+145)	274-284	115-125	KNSP280N	1540
Wall-to-wall KENNA BLACK 2F2S 290 (150+150)	284-294	115-125	KNSP290N	1564
Wall-to-wall KENNA BLACK 2F2S 300 (155+155)	294-304	125-135	KNSP300N	1604
Wall-to-wall KENNA BLACK 2F2S 310 (160+160)	304-314	130-140	KNSP310N	1644

*Ranges calculated without expanding the profile +1.5 cm, per side



Orientable steel bar



Double-side metallic handle



Roller integrated in glass




Handle option
Extra-flat 22x1,6x0,7cm
Ref. 9031 - 30 points



Handle option
Length 40x1,2x1,5cm
Ref. 1732N - 50 points

KENNA BLACK corner





Combinations KENNA BLACK corner

Measure	Ranges	Openings	References	Points
70x70	65-70/65-70	30-33	KNAV7070N	993
75x70	70-75/65-70	34-37	KNAV7570N	1002
80x70	75-80/65-70	36-39	KNAV8070N	1013
85x70	80-85/65-70	38-41	KNAV8570N	1017
90x70	85-90/65-70	40-43	KNAV9070N	1032
95x70	85-95/65-70	42-45	KNAV9570N	1043
100x70	95-100/65-70	44-47	KNAV10070N	1052
120x70	115-120/65-70	48-51	KNAV12070N	1104
75x75	70-75/70-75	36-39	KNAV7575N	1011
80x75	75-80/70-75	38-41	KNAV8075N	1022
85x75	80-85/70-75	40-43	KNAV8575N	1026
90x75	85-90/70-75	42-45	KNAV9075N	1041
95x75	85-95/70-75	44-47	KNAV9575N	1052
100x75	95-100/70-75	46-49	KNAV10075N	1061
120x75	115-120/70-75	50-53	KNAV12075N	1113
80x80	75-80/75-80	37-40	KNAV8080N	1033
85x80	80-85/75-80	41-44	KNAV8580N	1037
90x80	85-90/75-80	43-46	KNAV9080N	1052
95x80	85-95/75-80	45-48	KNAV9580N	1063
100x80	95-100/75-80	47-50	KNAV10080N	1072
120x80	115-120/75-80	51-54	KNAV12080N	1124
90x90	85-90/85-90	44-47	KNAV9090N	1071
95x90	85-95/85-90	48-51	KNAV9590N	1082
100x90	95-100/85-90	50-53	KNAV10090N	1091
120x90	115-120/85-90	54-57	KNAV12090N	1143
100x100	95-100/ 95-100	54-57	KNAV100100N	1111
120x100	115-120/95-100	58-61	KNAV120100N	1163
120x120	115-120/115-120	67-70	KNAV120120N	1215

*Maximum range is obtained by expanding the profile (+1.5cm)

*Breakdown by references/item on page 307



Orientable steel bar



Double-side metallic handle



Roller integrated in glass



Handle option
Extra-flat 22x1,6x0,7cm
Ref. 9031 - 30 points




Handle option
Length 40x1,2x1,5cm
Ref. 1732N - 50 points

KENNA BLACK front + fix side panel 8 mm



Option parallel bar 200 cm, ref. 5546N
Increase 98 points

Description	Range	Ref.	Points
Fix side KENNA 70	67-69	6547N	322
Fix side KENNA 75	72-74	6548N	332
Fix side KENNA 80	77-79	6549N	343
Fix side KENNA 90	87-89	6550N	362



Fronts combinations KENNA BLACK + fix side panel 8 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
100x70	95-100/67-69	KNAF10070N	942	100x75	95-100/72-74	KNAF10075N	952
110x70	105-110/67-69	KNAF11070N	963	110x75	105-110/72-74	KNAF11075N	973
120x70	115-120/67-69	KNAF12070N	984	120x75	115-120/72-74	KNAF12075N	994
130x70	125-130/67-69	KNAF13070N	1005	130x75	125-130/72-74	KNAF13075N	1015
140x70	135-140/67-69	KNAF14070N	1053	140x75	135-140/72-74	KNAF14075N	1063
150x70	145-150/67-69	KNAF15070N	1089	150x75	145-150/72-74	KNAF15075N	1099
160x70	155-160/67-69	KNAF16070N	1129	160x75	155-160/72-74	KNAF16075N	1139
170x70	165-170/67-69	KNAF17070N	1150	170x75	165-170/72-74	KNAF17075N	1160
180x70	175-180/67-69	KNAF18070N	1171	180x75	175-180/72-74	KNAF18075N	1181
Measure	Ranges	References	Points	Measure	Ranges	References	Points
100x80	95-100/77-79	KNAF10080N	963	100x90	95-100/87-89	KNAF10090N	982
110x80	105-110/77-79	KNAF11080N	984	110x90	105-110/87-89	KNAF11090N	1003
120x80	115-120/77-79	KNAF12080N	1005	120x90	115-120/87-89	KNAF12090N	1024
130x80	125-130/77-79	KNAF13080N	1026	130x90	125-130/87-89	KNAF13090N	1045
140x80	135-140/77-79	KNAF14080N	1074	140x90	135-140/87-89	KNAF14090N	1093
150x80	145-150/77-79	KNAF15080N	1110	150x90	145-150/87-89	KNAF15090N	1129
160x80	155-160/77-79	KNAF16080N	1150	160x90	155-160/87-89	KNAF16090N	1169
170x80	165-170/77-79	KNAF17080N	1171	170x90	165-170/87-89	KNAF17090N	1190
180x80	175-180/77-79	KNAF18080N	1192	180x90	175-180/87-89	KNAF18090N	1211

Combinations with intermediate sizes of wall-to-wall and up to 175 cm are possible. The opening is +2cm more than on the front.



Option parallel bar 200 cm, ref. 5546N
Increase 98 points



Handle option
Extra-flat 22x1,6x0,7cm
Ref. 9031 - 30 points



Handle option
Length 40x1,2x1,5cm
Ref. 1732N - 50 points




Fix side panels to measure (more information on page 291)

Description	Ref.	Points	Boxed
Measure until 40 cm	1365N	394	+32
Measure from 40 until 80cm	1366N	521	+32
Measure from 80 until 120cm	1367N	626	+32

*Delivery time 3 weeks

KENNA GOLD 1 fix + 1 sliding door





Wall to wall KENNA GOLD 1 fix + 1 sliding door

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA 1F1S GOLD 100	95-100	34-39	6530OR	680
Wall-to-wall KENNA 1F1S GOLD 105	100-105	37-42	6531OR	698
Wall-to-wall KENNA 1F1S GOLD 110	105-110	39-44	6532OR	701
Wall-to-wall KENNA 1F1S GOLD 115	110-115	42-47	6533OR	704
Wall-to-wall KENNA 1F1S GOLD 120	115-120	44-49	6534OR	722
Wall-to-wall KENNA 1F1S GOLD 125	120-125	47-52	6535OR	734
Wall-to-wall KENNA 1F1S GOLD 130	125-130	49-54	6536OR	743
Wall-to-wall KENNA 1F1S GOLD 135	130-135	52-57	6537OR	755
Wall-to-wall KENNA 1F1S GOLD 140	135-140	52-57	6538OR	791
Wall-to-wall KENNA 1F1S GOLD 145	140-145	57-62	6539OR	817
Wall-to-wall KENNA 1F1S GOLD 150	145-150	57-62	6540OR	829
Wall-to-wall KENNA 1F1S GOLD 155	150-155	62-67	6541OR	849
Wall-to-wall KENNA 1F1S GOLD 160	155-160	64-69	6542OR	869
Wall-to-wall KENNA 1F1S GOLD 165	160-165	64-69	6543OR	881
Wall-to-wall KENNA 1F1S GOLD 170	165-170	64-69	6544OR	890
Wall-to-wall KENNA 1F1S GOLD 175	170-175	64-69	6545OR	901
Wall-to-wall KENNA 1F1S GOLD 180	175-180	64-69	6546OR	911

Breakdown by references/item on page 307



Orientable steel bar



Double-side metallic handle



Roller integrated in glass



Handle option
Extra-flat 22x1,6x0,7cm
R. 1731OR - 38 points



Handle option
Length 40x1,2x1,5cm
R. 1732OR - 57 points




Parallel bar option 200 cm ref. 5546OR
Increase 120 points



In the Free format the range is reduced by 2 cm.

KENNA GOLD 2 fix + 2 sliding doors





Wall to wall KENNA GOLD 2 fix + 2 sliding doors

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA GOLD 2F2S 140 (75+75)	131-141	41-51	KNSP140OR	1124
Wall-to-wall KENNA GOLD 2F2S 150 (80+80)	141-151	46-56	KNSP150OR	1146
Wall-to-wall KENNA GOLD 2F2S 160 (85+85)	151-161	51-61	KNSP160OR	1154
Wall-to-wall KENNA GOLD 2F2S 170 (90+90)	161-171	46-66	KNSP170OR	1184
Wall-to-wall KENNA GOLD 2F2S 180 (95+95)	171-181	61-71	KNSP180OR	1206
Wall-to-wall KENNA GOLD 2F2S 190 (100+100)	181-191	66-76	KNSP190OR	1224
Wall-to-wall KENNA GOLD 2F2S 200 (105+105)	196-206	75-85	KNSP200OR	1260
Wall-to-wall KENNA GOLD 2F2S 210 (110+110)	206-216	80-90	KNSP210OR	1266
Wall-to-wall KENNA GOLD 2F2S 220 (115+115)	216-226	85-95	KNSP220OR	1272
Wall-to-wall KENNA GOLD 2F2S 230 (120+120)	221-231	90-100	KNSP230OR	1328

*Ranges calculated without expanding the profile +1.5 cm, per side

Wall to wall KENNA GOLD XXL 2 fix + 2 sliding doors

Description	Range	Opening	Ref.	Points
Wall-to-wall KENNA GOLD 2F2S 240 (125+125)	234-244	95-105	KNSP240OR	1506
Wall-to-wall KENNA GOLD 2F2S 250 (130+130)	244-254	100-110	KNSP250OR	1524
Wall-to-wall KENNA GOLD 2F2S 260 (135+135)	254-264	105-115	KNSP260OR	1548
Wall-to-wall KENNA GOLD 2F2S 270 (140+140)	264-274	105-115	KNSP270OR	1620
Wall-to-wall KENNA GOLD 2F2S 280 (145+145)	274-284	115-125	KNSP280OR	1672
Wall-to-wall KENNA GOLD 2F2S 290 (150+150)	284-294	115-125	KNSP290OR	1696
Wall-to-wall KENNA GOLD 2F2S 300 (155+155)	294-304	125-135	KNSP300OR	1736
Wall-to-wall KENNA GOLD 2F2S 310 (160+160)	304-314	130-140	KNSP310OR	1776

*Ranges calculated without expanding the profile +1.5 cm, per side



Orientable steel bar



Double-side metallic handle



Roller integrated in glass




Handle option
Extra-flat 22x1,6x0,7cm
R. 1731OR - 38 points



Handle option
Length 40x1,2x1,5cm
R. 1732OR - 57 points

KENNA GOLD corner





Combinations KENNA GOLD corner

Measure	Ranges	Openings	References	Points
70x70	65-70/65-70	32-35	KNAV7070OR	1100
75x70	70-75/65-70	34-37	KNAV7570OR	1109
80x70	75-80/65-70	36-39	KNAV8070OR	1120
85x70	80-85/65-70	38-41	KNAV8570OR	1124
90x70	85-90/65-70	40-43	KNAV9070OR	1139
95x70	85-95/65-70	42-45	KNAV9570OR	1150
100x70	95-100/65-70	44-47	KNAV10070OR	1159
120x70	115-120/65-70	48-51	KNAV12070OR	1211
75x75	70-75/70-75	36-39	KNAV7575OR	1118
80x75	75-80/70-75	38-41	KNAV8075OR	1129
85x75	80-85/70-75	40-43	KNAV8575OR	1133
90x75	85-90/70-75	42-45	KNAV9075OR	1148
95x75	85-95/70-75	44-47	KNAV9575OR	1159
100x75	95-100/70-75	46-49	KNAV10075OR	1168
120x75	115-120/70-75	50-53	KNAV12075OR	1220
80x80	75-80/75-80	39-42	KNAV8080OR	1140
85x80	80-85/75-80	41-44	KNAV8580OR	1144
90x80	85-90/75-80	43-46	KNAV9080OR	1159
95x80	85-95/75-80	45-48	KNAV9580OR	1170
100x80	95-100/75-80	47-50	KNAV10080OR	1179
120x80	115-120/75-80	51-54	KNAV12080OR	1231
90x90	85-90/85-90	46-49	KNAV9090OR	1178
95x90	85-95/85-90	48-51	KNAV9590OR	1189
100x90	95-100/85-90	50-53	KNAV10090OR	1198
120x90	115-120/85-90	54-57	KNAV12090OR	1250
100x100	95-100/ 95-100	54-57	KNAV100100OR	1218
120x100	115-120/95-100	58-61	KNAV120100OR	1270
120x120	115-120/115-120	67-70	KNAV120120OR	1322

*Maximum range is obtained by expanding the profile (+1.5cm)

*Breakdown by references/item on page 307



Orientable steel bar



Double-side metallic handle



Roller integrated in glass



Handle option
Extra-flat 22x1,6x0,7cm
R. 1731OR - 38 points




Handle option
Length 40x1,2x1,5cm
R. 1732OR - 57 points

KENNA GOLD front + fix side panel 8 mm



Description	Range	Ref.	Points
Fix side KENNA 70	67-69	6547OR	349
Fix side KENNA 75	72-74	6548OR	359
Fix side KENNA 80	77-79	6549OR	370
Fix side KENNA 90	87-89	6550OR	389



Fronts combinations **KENNA GOLD** + fix side panel 8 mm

Measure	Ranges	References	Points	Measure	Ranges	References	Points
100x70	95-100/67-69	KNAF10070OR	1029	100x75	95-100/72-74	KNAF10075OR	1039
110x70	105-110/67-69	KNAF11070OR	1050	110x75	105-110/72-74	KNAF11075OR	1060
120x70	115-120/67-69	KNAF12070OR	1071	120x75	115-120/72-74	KNAF12075OR	1081
130x70	125-130/67-69	KNAF13070OR	1092	130x75	125-130/72-74	KNAF13075OR	1102
140x70	135-140/67-69	KNAF14070OR	1140	140x75	135-140/72-74	KNAF14075OR	1150
150x70	145-150/67-69	KNAF15070OR	1178	150x75	145-150/72-74	KNAF15075OR	1188
160x70	155-160/67-69	KNAF16070OR	1218	160x75	155-160/72-74	KNAF16075OR	1228
170x70	165-170/67-69	KNAF17070OR	1239	170x75	165-170/72-74	KNAF17075OR	1249
180x70	175-180/67-69	KNAF18070OR	1260	180x75	175-180/72-74	KNAF18075OR	1270
Measure	Ranges	References	Points	Measure	Ranges	References	Points
100x80	95-100/77-79	KNAF10080OR	1050	100x90	95-100/87-89	KNAF10090OR	1069
110x80	105-110/77-79	KNAF11080OR	1071	110x90	105-110/87-89	KNAF11090OR	1090
120x80	115-120/77-79	KNAF12080OR	1092	120x90	115-120/87-89	KNAF12090OR	1111
130x80	125-130/77-79	KNAF13080OR	1113	130x90	125-130/87-89	KNAF13090OR	1132
140x80	135-140/77-79	KNAF14080OR	1161	140x90	135-140/87-89	KNAF14090OR	1180
150x80	145-150/77-79	KNAF15080OR	1199	150x90	145-150/87-89	KNAF15090OR	1218
160x80	155-160/77-79	KNAF16080OR	1239	160x90	155-160/87-89	KNAF16090OR	1258
170x80	165-170/77-79	KNAF17080OR	1260	170x90	165-170/87-89	KNAF17090OR	1279
180x80	175-180/77-79	KNAF18080OR	1281	180x90	175-180/87-89	KNAF18090OR	1300

Combinations with intermediate sizes of wall-to-wall and up to 175 cm are possible. The opening is +2cm more than on the front.



Option parallel bar 200 cm ref. 5546OR
Increase 120 points



Handle option
Extra-flat 22x1,6x0,7cm
R. 1731OR - 38 points



Handle option
Length 40x1,2x1,5cm
R. 1732OR - 57 points



Fix side panels to measure (more information on page 291)

Description	Ref.	Points	Boxed
Measure until 40 cm	1365OR	421	+32
Measure from 40 until 80cm	1366OR	548	+32
Measure from 80 until 120cm	1367OR	653	+32

*Delivery time 3 weeks

basic

"Unbeatable quality-price relation and a wide range of formats, sizes and colours"

	CHROME	60-67
	BLACK	68
	WHITE	68
	GOLD	70
	NICKEL	70
	COPPER	72
	GUNMETAL	72





BASIC 1 fix + 1 sliding door





wall to wall **BASIC** 1 fix + 1 sliding door

Measure	Opening	TRANSPARENT		FROST PLUS	
		Ref.	Points	Ref.	Points
95-100	36-41	5401	482	6401	522
100-105	41-46	5402	492	6402	533
105-110	41-46	5403	501	6403	542
110-115	46-51	5404	509	6404	552
115-120	46-51	5405	515	6405	563
120-125	51-56	5406	525	6406	573
125-130	51-56	5407	533	6407	584
130-135	56-61	5408	539	6408	591
135-140	56-61	5409	548	6409	602
140-145	61-66	5410	567	6410	624
145-150	61-66	5411	575	6411	635
150-155	66-71	5412	585	6412	645
155-160	66-71	5413	593	6413	656
160-165	66-71	5414	599	6414	662
165-170	71-76	5415	602	6415	691
170-175	71-76	5416	611	6416	703
175-180	71-76	5417	620	6417	713
180-190	71-76	*5455	661	*6455	762
190-200	71-76	*5456	677	*6456	784

*The crossing of references 5455, 5456, 6455 and 6456 shall be 1-11 cm.
Breakdown by references/item on page 304.

Description	References	Points
Compensation profile +1,5 cm	5429	53
Decorative plate 195x3,8 cm	0007	45



Optimised guide with glass release button



Adjustable nylon double wheel roller with anti-tipper



Optional decorative plate roller



Handle option	Ref.	P.
Extra-flat 22x1,6x0,7 cm	1731	30
Long 40x1,2x1,5 cm	1732	50



Screens to measure and special glasses	TRANSPARENT	FROST PLUS PARSOL / MATT
Height until 195cm	+45%	+60%
Height of 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC 2 fix + 2 sliding doors



Description	Range	Opening	Overlapping	References	Points
BASIC 2F+2S 140 (75+75)	132-142	46-56	1-6	5029+5029+5451	720
BASIC 2F+2S 150 (80+80)	142-152	56-66	1-6	5019+5019+5451	734
BASIC 2F+2S 160 (85+85)	152-162	56-66	1-6	5030+5030+5451	752
BASIC 2F+2S 170 (90+90)	162-172	66-76	1-6	5020+5020+5451	768
BASIC 2F+2S 180 (95+95)	172-182	66-76	1-6	5031+5031+5454	782
BASIC 2F+2S 190 (100+100)	182-192	76-86	1-6	5021+5021+5454	788
BASIC 2F+2S 200 (100+100)	190-200	68-78	1-6	5001+5001+5454	798
BASIC 2F+2S 210 (105+105)	200-210	80-90	1-6	5002+5002+5454	818

Can be combined with fix side panel (see page 66), using reference no. 0182 (indicate side). The range increases by 1.2 cm on one side.*Breakdown by references/item on page **304**.

Description	Ref.	Points
Compensation profile +1,5 cm	5429	53
Fix-fix connec. prof. (indicate side), see page 158	0182	60

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL /MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC FROST PLUS 2 fix + 2 sliding doors



BASIC

Description	Range	Opening	Overl.	References	Points
BASIC 2F+2S FROST PLUS 140 (75+75)	132-142	46-56	1-6	6029+6029+5451	786
BASIC 2F+2S FROST PLUS 150 (80+80)	142-152	56-66	1-6	6019+6019+5451	798
BASIC 2F+2S FROST PLUS 160 (85+85)	152-162	56-66	1-6	6030+6030+5451	816
BASIC 2F+2S FROST PLUS 170 (90+90)	162-172	66-76	1-6	6020+6020+5451	830
BASIC 2F+2S FROST PLUS 180 (95+95)	172-182	66-76	1-6	6031+6031+5454	852
BASIC 2F+2S FROST PLUS 190 (100+100)	182-192	76-86	1-6	6021+6021+5454	870
BASIC 2F+2S FROST PLUS 200 (100+100)	190-200	68-78	1-6	6001+6001+5454	878
BASIC 2F+2S FROST PLUS 210 (105+105)	200-210	80-90	1-6	6002+6002+5454	900

Can be combined with fix side panel (see page 66), using reference no. 0182 (indicate side). The range increases by 1.2 cm on one side.*Breakdown by references/item on page **304**.

Description	Ref.	Points
Compensation profile +1,5 cm	5429	53
Fix-fix connec. prof. (indicate side), see page 158	0182	60

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL /MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC corner



Made-to-measure screens and special glass	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Height until 195cm	+45%	+60%	+32
Height of 195 until 220 cm	+75%	+90%	+32

*Delivery time 3 weeks (more information on p. 288)



corner combinations **BASIC** corner

Measure	Ranges	Opening
70x70	65-70/65-70	34-37
75x70	70-75/65-70	36-39
80x70	75-80/65-70	38-41
85x70	80-85/65-70	40-43
90x70	85-90/65-70	41-45
95x70	90-95/65-70	43-47
100x70	95-100/65-70	46-49
110x70	105-109/65-70	47-50
120x70	115-120/65-70	50-53
130x70	125-129/65-70	55-58
140x70	135-139/65-70	59-62
Measure	Ranges	Opening
75x75	70-75/70-75	38-41
80x75	75-80/70-75	40-43
85x75	80-85/70-75	42-45
90x75	85-90/70-75	45-48
95x75	90-95/70-75	47-50
100x75	95-100/70-75	48-51
110x75	105-109/70-75	49-52
120x75	115-120/70-75	52-55
130x75	125-129/70-75	57-60
140x75	135-139/70-75	61-64
Measure	Ranges	Opening
80x80	75-80/75-80	41-44
85x80	80-85/75-80	43-46
90x80	85-90/75-80	45-48
95x80	90-95/75-80	47-50
100x80	95-100/75-80	49-52
110x80	105-109/75-80	50-53
120x80	115-120/75-80	53-56
130x80	125-129/75-80	57-60
140x80	135-139/75-80	62-65
Measure	Ranges	Opening
85x90	80-85/85-90	46-49
90x90	85-90/85-90	48-51
95x90	90-95/85-90	50-53
100x90	95-100/85-90	52-55
110x90	105-109/85-90	53-56
120x90	115-120/85-90	57-62
130x90	125-129/85-90	60-63
140x90	135-139/85-90	64-67

TRANSPARENT	
References	Points
5018+5018+5423	716
5029+5018+5423	724
5019+5018+5423	731
5030+5018+5423	740
5020+5018+5423	748
5031+5018+5423	752
5021+5018+5423	755
5002+5018+5423	770
5022+5018+5423	787
5006+5018+5424	818
5008+5018+5424	832
References	Points
5029+5029+5423	732
5019+5029+5423	739
5030+5029+5423	748
5020+5029+5423	756
5031+5029+5423	760
5021+5029+5423	763
5002+5029+5423	778
5022+5029+5423	795
5006+5029+5424	826
5008+5029+5424	840
References	Points
5019+5019+5423	746
5030+5019+5423	755
5020+5019+5423	763
5031+5019+5423	767
5021+5019+5423	770
5002+5019+5423	785
5022+5019+5423	802
5006+5019+5424	833
5008+5019+5424	847
References	Points
5030+5020+5423	772
5020+5020+5423	780
5031+5020+5423	784
5021+5020+5423	787
5002+5020+5423	802
5022+5020+5423	819
5006+5020+5424	850
5008+5020+5424	864

FROST PLUS	
References	Points
6018+6018+5423	780
6029+6018+5423	789
6019+6018+5423	795
6030+6018+5423	804
6020+6018+5423	811
6031+6018+5423	819
6021+6018+5423	828
6002+6018+5423	843
6022+6018+5423	874
6006+6018+5424	898
6008+6018+5424	916
References	Points
6029+6029+5423	798
6019+6029+5423	804
6030+6029+5423	813
6020+6029+5423	820
6031+6029+5423	828
6021+6029+5423	837
6002+6029+5423	852
6022+6029+5423	883
6006+6029+5424	907
6008+6029+5424	925
References	Points
6019+6019+5423	810
6030+6019+5423	819
6020+6019+5423	826
6031+6019+5423	834
6021+6019+5423	843
6002+6019+5423	858
6022+6019+5423	889
6006+6019+5424	913
6008+6019+5424	931
References	Points
6030+6020+5423	835
6020+6020+5423	842
6031+6020+5423	850
6021+6020+5423	859
6002+6020+5423	874
6022+6020+5423	905
6006+6020+5424	929
6008+6020+5424	947

*Breakdown by references/item on page 304.

Description	References	Points
Compensation profile +1,5 cm	5429	53

BASIC front + fix side panel 8 mm



Description	Range	TRANSPARENT		FROST PLUS	
		Ref.	Points	Ref.	Points
Fix side BASIC 70	66,5-69	5425	308	6425	338
Fix side BASIC 75	71,5-74	5457	316	6457	346
Fix side BASIC 80	76,5-79	5426	323	6426	353
Fix side BASIC 90	86,5-89	5427	346	6427	376
Fix side BASIC 100	96,5-99	5430	368	6430	398
Fix side BASIC 110	106,5-109	5431	391	6431	421
Fix side BASIC 120	116,5-119	5432	413	6432	443

 Fix side panel to measure	TRANSPARENT		FROST PLUS		Boxed
	Ref.	Points	Ref.	Points	
	1350	324	1350+1312	507	
	1334	444	1334+1313	627	
Measure until 40 cm	1335	549	1335+1315	723	+32
Measure from 40 until 80cm					+32
Measure from 80 until 120cm					+32

*Delivery time 3 weeks



combinations **BASIC** + fix side panel 8 mm

Measure	Ranges	Opening
100x70	95-100/66,5-69	38-43
110x70	105-110/66,5-69	43-48
120x70	115-120/66,5-69	48-53
130x70	125-130/66,5-69	53-58
140x70	135-140/66,5-69	58-63
150x70	145-150/66,5-69	63-68
160x70	155-160/66,5-69	63-68
170x70	165-170/66,5-69	68-73
180x70	175-180/66,5-69	68-73
Measure	Ranges	Opening
100x75	95-100/71,5-74	38-43
110x75	105-110/71,5-74	43-48
120x75	115-120/71,5-74	48-53
130x75	125-130/71,5-74	53-58
140x75	135-140/71,5-74	58-63
150x75	145-150/71,5-74	63-68
160x75	155-160/71,5-74	63-68
170x75	165-170/71,5-74	68-73
180x75	175-180/71,5-74	68-73
Measure	Ranges	Opening
100x80	95-100/76,5-79	38-43
110x80	105-110/76,5-79	43-48
120x80	115-120/76,5-79	48-53
130x80	125-130/76,5-79	53-58
140x80	135-140/76,5-79	58-63
150x80	145-150/76,5-79	63-68
160x80	155-160/76,5-79	63-68
170x80	165-170/76,5-79	68-73
180x80	175-180/76,5-79	68-73
Measure	Ranges	Opening
100x90	95-100/86,5-89	38-43
110x90	105-110/86,5-89	43-48
120x90	115-120/86,5-89	48-53
130x90	125-130/86,5-89	53-58
140x90	135-140/86,5-89	58-63
150x90	145-150/86,5-89	63-68
160x90	155-160/86,5-89	63-68
170x90	165-170/86,5-89	68-73
180x90	175-180/86,5-89	68-73

TRANSPARENT	
References	Points
5401+5425	790
5403+5425	809
5405+5425	823
5407+5425	841
5409+5425	856
5411+5425	883
5413+5425	901
5415+5425	910
5417+5425	928
References	Points
5401+5457	798
5403+5457	817
5405+5457	831
5407+5457	849
5409+5457	864
5411+5457	891
5413+5457	909
5415+5457	918
5417+5457	936
References	Points
5401+5426	805
5403+5426	824
5405+5426	838
5407+5426	856
5409+5426	871
5411+5426	898
5413+5426	916
5415+5426	925
5417+5426	943
References	Points
5401+5427	828
5403+5427	847
5405+5427	861
5407+5427	879
5409+5427	894
5411+5427	921
5413+5427	939
5415+5427	948
5417+5427	966

FROST PLUS	
References	Points
6401+6425	860
6403+6425	880
6405+6425	901
6407+6425	922
6409+6425	940
6411+6425	973
6413+6425	994
6415+6425	1029
6417+6425	1051
References	Points
6401+6457	868
6403+6457	888
6405+6457	909
6407+6457	930
6409+6457	948
6411+6457	981
6413+6457	1002
6415+6457	1037
6417+6457	1059
References	Points
6401+6426	875
6403+6426	895
6405+6426	916
6407+6426	937
6409+6426	955
6411+6426	988
6413+6426	1009
6415+6426	1044
6417+6426	1066
References	Points
6401+6427	898
6403+6427	918
6405+6427	939
6407+6427	960
6409+6427	978
6411+6427	1011
6413+6427	1032
6415+6427	1067
6417+6427	1089

Combinations with intermediate sizes of wall-to-wall and up to 2 metres can be made.

Description	References	Points
Compensation profile +1,5 cm (for wall-to-wall only)	5429	53
Option fix-fix connection profile (indicate side), see page 158	0182	60

BASIC COLOUR 1 fix + 1 sliding door



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



*Set of 2 black vertical rubber bands
ref. 0014, 23 points



Optimised guide with glass release
button



Range	Op.	TRANSPARENT			FROST PLUS		
		● BLACK	● WHITE	Points	● BLACK	● WHITE	Points
95-100	36-41	5001+5493	5001+5583	482	6001+5493	6001+5583	522
100-105	41-46	5002+5493	5002+5583	492	6002+5493	6002+5583	533
105-110	41-46	5003+5493	5003+5583	501	6003+5493	6003+5583	542
110-115	46-51	5004+5493	5004+5583	509	6004+5493	6004+5583	552
115-120	46-51	5005+5493	5005+5583	515	6005+5493	6005+5583	563
120-125	51-56	5006+5493	5006+5583	525	6006+5493	6006+5583	573
125-130	51-56	5007+5493	5007+5583	533	6007+5493	6007+5583	584
130-135	56-61	5008+5493	5008+5583	539	6008+5493	6008+5583	591
135-140	56-61	5009+5493	5009+5583	548	6009+5493	6009+5583	602
140-145	61-66	5010+5494	5010+5584	567	6010+5494	6010+5584	624
145-150	61-66	5011+5494	5011+5584	575	6011+5494	6011+5584	635
150-155	66-71	5012+5494	5012+5584	585	6012+5494	6012+5584	645
155-160	66-71	5013+5494	5013+5584	593	6013+5494	6013+5584	656
160-165	66-71	5014+5494	5014+5584	599	6014+5494	6014+5584	662
165-170	71-76	5015L+5494	5015L+5584	602	6015L+5494	6015L+5584	691
170-175	71-76	5016L+5494	5016L+5584	611	6016L+5494	6016L+5584	703
175-180	71-76	5017L+5494	5017L+5584	620	6017L+5494	6017L+5584	713
180-190	71-76	5023L+5495	5023L+5585	661	6023L+5495	6023L+5585	762
190-200	71-76	5024L+5495	5024L+5585	677	6024L+5495	6024L+5585	784

Breakdown by references/item on page 304.

Accessories	● BLACK		● WHITE	
	Reference	Points	Reference	Points
Compensation profile +1,5 cm	5477	53	5473	53
Decorative plate 195x3,8 cm	0007N	45	0007B	45
Optional handles	Reference	Points	Reference	Points
Extra-flat handle 220x16x7mm	9031	45	1731BL	30
Long handle 400x12x15mm	1732N	50	1732BL	50



Option black decorative plate



Option white decorative plate



Extra flat black handle
220x16x7mm



Extra long white handle
400x12x15mm



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)

BASIC COLOUR 1 fix + 1 sliding door



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



Perfect interior/exterior finish



Optimised guide with glass release
button



Range	Op.	TRANSPARENT			FROST PLUS		
		GOLD	NICKEL	Points	GOLD	NICKEL	Points
95-100	36-41	5001+5440	5001+5460	533	6001+5440	6001+5460	573
100-105	41-46	5002+5440	5002+5460	543	6002+5440	6002+5460	584
105-110	41-46	5003+5440	5003+5460	552	6003+5440	6003+5460	593
110-115	46-51	5004+5440	5004+5460	560	6004+5440	6004+5460	603
115-120	46-51	5005+5440	5005+5460	566	6005+5440	6005+5460	614
120-125	51-56	5006+5440	5006+5460	576	6006+5440	6006+5460	624
125-130	51-56	5007+5440	5007+5460	584	6007+5440	6007+5460	635
130-135	56-61	5008+5440	5008+5460	590	6008+5440	6008+5460	642
135-140	56-61	5009+5440	5009+5460	599	6009+5440	6009+5460	653
140-145	61-66	5010+5441	5010+5461	617	6010+5441	6010+5461	674
145-150	61-66	5011+5441	5011+5461	625	6011+5441	6011+5461	685
150-155	66-71	5012+5441	5012+5461	635	6012+5441	6012+5461	695
155-160	66-71	5013+5441	5013+5461	643	6013+5441	6013+5461	706
160-165	66-71	5014+5441	5014+5461	649	6014+5441	6014+5461	712
165-170	71-76	5015L+5441	5015L+5461	652	6015L+5441	6015L+5461	741
170-175	71-76	5016L+5441	5016L+5461	661	6016L+5441	6016L+5461	753
175-180	71-76	5017L+5441	5017L+5461	670	6017L+5441	6017L+5461	763
180-190	71-76	5023L+5442	5023L+5462	704	6023L+5442	6023L+5462	805
190-200	71-76	5024L+5442	5024L+5462	720	6024L+5442	6024L+5462	827

Breakdown by references/item on page 304.

Accessories	GOLD		NICKEL	
	Reference	Points	Reference	Points
Compensation profile +1,5 cm	5474	68	5475	68
Decorative plate 195x3,8 cm	0007OR	60	0007NK	60
Optional handles	Reference	Points	Reference	Points
Extra-flat handle 220x16x7mm	1731OR	38	1731NK	38
Long handle 400x12x15mm	1732OR	57	1732NK	57



Option gold decorative plate



Option nickel decorative plate



Extra flat gold handle
220x16x7mm



Extra flat nickel handle
400x12x15mm



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)

BASIC COLOUR 1 fix + 1 sliding door



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



Perfect interior/exterior finish



Optimised guide with glass release
button



Range	Op.	TRANSPARENT			FROST PLUS		
		COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
95-100	36-41	5001+5592	5001+5560	533	6001+5592	6001+5560	573
100-105	41-46	5002+5592	5002+5560	543	6002+5592	6002+5560	584
105-110	41-46	5003+5592	5003+5560	552	6003+5592	6003+5560	593
110-115	46-51	5004+5592	5004+5560	560	6004+5592	6004+5560	603
115-120	46-51	5005+5592	5005+5560	566	6005+5592	6005+5560	614
120-125	51-56	5006+5592	5006+5560	576	6006+5592	6006+5560	624
125-130	51-56	5007+5592	5007+5560	584	6007+5592	6007+5560	635
130-135	56-61	5008+5592	5008+5560	590	6008+5592	6008+5560	642
135-140	56-61	5009+5592	5009+5560	599	6009+5592	6009+5560	653
140-145	61-66	5010+5593	5010+5561	617	6010+5593	6010+5561	674
145-150	61-66	5011+5593	5011+5561	625	6011+5593	6011+5561	685
150-155	66-71	5012+5593	5012+5561	635	6012+5593	6012+5561	695
155-160	66-71	5013+5593	5013+5561	643	6013+5593	6013+5561	706
160-165	66-71	5014+5593	5014+5561	649	6014+5593	6014+5561	712
165-170	71-76	5015L+5593	5015L+5561	652	6015L+5593	6015L+5561	741
170-175	71-76	5016L+5593	5016L+5561	661	6016L+5593	6016L+5561	753
175-180	71-76	5017L+5593	5017L+5561	670	6017L+5593	6017L+5561	763
180-190	71-76	5023L+5594	5023L+5562	704	6023L+5594	6023L+5562	805
190-200	71-76	5024L+5594	5024L+5562	720	6024L+5594	6024L+5562	827

Breakdown by references/item on page 304.

Accessories	COPPER		GUNMETAL	
	Reference	Points	Reference	Points
Compensation profile +1,5 cm	5476	68	5478	68
Decorative plate 195x3,8 cm	0007CB	60	0007T	60
Optional handles	Reference	Points	Reference	Points
Extra-flat handle 220x16x7mm	1731CB	38	1731T	38
Long handle 400x12x15mm	1732CB	57	1732T	57



Option copper decorative plate



Option gunmetal decorative plate



Extra flat copper handle
220x16x7mm



Extra flat gunmetal handle
400x12x15mm



Made-to-measure screens and special glass

*Delivery time 3 weeks (more information on p. 288)

TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
+45%	+60%	+32

BASIC BLACK 2 fix + 2 sliding doors



Range	Op.	TRANSPARENT	Points	FROST PLUS	Points
132-142	46-56	5029+5029+5496	720	6029+6029+5496	786
142-152	56-66	5019+5019+5496	734	6019+6019+5496	798
152-162	56-66	5030+5030+5496	752	6030+6030+5496	816
162-172	66-76	5020+5020+5496	768	6020+6020+5496	830
172-182	66-76	5031+5031+5497	782	6031+6031+5497	852
182-192	76-86	5021+5021+5497	788	6021+6021+5497	870
190-200	68-78	5001+5001+5497	798	6001+6001+5497	878
200-210	80-90	5002+5002+5497	818	6002+6002+5497	900

Can be combined with fixed side panel (see page 87), using ref. 0991 (**indicate hand**). The range increases by 1.2 cm on one side.

*Breakdown by references/item on page **304**.

Accessories	Ref.	Points
Compensation profile +1,5 cm	5477	53
Decorative plate 195x3,8 cm	0007N	45
Fix-fix connec. prof. (indicate side), see page 158	0991	60

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL / MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC WHITE 2 fix + 2 sliding doors



BASIC

Range	Op.	TRANSPARENT	Points	FROST PLUS	Points
132-142	46-56	5029+5029+5586	720	6029+6029+5586	786
142-152	56-66	5019+5019+5586	734	6019+6019+5586	798
152-162	56-66	5030+5030+5586	752	6030+6030+5586	816
162-172	66-76	5020+5020+5586	768	6020+6020+5586	830
172-182	66-76	5031+5031+5587	782	6031+6031+5587	852
182-192	76-86	5021+5021+5587	788	6021+6021+5587	870
190-200	68-78	5001+5001+5587	798	6001+6001+5587	878
200-210	80-90	5002+5002+5587	818	6002+6002+5587	900

Can be combined with fixed side panel(see page 87), using ref. 0182B (**indicate hand**). The range increases by 1.2 cm on one side.

*Breakdown by references/item on page 304.

Accessories	Ref.	Points
Compensation profile +1,5 cm	5473	53
Decorative plate 195x3,8 cm	0007B	45
Fix-fix connec. prof. (indicate side), see page 158	0182B	60

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL /MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC GOLD 2 fix + 2 sliding doors



Range	Op.	TRANSPARENT	Points	FROST PLUS	Points
132-142	46-56	5029+5029+5498	769	6029+6029+5498	835
142-152	56-66	5019+5019+5498	783	6019+6019+5498	847
152-162	56-66	5030+5030+5498	801	6030+6030+5498	865
162-172	66-76	5020+5020+5498	817	6020+6020+5498	879
172-182	66-76	5031+5031+5499	870	6031+6031+5499	940
182-192	76-86	5021+5021+5499	876	6021+6021+5499	958
190-200	68-78	5001+5001+5499	886	6001+6001+5499	966
200-210	80-90	5002+5002+5499	906	6002+6002+5499	988

Can be combined with fixed side panel (see page 89), using ref. 0182OR (indicate hand). The range increases by 1.2 cm on one side.

*Breakdown by references/item on page 304.

Accessories	Ref.	Points
Compensation profile +1,5 cm	5474	68
Decorative plate 195x3,8 cm	0007OR	60
Fix-fix connec. prof. (indicate side), see page 158	0182OR	75

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL / MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC NICKEL 2 fix + 2 sliding doors



BASIC

Range	Op.	TRANSPARENT	Points	FROST PLUS	Points
132-142	46-56	5029+5029+5465	769	6029+6029+5465	835
142-152	56-66	5019+5019+5465	783	6019+6019+5465	847
152-162	56-66	5030+5030+5465	801	6030+6030+5465	865
162-172	66-76	5020+5020+5465	817	6020+6020+5465	879
172-182	66-76	5031+5031+5466	870	6031+6031+5466	940
182-192	76-86	5021+5021+5466	876	6021+6021+5466	958
190-200	68-78	5001+5001+5466	886	6001+6001+5466	966
200-210	80-90	5002+5002+5466	906	6002+6002+5466	988

Can be combined with fixed side panel (see page 89), using ref. 0182NK (**indicate hand**). The range increases by 1.2 cm on one side.
 *Breakdown by references/item on page 304.

Accessories	Ref.	Points
Compensation profile +1,5 cm	5475	68
Decorative plate 195x3,8 cm	0007NK	60
Fix-fix connec. prof. (indicate side), see page 158	0182NK	75

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL / MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC COPPER 2 fix + 2 sliding doors



Range	Op.	TRANSPARENT	Points	FROST PLUS	Points
132-142	46-56	5029+5029+5595	769	6029+6029+5595	835
142-152	56-66	5019+5019+5595	783	6019+6019+5595	847
152-162	56-66	5030+5030+5595	801	6030+6030+5595	865
162-172	66-76	5020+5020+5595	817	6020+6020+5595	879
172-182	66-76	5031+5031+5596	870	6031+6031+5596	940
182-192	76-86	5021+5021+5596	876	6021+6021+5596	958
190-200	68-78	5001+5001+5596	886	6001+6001+5596	966
200-210	80-90	5002+5002+5596	906	6002+6002+5596	988

Can be combined with fixed side panel (see page 91), using ref. 0182CB (indicate hand). The range increases by 1.2 cm on one side.

*Breakdown by references/item on page 304.

Accessories	Ref.	Points
Compensation profile +1,5 cm	5476	68
Decorative plate 195x3,8 cm	0007CB	60
Fix-fix connec. prof. (indicate side), see page 158	0182CB	75

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL /MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC GUNMETAL 2 fix + 2 sliding doors



BASIC

Range	Op.	TRANSPARENT	Points	FROST PLUS	Points
132-142	46-56	5029+5029+5565	769	6029+6029+5565	835
142-152	56-66	5019+5019+5565	783	6019+6019+5565	847
152-162	56-66	5030+5030+5565	801	6030+6030+5565	865
162-172	66-76	5020+5020+5565	817	6020+6020+5565	879
172-182	66-76	5031+5031+5566	870	6031+6031+5566	940
182-192	76-86	5021+5021+5566	876	6021+6021+5566	958
190-200	68-78	5001+5001+5566	886	6001+6001+5566	966
200-210	80-90	5002+5002+5566	906	6002+6002+5566	988

Can be combined with fixed side panel (see page 91), using ref. 0182T (**indicate hand**). The range increases by 1.2 cm on one side.

*Breakdown by references/item on page 304.

Accessories	Ref.	Points
Compensation profile +1,5 cm	5478	68
Decorative plate 195x3,8 cm	0007T	60
Fix-fix connec. prof. (indicate side), see page 158	0182T	75

Screens to measure and special glasses	TRANSP.	FROST PLUS PARSOL / MATT
Height until 195cm	+45%	+60%
Height 195 until 220 cm	+75%	+90%

*Delivery time 3 weeks (more information on p. 288)

BASIC COLOUR corner



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



*Set of 2 black vertical rubber bands
ref. 0014, 23 points



Optimised guide with glass release
button



Range	TRANSPARENT			FROST PLUS		
	● BLACK	● WHITE	Points	● BLACK	● WHITE	Points
combinations w/ SIDES 70 fix+sliding						
65-70/65-70	5018+5018+5490	5018+5018+5580	716	6018+6018+5490	6018+6018+5580	780
70-75/65-70	5029+5018+5490	5029+5018+5580	724	6029+6018+5490	6029+6018+5580	789
75-80/65-70	5019+5018+5490	5019+5018+5580	731	6019+6018+5490	6019+6018+5580	795
80-85/65-70	5030+5018+5490	5030+5018+5580	740	6030+6018+5490	6030+6018+5580	804
85-90/65-70	5020+5018+5490	5020+5018+5580	748	6020+6018+5490	6020+6018+5580	811
90-95/65-70	5031+5018+5490	5031+5018+5580	752	6031+6018+5490	6031+6018+5580	819
95-100/65-70	5021+5018+5490	5021+5018+5580	755	6021+6018+5490	6021+6018+5580	828
105-109/65-70	5002+5018+5490	5002+5018+5580	770	6002+6018+5490	6002+6018+5580	843
115-120/65-70	5022+5018+5490	5022+5018+5580	787	6022+6018+5490	6022+6018+5580	874
125-129/65-70	5006+5018+5491	5006+5018+5581	818	6006+6018+5491	6006+6018+5581	898
135-139/65-70	5008+5018+5491	5008+5018+5581	832	6008+6018+5491	6008+6018+5581	916
combinations w/ SIDES 75 fix+sliding						
70-75/70-75	5029+5029+5490	5029+5029+5580	732	6029+6029+5490	6029+6029+5580	798
75-80/70-75	5019+5029+5490	5019+5029+5580	739	6019+6029+5490	6019+6029+5580	804
80-85/70-75	5030+5029+5490	5030+5029+5580	748	6030+6029+5490	6030+6029+5580	813
85-90/70-75	5020+5029+5490	5020+5029+5580	756	6020+6029+5490	6020+6029+5580	820
90-95/70-75	5031+5029+5490	5031+5029+5580	760	6031+6029+5490	6031+6029+5580	828
95-100/70-75	5021+5029+5490	5021+5029+5580	763	6021+6029+5490	6021+6029+5580	837
105-109/70-75	5002+5029+5490	5002+5029+5580	778	6002+6029+5490	6002+6029+5580	852
115-120/70-75	5022+5029+5490	5022+5029+5580	795	6022+6029+5490	6022+6029+5580	883
125-129/70-75	5006+5029+5491	5006+5029+5581	826	6006+6029+5491	6006+6029+5581	907
135-139/70-75	5008+5029+5491	5008+5029+5581	840	6008+6029+5491	6008+6029+5581	925
combinations w/ SIDES 80 fix+sliding						
75-80/75-80	5019+5019+5490	5019+5019+5580	746	6019+6019+5490	6019+6019+5580	810
80-85/75-80	5030+5019+5490	5030+5019+5580	755	6030+6019+5490	6030+6019+5580	819
85-90/75-80	5020+5019+5490	5020+5019+5580	763	6020+6019+5490	6020+6019+5580	826
90-95/75-80	5031+5019+5490	5031+5019+5580	767	6031+6019+5490	6031+6019+5580	834
95-100/75-80	5021+5019+5490	5021+5019+5580	770	6021+6019+5490	6021+6019+5580	843
105-109/75-80	5002+5019+5490	5002+5019+5580	785	6002+6019+5490	6002+6019+5580	858
115-120/75-80	5022+5019+5490	5022+5019+5580	802	6022+6019+5490	6022+6019+5580	889
125-129/75-80	5006+5019+5491	5006+5019+5581	833	6006+6019+5491	6006+6019+5581	913
135-139/75-80	5008+5019+5491	5008+5019+5581	847	6008+6019+5491	6008+6019+5581	931
combinations w/ SIDES 90 fix+sliding						
85-90/85-90	5020+5020+5490	5020+5020+5580	780	6020+6020+5490	6020+6020+5580	842
90-95/85-90	5031+5020+5490	5031+5020+5580	784	6031+6020+5490	6031+6020+5580	850
95-100/85-90	5021+5020+5490	5021+5020+5580	787	6021+6020+5490	6021+6020+5580	859
105-109/85-90	5002+5020+5490	5002+5020+5580	802	6002+6020+5490	6002+6020+5580	874
115-120/85-90	5022+5020+5490	5022+5020+5580	819	6022+6020+5490	6022+6020+5580	905
125-129/85-90	5006+5020+5491	5006+5020+5581	850	6006+6020+5491	6006+6020+5581	929
135-139/85-90	5008+5020+5491	5008+5020+5581	864	6008+6020+5491	6008+6020+5581	947

Breakdown by references/item on page 304. Openings see page 65

BASIC COLOUR corner



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



Perfect interior/exterior finish



Optimised guide with glass release
button



Range	TRANSPARENT			FROST PLUS		
	GOLD	NICKEL	Points	GOLD	NICKEL	Points
combinations w/ SIDES 70 fix+sliding						
65-70/65-70	5018+5018+5448	5018+5018+5463	843	6018+6018+5448	6018+6018+5463	907
70-75/65-70	5029+5018+5448	5029+5018+5463	851	6029+6018+5448	6029+6018+5463	916
75-80/65-70	5019+5018+5448	5019+5018+5463	858	6019+6018+5448	6019+6018+5463	922
80-85/65-70	5030+5018+5448	5030+5018+5463	867	6030+6018+5448	6030+6018+5463	931
85-90/65-70	5020+5018+5448	5020+5018+5463	875	6020+6018+5448	6020+6018+5463	938
90-95/65-70	5031+5018+5448	5031+5018+5463	879	6031+6018+5448	6031+6018+5463	946
95-100/65-70	5021+5018+5448	5021+5018+5463	882	6021+6018+5448	6021+6018+5463	955
105-109/65-70	5002+5018+5448	5002+5018+5463	897	6002+6018+5448	6002+6018+5463	970
115-120/65-70	5022+5018+5448	5022+5018+5463	914	6022+6018+5448	6022+6018+5463	1001
125-129/65-70	5006+5018+5449	5006+5018+5464	945	6006+6018+5449	6006+6018+5464	1025
135-139/65-70	5008+5018+5449	5008+5018+5464	959	6008+6018+5449	6008+6018+5464	1043
combinations w/ SIDES 75 fix+sliding						
70-75/70-75	5029+5029+5448	5029+5029+5463	859	6029+6029+5448	6029+6029+5463	925
75-80/70-75	5019+5029+5448	5019+5029+5463	866	6019+6029+5448	6019+6029+5463	931
80-85/70-75	5030+5029+5448	5030+5029+5463	875	6030+6029+5448	6030+6029+5463	940
85-90/70-75	5020+5029+5448	5020+5029+5463	883	6020+6029+5448	6020+6029+5463	947
90-95/70-75	5031+5029+5448	5031+5029+5463	887	6031+6029+5448	6031+6029+5463	955
95-100/70-75	5021+5029+5448	5021+5029+5463	890	6021+6029+5448	6021+6029+5463	964
105-109/70-75	5002+5029+5448	5002+5029+5463	905	6002+6029+5448	6002+6029+5463	979
115-120/70-75	5022+5029+5448	5022+5029+5463	922	6022+6029+5448	6022+6029+5463	1010
125-129/70-75	5006+5029+5449	5006+5029+5464	953	6006+6029+5449	6006+6029+5464	1034
135-139/70-75	5008+5029+5449	5008+5029+5464	967	6008+6029+5449	6008+6029+5464	1052
combinations w/ SIDES 80 fix+sliding						
75-80/75-80	5019+5019+5448	5019+5019+5463	873	6019+6019+5448	6019+6019+5463	937
80-85/75-80	5030+5019+5448	5030+5019+5463	882	6030+6019+5448	6030+6019+5463	946
85-90/75-80	5020+5019+5448	5020+5019+5463	890	6020+6019+5448	6020+6019+5463	953
90-95/75-80	5031+5019+5448	5031+5019+5463	894	6031+6019+5448	6031+6019+5463	961
95-100/75-80	5021+5019+5448	5021+5019+5463	897	6021+6019+5448	6021+6019+5463	970
105-109/75-80	5002+5019+5448	5002+5019+5463	912	6002+6019+5448	6002+6019+5463	985
115-120/75-80	5022+5019+5448	5022+5019+5463	929	6022+6019+5448	6022+6019+5463	1016
125-129/75-80	5006+5019+5449	5006+5019+5464	960	6006+6019+5449	6006+6019+5464	1040
135-139/75-80	5008+5019+5449	5008+5019+5464	974	6008+6019+5449	6008+6019+5464	1058
combinations w/ SIDES 90 fix+sliding						
85-90/85-90	5020+5020+5448	5020+5020+5463	907	6020+6020+5448	6020+6020+5463	969
90-95/85-90	5031+5020+5448	5031+5020+5463	911	6031+6020+5448	6031+6020+5463	977
95-100/85-90	5021+5020+5448	5021+5020+5463	914	6021+6020+5448	6021+6020+5463	986
105-109/85-90	5002+5020+5448	5002+5020+5463	929	6002+6020+5448	6002+6020+5463	1001
115-120/85-90	5022+5020+5448	5022+5020+5463	946	6022+6020+5448	6022+6020+5463	1032
125-129/85-90	5006+5020+5449	5006+5020+5464	977	6006+6020+5449	6006+6020+5464	1056
135-139/85-90	5008+5020+5449	5008+5020+5464	991	6008+6020+5449	6008+6020+5464	1074

Breakdown by references/item on page 304. Openings see page 65

BASIC COLOUR corner



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



Perfect interior/exterior finish



Optimised guide with glass release
button



Range	TRANSPARENT			FROST PLUS		
	COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
combinations w/ SIDES 70 fix+sliding						
65-70/65-70	5018+5018+5590	5018+5018+5563	843	6018+6018+5590	6018+6018+5563	907
70-75/65-70	5029+5018+5590	5029+5018+5563	851	6029+6018+5590	6029+6018+5563	916
75-80/65-70	5019+5018+5590	5019+5018+5563	858	6019+6018+5590	6019+6018+5563	922
80-85/65-70	5030+5018+5590	5030+5018+5563	867	6030+6018+5590	6030+6018+5563	931
85-90/65-70	5020+5018+5590	5020+5018+5563	875	6020+6018+5590	6020+6018+5563	938
90-95/65-70	5031+5018+5590	5031+5018+5563	879	6031+6018+5590	6031+6018+5563	946
95-100/65-70	5021+5018+5590	5021+5018+5563	882	6021+6018+5590	6021+6018+5563	955
105-109/65-70	5002+5018+5590	5002+5018+5563	897	6002+6018+5590	6002+6018+5563	970
115-120/65-70	5022+5018+5590	5022+5018+5563	914	6022+6018+5590	6022+6018+5563	1001
125-129/65-70	5006+5018+5591	5006+5018+5564	945	6006+6018+5591	6006+6018+5564	1025
135-139/65-70	5008+5018+5591	5008+5018+5564	959	6008+6018+5591	6008+6018+5564	1043
combinations w/ SIDES 75 fix+sliding						
70-75/70-75	5029+5029+5590	5029+5029+5563	859	6029+6029+5590	6029+6029+5563	925
75-80/70-75	5019+5029+5590	5019+5029+5563	866	6019+6029+5590	6019+6029+5563	931
80-85/70-75	5030+5029+5590	5030+5029+5563	875	6030+6029+5590	6030+6029+5563	940
85-90/70-75	5020+5029+5590	5020+5029+5563	883	6020+6029+5590	6020+6029+5563	947
90-95/70-75	5031+5029+5590	5031+5029+5563	887	6031+6029+5590	6031+6029+5563	955
95-100/70-75	5021+5029+5590	5021+5029+5563	890	6021+6029+5590	6021+6029+5563	964
105-109/70-75	5002+5029+5590	5002+5029+5563	905	6002+6029+5590	6002+6029+5563	979
115-120/70-75	5022+5029+5590	5022+5029+5563	922	6022+6029+5590	6022+6029+5563	1010
125-129/70-75	5006+5029+5591	5006+5029+5564	953	6006+6029+5591	6006+6029+5564	1034
135-139/70-75	5008+5029+5591	5008+5029+5564	967	6008+6029+5591	6008+6029+5564	1052
combinations w/ SIDES 80 fix+sliding						
75-80/75-80	5019+5019+5590	5019+5019+5563	873	6019+6019+5590	6019+6019+5563	937
80-85/75-80	5030+5019+5590	5030+5019+5563	882	6030+6019+5590	6030+6019+5563	946
85-90/75-80	5020+5019+5590	5020+5019+5563	890	6020+6019+5590	6020+6019+5563	953
90-95/75-80	5031+5019+5590	5031+5019+5563	894	6031+6019+5590	6031+6019+5563	961
95-100/75-80	5021+5019+5590	5021+5019+5563	897	6021+6019+5590	6021+6019+5563	970
105-109/75-80	5002+5019+5590	5002+5019+5563	912	6002+6019+5590	6002+6019+5563	985
115-120/75-80	5022+5019+5590	5022+5019+5563	929	6022+6019+5590	6022+6019+5563	1016
125-129/75-80	5006+5019+5591	5006+5019+5564	960	6006+6019+5591	6006+6019+5564	1040
135-139/75-80	5008+5019+5591	5008+5019+5564	974	6008+6019+5591	6008+6019+5564	1058
combinations w/ SIDES 90 fix+sliding						
85-90/85-90	5020+5020+5590	5020+5020+5563	907	6020+6020+5590	6020+6020+5563	969
90-95/85-90	5031+5020+5590	5031+5020+5563	911	6031+6020+5590	6031+6020+5563	977
95-100/85-90	5021+5020+5590	5021+5020+5563	914	6021+6020+5590	6021+6020+5563	986
105-109/85-90	5002+5020+5590	5002+5020+5563	929	6002+6020+5590	6002+6020+5563	1001
115-120/85-90	5022+5020+5590	5022+5020+5563	946	6022+6020+5590	6022+6020+5563	1032
125-129/85-90	5006+5020+5591	5006+5020+5564	977	6006+6020+5591	6006+6020+5564	1056
135-139/85-90	5008+5020+5591	5008+5020+5564	991	6008+6020+5591	6008+6020+5564	1074

Breakdown by references/item on page 304. Openings see page 65

BASIC COLOUR front + fix side panel 8mm



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



*Set of 2 black vertical rubber bands
ref. 0014, 23 points



Optimised guide with glass release
button

STEP 1: PROFILES

Description	● BLACK	● WHITE	Points
Front accessories until 140cm +lateral kit	Ref. 5493+5492	Ref. 5583+5588	392
Front accessories until 180cm +lateral kit	5494+5492	5584+5588	404

STEP 2: FRONT.+FIX SIDE PANEL

Measure		TRANSPARENT		FROST PLUS	
Ranges (cm)		Ref.	Points	Ref.	Points
combinations w/FIXED SIDES OF 70					
100x70	Glasses of 95-100/66,5-69	5001+5025	398	6001+6025	468
110x70	Glasses of 105-110/66,5-69	5003+5025	417	6003+6025	488
120x70	Glasses of 115-120/66,5-69	5005+5025	431	6005+6025	509
130x70	Glasses of 125-130/66,5-69	5007+5025	449	6007+6025	530
140x70	Glasses of 135-140/66,5-69	5009+5025	464	6009+6025	548
150x70	Glasses of 145-150/66,5-69	5011+5025	479	6011+6025	569
160x70	Glasses of 155-160/66,5-69	5013+5025	497	6013+6025	590
170x70	Glasses of 165-170/66,5-69	5015L+5025	506	6015L+6025	625
180x70	Glasses of 175-180/66,5-69	5017L+5025	536	6017L+6025	647
combinations w/FIXED SIDES OF 75					
100x75	Glasses of 95-100/71,5-74	5001+5057	406	6001+6057	476
110x75	Glasses of 105-110/71,5-74	5003+5057	425	6003+6057	496
120x75	Glasses of 115-120/71,5-74	5005+5057	439	6005+6057	517
130x75	Glasses of 125-130/71,5-74	5007+5057	457	6007+6057	538
140x75	Glasses of 135-140/71,5-74	5009+5057	472	6009+6057	556
150x75	Glasses of 145-150/71,5-74	5011+5057	487	6011+6057	577
160x75	Glasses of 155-160/71,5-74	5013+5057	505	6013+6057	598
170x75	Glasses of 165-170/71,5-74	5015L+5057	514	6015L+6057	633
180x75	Glasses of 175-180/71,5-74	5017L+5057	532	6017L+6057	655
combinations w/FIXED SIDES OF 80					
100x80	Glasses of 95-100/76,5-79	5001+5026	413	6001+6026	483
110x80	Glasses of 105-110/76,5-79	5003+5026	432	6003+6026	503
120x80	Glasses of 115-120/76,5-79	5005+5026	446	6005+6026	524
130x80	Glasses of 125-130/76,5-79	5007+5026	464	6007+6026	545
140x80	Glasses of 135-140/76,5-79	5009+5026	479	6009+6026	563
150x80	Glasses of 145-150/76,5-79	5011+5026	494	6011+6026	584
160x80	Glasses of 155-160/76,5-79	5013+5026	512	6013+6026	605
170x80	Glasses of 165-170/76,5-79	5015L+5026	521	6015L+6026	640
180x80	Glasses of 175-180/76,5-79	5017L+5026	539	6017L+6026	662
combinations w/FIXED SIDES OF 90					
100x90	Glasses of 95-100/86,5-89	5001+5027	436	6001+6027	506
110x90	Glasses of 105-110/86,5-89	5003+5027	455	6003+6027	526
120x90	Glasses of 115-120/86,5-89	5005+5027	469	6005+6027	547
130x90	Glasses of 125-130/86,5-89	5007+5027	487	6007+6027	568
140x90	Glasses of 135-140/86,5-89	5009+5027	502	6009+6027	586
150x90	Glasses of 145-150/86,5-89	5011+5027	517	6011+6027	607
160x90	Glasses of 155-160/86,5-89	5013+5027	535	6013+6027	628
170x90	Glasses of 165-170/86,5-89	5015L+5027	544	6015L+6027	663
180x90	Glasses of 175-180/86,5-89	5017L+5027	562	6017L+6027	685

*Option fix-fix connection profile +60 points (**indicate side**). Reference BLACK: **0991** | Reference WHITE: **0182B**

*Other sizes with fixed sides of 100, 110, 120 and intermediate wall-to-wall see page 304

BASIC COLOUR front + fix side panel 8mm



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



Perfect interior/exterior finish



Optimised guide with glass release
button

STEP 1: PROFILES

Description	 GOLD	 NICKEL	Points
Front accessories until 140cm +lateral kit	Ref. 5440+5445	Ref. 5460+5469	495
Front accessories until 180cm +lateral kit	5441+5445	5461+5469	506

STEP 2: FRONT.+FIX SIDE PANEL

Measure		TRANSPARENT		FROST PLUS	
Ranges (cm)		Ref.	Points	Ref.	Points
combinations w/FIXED SIDES OF 70					
100x70	Glasses of 95-100/66,5-69	5001+5025	398	6001+6025	468
110x70	Glasses of 105-110/66,5-69	5003+5025	417	6003+6025	488
120x70	Glasses of 115-120/66,5-69	5005+5025	431	6005+6025	509
130x70	Glasses of 125-130/66,5-69	5007+5025	449	6007+6025	530
140x70	Glasses of 135-140/66,5-69	5009+5025	464	6009+6025	548
150x70	Glasses of 145-150/66,5-69	5011+5025	479	6011+6025	569
160x70	Glasses of 155-160/66,5-69	5013+5025	497	6013+6025	590
170x70	Glasses of 165-170/66,5-69	5015L+5025	506	6015L+6025	625
180x70	Glasses of 175-180/66,5-69	5017L+5025	536	6017L+6025	647
combinations w/FIXED SIDES OF 75					
100x75	Glasses of 95-100/71,5-74	5001+5057	406	6001+6057	476
110x75	Glasses of 105-110/71,5-74	5003+5057	425	6003+6057	496
120x75	Glasses of 115-120/71,5-74	5005+5057	439	6005+6057	517
130x75	Glasses of 125-130/71,5-74	5007+5057	457	6007+6057	538
140x75	Glasses of 135-140/71,5-74	5009+5057	472	6009+6057	556
150x75	Glasses of 145-150/71,5-74	5011+5057	487	6011+6057	577
160x75	Glasses of 155-160/71,5-74	5013+5057	505	6013+6057	598
170x75	Glasses of 165-170/71,5-74	5015L+5057	514	6015L+6057	633
180x75	Glasses of 175-180/71,5-74	5017L+5057	532	6017L+6057	655
combinations w/FIXED SIDES OF 80					
100x80	Glasses of 95-100/76,5-79	5001+5026	413	6001+6026	483
110x80	Glasses of 105-110/76,5-79	5003+5026	432	6003+6026	503
120x80	Glasses of 115-120/76,5-79	5005+5026	446	6005+6026	524
130x80	Glasses of 125-130/76,5-79	5007+5026	464	6007+6026	545
140x80	Glasses of 135-140/76,5-79	5009+5026	479	6009+6026	563
150x80	Glasses of 145-150/76,5-79	5011+5026	494	6011+6026	584
160x80	Glasses of 155-160/76,5-79	5013+5026	512	6013+6026	605
170x80	Glasses of 165-170/76,5-79	5015L+5026	521	6015L+6026	640
180x80	Glasses of 175-180/76,5-79	5017L+5026	539	6017L+6026	662
combinations w/FIXED SIDES OF 90					
100x90	Glasses of 95-100/86,5-89	5001+5027	436	6001+6027	506
110x90	Glasses of 105-110/86,5-89	5003+5027	455	6003+6027	526
120x90	Glasses of 115-120/86,5-89	5005+5027	469	6005+6027	547
130x90	Glasses of 125-130/86,5-89	5007+5027	487	6007+6027	568
140x90	Glasses of 135-140/86,5-89	5009+5027	502	6009+6027	586
150x90	Glasses of 145-150/86,5-89	5011+5027	517	6011+6027	607
160x90	Glasses of 155-160/86,5-89	5013+5027	535	6013+6027	628
170x90	Glasses of 165-170/86,5-89	5015L+5027	544	6015L+6027	663
180x90	Glasses of 175-180/86,5-89	5017L+5027	562	6017L+6027	685

*Option fix-fix connection profile +75 points (**indicate side**). Reference GOLD: **0182OR** | Reference NICKEL: **0182NK**

*Other sizes with fixed sides of 100, 110, 120 and intermediate wall-to-wall see page 304

BASIC COLOUR front + fix side panel 8mm



Transparent rubbers
anti-discoloration



Adjustable nylon double wheel
roller with anti-tipper



Perfect interior/exterior finish



Optimised guide with glass release
button

STEP 1: PROFILES

Description	COPPER	GUNMETAL	Points
Front accessories until 140cm +lateral kit	Ref. 5592+5597	Ref. 5560+5567	495
Front accessories until 180cm +lateral kit	5593+5597	5561+5567	506

STEP 2: FRONT.+FIX SIDE PANEL

Measure		TRANSPARENT		FROST PLUS	
Ranges (cm)		Ref.	Points	Ref.	Points
combinations w/FIXED SIDES OF 70					
100x70	Glasses of 95-100/66,5-69	5001+5025	398	6001+6025	468
110x70	Glasses of 105-110/66,5-69	5003+5025	417	6003+6025	488
120x70	Glasses of 115-120/66,5-69	5005+5025	431	6005+6025	509
130x70	Glasses of 125-130/66,5-69	5007+5025	449	6007+6025	530
140x70	Glasses of 135-140/66,5-69	5009+5025	464	6009+6025	548
150x70	Glasses of 145-150/66,5-69	5011+5025	479	6011+6025	569
160x70	Glasses of 155-160/66,5-69	5013+5025	497	6013+6025	590
170x70	Glasses of 165-170/66,5-69	5015L+5025	506	6015L+6025	625
180x70	Glasses of 175-180/66,5-69	5017L+5025	536	6017L+6025	647
combinations w/FIXED SIDES OF 75					
100x75	Glasses of 95-100/71,5-74	5001+5057	406	6001+6057	476
110x75	Glasses of 105-110/71,5-74	5003+5057	425	6003+6057	496
120x75	Glasses of 115-120/71,5-74	5005+5057	439	6005+6057	517
130x75	Glasses of 125-130/71,5-74	5007+5057	457	6007+6057	538
140x75	Glasses of 135-140/71,5-74	5009+5057	472	6009+6057	556
150x75	Glasses of 145-150/71,5-74	5011+5057	487	6011+6057	577
160x75	Glasses of 155-160/71,5-74	5013+5057	505	6013+6057	598
170x75	Glasses of 165-170/71,5-74	5015L+5057	514	6015L+6057	633
180x75	Glasses of 175-180/71,5-74	5017L+5057	532	6017L+6057	655
combinations w/FIXED SIDES OF 80					
100x80	Glasses of 95-100/76,5-79	5001+5026	413	6001+6026	483
110x80	Glasses of 105-110/76,5-79	5003+5026	432	6003+6026	503
120x80	Glasses of 115-120/76,5-79	5005+5026	446	6005+6026	524
130x80	Glasses of 125-130/76,5-79	5007+5026	464	6007+6026	545
140x80	Glasses of 135-140/76,5-79	5009+5026	479	6009+6026	563
150x80	Glasses of 145-150/76,5-79	5011+5026	494	6011+6026	584
160x80	Glasses of 155-160/76,5-79	5013+5026	512	6013+6026	605
170x80	Glasses of 165-170/76,5-79	5015L+5026	521	6015L+6026	640
180x80	Glasses of 175-180/76,5-79	5017L+5026	539	6017L+6026	662
combinations w/FIXED SIDES OF 90					
100x90	Glasses of 95-100/86,5-89	5001+5027	436	6001+6027	506
110x90	Glasses of 105-110/86,5-89	5003+5027	455	6003+6027	526
120x90	Glasses of 115-120/86,5-89	5005+5027	469	6005+6027	547
130x90	Glasses of 125-130/86,5-89	5007+5027	487	6007+6027	568
140x90	Glasses of 135-140/86,5-89	5009+5027	502	6009+6027	586
150x90	Glasses of 145-150/86,5-89	5011+5027	517	6011+6027	607
160x90	Glasses of 155-160/86,5-89	5013+5027	535	6013+6027	628
170x90	Glasses of 165-170/86,5-89	5015L+5027	544	6015L+6027	663
180x90	Glasses of 175-180/86,5-89	5017L+5027	562	6017L+6027	685

*Option fix-fix connection profile +75 points (**indicate side**). Reference COPPER: **0182CB** | Reference GUNMETAL: **0182T**

*Other sizes with fixed sides of 100, 110, 120 and intermediate wall-to-wall see page 304

BASIC fix + sliding door + fix



Range = Wall-to-wall Min/Max range + In-line fixed measurement

Configure it as you want
and to measure in our
B2B. See page 237

STEP 1: PROFILES

Description	CHROME Ref.	BLACK Ref.	WHITE Ref.	Points
Accessories until 140 cm	5434+5467	5493+5467N	5583+5467B	323
Accessories until 180 cm	5438+5467	5494+5467N	5584+5467B	335
Accessories until 200 cm	5446+5467	5495+5467N	5585+5467B	361

Description	GOLD Ref.	NICKEL Ref.	COPPER Ref.	GUNMETAL Ref.	Points
Accessories until 140 cm	5440+5467OR	5460+5467NK	5592+5467CB	5560+5467T	383
Accessories until 180 cm	5441+5467OR	5461+5467NK	5593+5467CB	5561+5467T	394
Accessories until 200 cm	5442+5467OR	5462+5467NK	5594+5467CB	5562+5467T	413

STEP 2: FIX IN LINE

Fix measure	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Fix of 30 cm	5018F	98	6018F	120
Fix of 35 cm	5019F	105	6019F	128
Fix of 40 cm	5020F	113	6020F	135
Fix of 45 cm	5021F	120	6021F	143
Fix of 52 cm	5002F	135	6002F	150
Fix of 55 cm	5022F	143	6022F	165
Fix of 57 cm	5004F	150	6004F	173

STEP 3: FRONT PANELS


Description	Ranges (cm)	TRANSPARENT		FROST PLUS	
		Ref.	Points	Ref.	Points
Fix + Front door of 100	95-100	5001	218	6001	258
Fix + Front door of 105	100-105	5002	228	6002	269
Fix + Front door of 110	105-110	5003	237	6003	278
Fix + Front door of 115	110-115	5004	245	6004	288
Fix + Front door of 120	115-120	5005	251	6005	299
Fix + Front door of 125	120-125	5006	261	6006	309
Fix + Front door of 130	125-130	5007	269	6007	320
Fix + Front door of 135	130-135	5008	275	6008	327
Fix + Front door of 140	135-140	5009	284	6009	338
Fix + Front door of 145	140-145	5010	291	6010	348
Fix + Front door of 150	145-150	5011	299	6011	359
Fix + Front door of 155	150-155	5012	309	6012	369
Fix + Front door of 160	155-160	5013	317	6013	380
Fix + Front door of 165	160-165	5014	323	6014	386
Fix + Front door of 170	165-170	5015L	326	6015L	414
Fix + Front door of 175	170-175	5016L	335	6016L	426
Fix + Front door of 180	175-180	5017L	344	6017L	437
Fix + Front door of 190	180-190	5023L	359	6023L	459
Fix + Front door of 200	190-200	5024L	375	6024L	482

To measure and special, see page 288

BASIC FREE

Higher entry step / Lower price / Same function





STEP 1: Select size/color of the PROFILES
STEP 2: Select size/decoration of GLASSES

STEP 1: PROFILES

Description	CHROME	BLACK	WHITE		
	Ref.	Ref.	Ref.	Points	
Prof. and acc. until 140 +KIT FREE	5434+5447	5493+5447N	5583+5447B	287	
Prof. and acc. until 180 +KIT FREE	5438+5447	5494+5447N	5584+5447B	299	
Prof. and acc. until 200 +KIT FREE	5446+5447	5495+5447N	5585+5447B	325	

Description	GOLD	NICKEL	COPPER	GUNMETAL	Points
	Ref.	Ref.	Ref.	Ref.	
Prof. and acc. until 140 +KIT FREE	5440+5447OR	5460+5447NK	5592+5447CB	5560+5447T	338
Prof. and acc. until 180 +KIT FREE	5441+5447OR	5461+5447NK	5593+5447CB	5561+5447T	349
Prof. and acc. until 200 +KIT FREE	5442+5447OR	5462+5447NK	5594+5447CB	5562+5447T	368

STEP 2: GLASSES

Ranges (cm)	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Glasses of 95-100	5001	218	6001	258
Glasses of 100-105	5002	228	6002	269
Glasses of 105-110	5003	237	6003	278
Glasses of 110-115	5004	245	6004	288
Glasses of 115-120	5005	251	6005	299
Glasses of 120-125	5006	261	6006	309
Glasses of 125-130	5007	269	6007	320
Glasses of 130-135	5008	275	6008	327
Glasses of 135-140	5009	284	6009	338
Glasses of 140-145	5010	291	6010	348
Glasses of 145-150	5011	299	6011	359
Glasses of 150-155	5012	309	6012	369
Glasses of 155-160	5013	317	6013	380
Glasses of 160-165	5014	323	6014	386
Glasses of 165-170	5015L	326	6015L	414
Glasses of 170-175	5016L	335	6016L	426
Glasses of 175-180	5017L	344	6017L	437
Glasses of 180-190	5023L	359	6023L	459
Glasses of 190-200	5024L	375	6024L	482



	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Made-to-measure screens and special glass	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)

BASIC FREE CORNER





STEP 1: Select size/color of CORNER PROFILES

STEP 2: Select size/decoration of GLASSES

STEP 1: PROFILES

Description	CHROME	BLACK	WHITE	Points
	Ref.	Ref.	Ref.	
Acc. until 120x90 cm+KIT FREE	5423+5447	5490+5447N	5580+5447B	391
Acc. until 140x100 cm+KIT FREE	5424+5447	5491+5447N	5581+5447B	406

Description	GOLD	NICKEL	COPPER	GUNMETAL	Points
	Ref.	Ref.	Ref.	Ref.	
Acc. until 120x90 cm+KIT FREE	5448+5447OR	5463+5447NK	5590+5447CB	5563+5447T	518
Acc. until 140x100 cm+KIT FREE	5449+5447OR	5464+5447NK	5591+5447CB	5564+5447T	533

STEP 2: GLASSES

Ranges (front / free side)	TRANSPARENT		FROST PLUS	
	References	Points	References	Points
65-70 / 65-100	5018	174	6018	206
70-75 / 65-100	5029	182	6029	215
75-80 / 65-100	5019	189	6019	221
80-85 / 65-100	5030	198	6030	230
85-90 / 65-100	5020	206	6020	237
90-95 / 65-100	5031	210	6031	245
95-100 / 65-100	5021	213	6021	254
105-109 / 65-100	5002	228	6002	269
115-120 / 65-100	5022	245	6022	300
125-129 / 65-100	5006	261	6006	309
135-139 / 65-100	5008	275	6008	327

*Breakdown by references/item on page 304.

Description	References	Points
Compensation profile +1,5 cm chrome	5429	53
Compensation profile +1,5 cm black	5477	53
Compensation profile +1,5 cm white	5473	53
Compensation profile +1,5 cm gold	5474	68
Compensation profile +1,5 cm nickel	5475	68
Compensation profile +1,5 cm copper	5476	68
Compensation profile +1,5 cm gunmetal	5478	68



Made-to-measure screens and special glass	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Height until 195cm	+45%	+60%	+32
Height of 195 until 220 cm	+75%	+90%	+32

*Delivery time 3 weeks (more information on p. 288)

prestige

"Reliability and performance
at the best price"






PRESTIGE semicircular



Description	Range	Op.	TRANSPARENT		FROST PLUS	
			References	Points	References	Points
80x80 ITALIAN RADIUS R55	76,5-79,5	46	0011	593	0052	630
90x90 ITALIAN RADIUS R55	86,5-89,5	52	0013	615	0053	653
75x75 ROCA RADIUS R50	71,5-74,5	39	0044	593	-	-
80x80 ROCA RADIUS R50	76,5-79,5	46	0046	593	0048	630
90x90 ROCA RADIUS R50	86,5-89,5	52	0047	615	0049	653
Compensation profile +2cm			0218	53		
Compensation profile +4cm			0029	68		

PRESTIGE BLACK semicircular



PREST/AKT

Description	Range	Opening	Ref.	Points
80x80 ITALIAN RADIUS R55	76,5-79,5	46	0011N	593
90x90 ITALIAN RADIUS R55	86,5-89,5	52	0013N	615
75x75 ROCA RADIUS R50	71,5-74,5	39	0044N	593
80x80 ROCA RADIUS R50	76,5-79,5	46	0046N	593
90x90 ROCA RADIUS R50	86,5-89,5	52	0047N	615
Compensation profile +2cm			9016	53


PRESTIGE 1 fix + 1 sliding door



Description	Ranges	Opening	TRANSPARENT		FROST PLUS	
			References	Points	References	Points
PRESTIGE 1F+1S 100X195	97-103	38	0200	443	0272	480
PRESTIGE 1F+1S 110X195	107-113	43	0201	458	0273	503
PRESTIGE 1F+1S 120X195	117-123	48	0202	473	0274	525
PRESTIGE 1F+1S 130X195	127-133	53	0203	495	0275	548
PRESTIGE 1F+1S 140X195	137-143	58	0204	533	0276	570
PRESTIGE 1F+1S 150X195	147-153	63	0205	563	0277	600
PRESTIGE 1F+1S 160X195	157-163	58	0206	593	0278	638
PRESTIGE 1F+1S 170X195	167-173	63	0207	623	0279	675
Compensation profile +2cm					0218	53
Compensation profile +4cm					0029	68

*Can be combined with the fix side panel STD (see page 106), The range is increased by 0.7 cm and the expansion on the side where the fix side panel is installed is lost.

PRESTIGE 2 fix + 2 sliding doors



PREST/AKT


Description	Ranges	Opening	TRANSPARENT		FROST PLUS	
			References	Points	References	Points
PRESTIGE 2F+2S 140X195	136-142	53	0610	615	0616	653
PRESTIGE 2F+2S 150X195	146-152	58	0611	638	0617	690
PRESTIGE 2F+2S 160X195	156-162	63	0612	660	0618	705
PRESTIGE 2F+2S 170X195	166-172	68	0613	683	0619	720
PRESTIGE 2F+2S 180X195	176-182	73	0614	698	0620	735
PRESTIGE 2F+2S 190X195	186-192	78	0615	713	0621	750
Compensation profile +2cm					0218	53
Compensation profile +4cm					0029	68

*Can be combined with the fix side panel STD (see page 106), The range is increased by 0.7 cm and the expansion on the side where the fix side panel is installed is lost.

PRESTIGE corner



Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Side 70 x195 cm PRESTIGE	0313	300	0295	330
Side 75 x195 cm PRESTIGE	0375	308	0294	338
Side 80 x195 cm PRESTIGE	0314	315	0296	345
Side 90 x195 cm PRESTIGE	0315	330	0297	368
Side 100 x195 cm PRESTIGE	0316	345	0298	383
Side 120 x195 cm PRESTIGE	0317	360	0299	405



Measure	Ranges	Op.
70x70	67-70 / 67-70	33
80x70	77-80 / 67-70	37
90x70	87-90 / 67-70	41
100x70	97-100 / 67-70	45
110x70	104-107 / 67-70	47
120x70	117-120 / 67-70	50
130x70	124-127 / 67-70	56
140x70	134-137 / 67-70	60
150x70	144-147 / 67-70	64
160x70	154-157 / 67-70	60
170x70	164-167 / 67-70	64
Measure	Ranges	Op.
70x75	67-70 / 72-74	35
75x75	72-74 / 72-74	37
80x75	77-80 / 72-74	39
90x75	87-90 / 72-74	42
100x75	97-100 / 72-74	47
110x75	104-107 / 72-74	49
120x75	117-120 / 72-74	52
130x75	124-127 / 72-74	58
140x75	134-137 / 72-74	62
150x75	144-147 / 72-74	66
160x75	154-157 / 72-74	62
170x75	164-167 / 72-74	66
Measure	Ranges	Op.
80x80	77-80 / 77-80	40
90x80	87-90 / 77-80	44
100x80	97-100 / 77-80	48
110x80	104-107 / 77-80	50
120x80	117-120 / 77-80	52
130x80	124-127 / 77-80	58
140x80	134-137 / 77-80	62
150x80	144-147 / 77-80	66
160x80	154-157 / 77-80	62
170x80	164-167 / 77-80	66
Measure	Ranges	Op.
90x90	87-90 / 87-90	47
100x90	97-100 / 87-90	51
110x90	104-107 / 87-90	53
120x90	117-120 / 87-90	55
130x90	124-127 / 87-90	60
140x90	134-137 / 87-90	64
150x90	144-147 / 87-90	68
160x90	154-157 / 87-90	64
170x90	164-167 / 87-90	68

TRANSPARENT	
References	Points
0313 + 0313	600
0314 + 0313	615
0315 + 0313	630
0316 + 0313	645
0201 + 0313	758
0317 + 0313	660
0203 + 0313	795
0204 + 0313	833
0205 + 0313	863
0206 + 0313	893
0207 + 0313	923
References	P
0313 + 0375	608
0375 + 0375	616
0314 + 0375	623
0315 + 0375	638
0316 + 0375	653
0201 + 0375	766
0317 + 0375	668
0203 + 0375	803
0204 + 0375	841
0205 + 0375	871
0206 + 0375	901
0207 + 0375	931
References	P
0314 + 0314	630
0315 + 0314	645
0316 + 0314	660
0201 + 0314	773
0317 + 0314	675
0203 + 0314	810
0204 + 0314	848
0205 + 0314	878
0206 + 0314	908
0207 + 0314	938
References	P
0315 + 0315	660
0316 + 0315	675
0201 + 0315	788
0317 + 0315	690
0203 + 0315	825
0204 + 0315	863
0205 + 0315	893
0206 + 0315	923
0207 + 0315	953

FROST PLUS	
References	Points
0295 + 0295	660
0296 + 0295	675
0297 + 0295	698
0298 + 0295	713
0273 + 0295	833
0299 + 0295	735
0275 + 0295	878
0276 + 0295	900
0277 + 0295	930
0278 + 0295	968
0279 + 0295	1005
References	P
0295 + 0294	668
0294 + 0294	676
0296 + 0294	683
0297 + 0294	706
0298 + 0294	721
0273 + 0294	841
0299 + 0294	743
0275 + 0294	886
0276 + 0294	908
0277 + 0294	938
0278 + 0294	976
0279 + 0294	1013
References	P
0296 + 0296	690
0297 + 0296	713
0298 + 0296	728
0273 + 0296	848
0299 + 0296	750
0275 + 0296	893
0276 + 0296	915
0277 + 0296	945
0278 + 0296	983
0279 + 0296	1020
References	P
0297 + 0297	736
0298 + 0297	751
0273 + 0297	871
0299 + 0297	773
0275 + 0297	916
0276 + 0297	938
0277 + 0297	968
0278 + 0297	1006
0279 + 0297	1043

Combinations with sides of 100 and 120 can also be obtained.

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68

PRESTIGE front + fix side panel 8 mm



Description	Ranges (min-max)	References	Points
Fix side panel STD 8 mm 30x195	26-29	0810	233
Fix side panel STD 8 mm 40x195	36-39	0811	248
Fix side panel STD 8 mm 50x195	46-49	0812	263
Fix side panel STD 8 mm 60x195	56-59	0813	278
Fix side panel STD 8 mm 70x195	66-69	0814	293
Fix side panel STD 8 mm 75x195	71-74	0820	300
Fix side panel STD 8 mm 80x195	76-79	0815	308
Fix side panel STD 8 mm 90x195	86-89	0816	330
Fix side panel STD 8 mm FROST PLUS 70	66-69	0817	345
Fix side panel STD 8 mm FROST PLUS 80	76-79	0818	360
Fix side panel STD 8 mm FROST PLUS 90	86-89	0819	375



PRESTIGE + fix side panel of 8 mm



Hidden magnetic closing



Double reinforced roller



Release button

Measures	Ranges	Op.
100x70	97,4-100,4 / 66-69	38
110x70	107,4-110,4 / 66-69	43
120x70	117,4-120,4 / 66-69	48
130x70	127,4-130,4 / 66-69	53
140x70	137,4-140,4 / 66-69	58
150x70	147,4-150,4 / 66-69	53
160x70	157,4-160,4 / 66-69	58
170x70	167,4-170,4 / 66-69	63

Measures	Ranges	Op.
100x80	97,4-100,4 / 76-79	38
110x80	107,4-110,4 / 76-79	43
120x80	117,4-120,4 / 76-79	48
130x80	127,4-130,4 / 76-79	53
140x80	137,4-140,4 / 76-79	58
150x80	147,4-150,4 / 76-79	53
160x80	157,4-160,4 / 76-79	58
170x80	167,4-170,4 / 76-79	63

Measures	Ranges	Op.
100x90	97,4-100,4 / 86-89	38
110x90	107,4-110,4 / 86-89	43
120x90	117,4-120,4 / 86-89	48
130x90	127,4-130,4 / 86-89	53
140x90	137,4-140,4 / 86-89	58
150x90	147,4-150,4 / 86-89	53
160x90	157,4-160,4 / 86-89	58
170x90	167,4-170,4 / 86-89	63

TRANSPARENT	
References	Points
0200 + 0814	736
0201 + 0814	751
0202 + 0814	766
0203 + 0814	788
0204 + 0814	826
0205 + 0814	856
0206 + 0814	886
0207 + 0814	916

References	P
0200 + 0815	751
0201 + 0815	766
0202 + 0815	781
0203 + 0815	803
0204 + 0815	841
0205 + 0815	871
0206 + 0815	901
0207 + 0815	931

References	P
0200 + 0816	773
0201 + 0816	788
0202 + 0816	803
0203 + 0816	825
0204 + 0816	863
0205 + 0816	893
0206 + 0816	923
0207 + 0816	953

FROST PLUS	
References	Points
0272 + 0817	825
0273 + 0817	848
0274 + 0817	870
0275 + 0817	893
0276 + 0817	915
0277 + 0817	945
0278 + 0817	983
0279 + 0817	1020

References	P
0272 + 0818	840
0273 + 0818	863
0274 + 0818	885
0275 + 0818	908
0276 + 0818	930
0277 + 0818	960
0278 + 0818	998
0279 + 0818	1035

References	P
0272 + 0819	855
0273 + 0819	878
0274 + 0819	900
0275 + 0819	923
0276 + 0819	945
0277 + 0819	975
0278 + 0819	1013
0279 + 0819	1050

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68
Compensation profile +5,5 cm	0219	68



Fix side panel to measure

Description	TRANSPARENT		FROST PLUS		Boxed
	Ref.	P	Ref.	P	
Fix side to measure until 40 cm	1343	263	1343+1312	446	+32
Fix side to measure from 40 until 80cm	1304	375	1304+1313	558	+32
Fix side to measure from 80 until 120cm	1310	480	1310+1315	663	+32

*Delivery time 3 weeks (more information on page 290)

aktual

"Prestige evolution without
bottom rail"





AKTUAL 1 fix + 1 sliding door



Description	Ranges	Opening	TRANSPARENT		FROST PLUS	
			References	Points	References	Points
AKTUAL 1F+1S 100X195	97-103	38	0280	465	0580	525
AKTUAL 1F+1S 110X195	107-113	43	0281	480	0581	540
AKTUAL 1F+1S 120X195	117-123	48	0282	503	0582	555
AKTUAL 1F+1S 130X195	127-133	53	0283	540	0583	600
AKTUAL 1F+1S 140X195	137-143	58	0284	578	0584	638
AKTUAL 1F+1S 150X195	147-153	63	0285	600	0585	668
AKTUAL 1F+1S 160X195	157-163	58	0286	623	0586	683
AKTUAL 1F+1S 170X195	167-173	63	0287	653	0587	720
Compensation profile +2cm					0218	53
Compensation profile +4cm					0029	68

*Can be combined with the fix side panel STD (see page 114), The range is increased by 0.7 cm and the expansion on the side where the fix side panel is installed is lost.

AKTUAL 2 fix + 2 sliding doors



PREST/AKT


Description	Ranges	Opening	TRANSPARENT		FROST PLUS	
			References	Points	References	Points
AKTUAL 2F+2S 140 X195	136-142	53	0570	615	0588	690
AKTUAL 2F+2S 150 X195	146-152	58	0571	638	0589	728
AKTUAL 2F+2S 160 X195	156-162	63	0572	660	0590	758
AKTUAL 2F+2S 170 X195	166-172	68	0573	683	0591	795
AKTUAL 2F+2S 180 X195	176-182	73	0574	705	0592	818
AKTUAL 2F+2S 190 X195	186-192	78	0575	728	0593	848
Compensation profile +2cm					0218	53
Compensation profile +4cm					0029	68

*Can be combined with the fix side panel STD (see page 114), The range is increased by 0.7 cm and the expansion on the side where the fix side panel is installed is lost.

AKTUAL corner



Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Side 70x195 AKTUAL 1 fix + 1 sliding door	0320	323	0595	368
Side 80x195 AKTUAL 1 fix + 1 sliding door	0321	345	0596	390
Side 90x195 AKTUAL 1 fix + 1 sliding door	0322	360	0597	413
Side 100x195 AKTUAL 1 fix + 1 sliding door	0323	375	0598	435
Side 120x195 AKTUAL 1 fix + 1 sliding door	0324	390	0599	465



Pull handle



Double anti-tip roller



Metal flashing

corner combinations **AKTUAL** corner

Measure	Ranges	Op.
70x70	67-70 / 67-70	33
80x70	77-80 / 67-70	37
90x70	87-90 / 67-70	41
100x70	97-100 / 67-70	45
110x70	104-107 / 67-70	47
120x70	117-120 / 67-70	50
130x70	124-127 / 67-70	56
140x70	134-137 / 67-70	60
150x70	144-147 / 67-70	64
Measure	Ranges	Op.
80x80	77-80 / 77-80	40
90x80	87-90 / 77-80	44
100x80	97-100 / 77-80	48
110x80	104-107 / 77-80	50
120x80	117-120 / 77-80	52
130x80	124-127 / 77-80	58
140x80	134-137 / 77-80	62
150x80	144-147 / 77-80	66
Measure	Ranges	Op.
90x90	87-90 / 87-90	47
100x90	97-100 / 87-90	51
110x90	104-107 / 87-90	53
120x90	117-120 / 87-90	55
130x90	124-127 / 87-90	60
140x90	134-137 / 87-90	64
150x90	144-147 / 87-90	68

TRANSPARENT		FROST PLUS	
References	Points	References	Points
0320 + 0320	646	0595 + 0595	736
0321 + 0320	668	0596 + 0595	758
0322 + 0320	683	0597 + 0595	781
0323 + 0320	698	0598 + 0595	803
0281 + 0320	803	0581 + 0595	908
0324 + 0320	713	0599 + 0595	833
0283 + 0320	863	0583 + 0595	968
0284 + 0320	901	0584 + 0595	1006
0285 + 0320	923	0585 + 0595	1036
References	P	References	P
0321 + 0321	690	0596 + 0596	780
0322 + 0321	705	0597 + 0596	803
0323 + 0321	720	0598 + 0596	825
0281 + 0321	825	0581 + 0596	930
0324 + 0321	735	0599 + 0596	855
0283 + 0321	885	0583 + 0596	990
0284 + 0321	923	0584 + 0596	1028
0285 + 0321	945	0585 + 0596	1058
References	P	References	P
0322 + 0322	720	0597 + 0597	826
0323 + 0322	735	0598 + 0597	848
0281 + 0322	840	0581 + 0597	953
0324 + 0322	750	0599 + 0597	878
0283 + 0322	900	0583 + 0597	1013
0284 + 0322	938	0584 + 0597	1051
0285 + 0322	960	0585 + 0597	1081

Combinations with sides of 100 and 120 can also be obtained

Description	Reference	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68

AKTUAL front + fix side panel STD 8 mm



Description	Ranges (min-max)	References	Points
Fix side panel STD 8 mm 30	26-29	0810	233
Fix side panel STD 8 mm 40	36-39	0811	248
Fix side panel STD 8 mm 50	46-49	0812	263
Fix side panel STD 8 mm 60	56-59	0813	278
Fix side panel STD 8 mm 70	66-69	0814	293
Fix side panel STD 8 mm 75	71-74	0820	300
Fix side panel STD 8 mm 80	76-79	0815	308
Fix side panel STD 8 mm 90	86-89	0816	330
Fix side panel STD 8 mm FROST PLUS 70	66-69	0817	345
Fix side panel STD 8 mm FROST PLUS 80	76-79	0818	360
Fix side panel STD 8 mm FROST PLUS 90	86-89	0819	375




H195

Height



8/6mm

Glass thickness



Sliding



3cm

Expansion



Magnetic



Reversible



aluminio
AL
aluminium



anti-uv treatment
clear
shield
glass



Hidden magnet closing



Double anti-tip roller



Metal flashing

AKTUAL + fix side panel 8 mm

Measures	Ranges	Op.
100x70	97,4-100,4 / 66-69	38
110x70	107,4-110,4 / 66-69	43
120x70	117,4-120,4 / 66-69	48
130x70	127,4-130,4 / 66-69	53
140x70	137,4-140,4 / 66-69	58
150x70	147,4-150,4 / 66-69	53
160x70	157,4-160,4 / 66-69	58
170x70	167,4-170,4 / 66-69	63
Measures	Ranges	Op.
100x80	97,4-100,4 / 76-79	38
110x80	107,4-110,4 / 76-79	43
120x80	117,4-120,4 / 76-79	48
130x80	127,4-130,4 / 76-79	53
140x80	137,4-140,4 / 76-79	58
150x80	147,4-150,4 / 76-79	53
160x80	157,4-160,4 / 76-79	58
170x80	167,4-170,4 / 76-79	63
Measures	Ranges	Op.
100x90	97,4-100,4 / 86-89	38
110x90	107,4-110,4 / 86-89	43
120x90	117,4-120,4 / 86-89	48
130x90	127,4-130,4 / 86-89	53
140x90	137,4-140,4 / 86-89	58
150x90	147,4-150,4 / 86-89	53
160x90	157,4-160,4 / 86-89	58
170x90	167,4-170,4 / 86-89	63

TRANSPARENT		FROST PLUS	
References	Points	References	Points
0280 + 0814	758	0580 + 0817	870
0281 + 0814	773	0581 + 0817	885
0282 + 0814	796	0582 + 0817	900
0283 + 0814	833	0583 + 0817	945
0284 + 0814	871	0584 + 0817	983
0285 + 0814	893	0585 + 0817	1013
0286 + 0814	916	0586 + 0817	1028
0287 + 0814	946	0587 + 0817	1065
References	P	References	P
0280 + 0815	773	0580 + 0818	885
0281 + 0815	788	0581 + 0818	900
0282 + 0815	811	0582 + 0818	915
0283 + 0815	848	0583 + 0818	960
0284 + 0815	886	0584 + 0818	998
0285 + 0815	908	0585 + 0818	1028
0286 + 0815	931	0586 + 0818	1043
0287 + 0815	961	0587 + 0818	1080
References	P	References	P
0280 + 0816	795	0580 + 0819	900
0281 + 0816	810	0581 + 0819	915
0282 + 0816	833	0582 + 0819	930
0283 + 0816	870	0583 + 0819	975
0284 + 0816	908	0584 + 0819	1013
0285 + 0816	930	0585 + 0819	1043
0286 + 0816	953	0586 + 0819	1058
0287 + 0816	983	0587 + 0819	1095

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68
Compensation profile +5,5 cm	0219	68



Fix side panel to measure AKTUAL

Description	TRANSPARENT		FROST PLUS		Boxed
	Ref.	Points	Ref.	Points	
Fix side to measure until 40 cm	1343	263	1343+1312	446	+32
Fix side to measure from 40 until 80cm	1304	375	1304+1313	558	+32
Fix side to measure from 80 until 120cm	1310	480	1310+1315	663	+32

*Delivery time 3 weeks. More information on page 290.

PREST/AKT

VETRUM pg.119



TEMPLE pg.129



FUTURA pg.133

MOVING pg.137



STEEL

**STEEL
SLIDINGS**

vetrum

10/8mm

"Unsurpassed design and
quality with a total absence
of profiles"






STEEL

VETRUM 1 fix + 1 sliding door





Wall-to-wall VETRUM 1 fix + 1 sliding door

Description	Range	Opening	References	Points
Wall-to-wall 1F+1S VETRUM 115	113-118	39,7-44,3	1070	1157
Wall-to-wall 1F+1S VETRUM 120	117-122	40,7-45,7	1050	1169
Wall-to-wall 1F+1S VETRUM 125	122-127	40,7-45,7	1051	1211
Wall-to-wall 1F+1S VETRUM 130	127-132	45,7-50,7	1052	1238
Wall-to-wall 1F+1S VETRUM 135	132-137	45,7-50,7	1053	1272
Wall-to-wall 1F+1S VETRUM 140	137-142	50,7-55,7	1054	1292
Wall-to-wall 1F+1S VETRUM 145	142-147	50,7-55,7	1055	1301
Wall-to-wall 1F+1S VETRUM 150	147-152	55,7-60,7	1056	1313
Wall-to-wall 1F+1S VETRUM 155	152-157	55,7-60,7	1057	1331
Wall-to-wall 1F+1S VETRUM 160	157-162	60,7-65,7	1058	1343
Wall-to-wall 1F+1S VETRUM 165	162-167	60,7-65,7	1059	1361
Wall-to-wall 1F+1S VETRUM 170	167-172	65,7-70,7	1060	1373
Wall-to-wall 1F+1S VETRUM 175	172-177	60,7-65,7	1061	1411
Wall-to-wall 1F+1S VETRUM 180	177-182	65,7-70,7	1062	1423
Expansion profile +1 cm			1073	96
Stainless steel parallel bar option until 2 m			5546	98
Option stainless steel profile seal + bubble *With this system the range is reduced 2 cm			1072	98



Steel guide and lower roller



Integrated steel roller



Parallel bar option



VETRUM FREE 1 fix + 1 sliding door


Description	References	Points
Brake vetrum free	1071	26

In the Free format the range is reduced by 2 cm.

VETRUM 2 fix + 2 sliding doors



Description	References	Points
2f+2s conversion kit	1071	26



Wall-to-wall VETRUM 2F+2S

Description	Range	Opening	References	Points
VETRUM 2F+2S 150	134-154	30-50	1067+1067+1071	1778
VETRUM 2F+2S 170	154-174	40-60	1068+1068+1071	1872
VETRUM 2F+2S 190	174-194	50-70	1069+1069+1071	2028
VETRUM 2F+2S 210	213-233	69-89	1070+1070+1071	2340
Expansion profile +1cm			1073	96



Steel guide and lower roller



Integrated steel roller




Orientable steel arm ext. 108 cm

VETRUM corner



Description	References	Points
Side VETRUM 70 1 fix + 1 sliding door	1066	831
Side VETRUM 80 1 fix + 1 sliding door	1067	876
Side VETRUM 90 1 fix + 1 sliding door	1068	923
Side VETRUM 100 1 fix + 1 sliding door	1069	1001
Side VETRUM 120 1 fix + 1 sliding door	1070	1157






Corner VETRUM corner

Measures	Ranges	Opening	References	Points
90x70	85-90/65-70	33-36	1068+1066	1754
100x70	95-100/65-70	37-40	1069+1066	1832
115x70	114-119/65-70	44-49	1070+1066	1988
120x70	118-123/65-70	44-49	1050+1066	2000
125x70	123-128/65-70	45-50	1051+1066	2042
130x70	128-133/65-70	49-54	1052+1066	2069
135x70	133-138/65-70	49-54	1053+1066	2103
140x70	138-143/65-70	55-60	1054+1066	2123
145x70	143-148/65-70	55-60	1055+1066	2132
150x70	148-153/65-70	59-64	1056+1066	2144
Measures	Ranges	Opening	References	P
80x80	75-80/ 75-80	33-36	1067+1067	1752
90x80	85-90/75-80	36-39	1068+1067	1799
100x80	95-100/75-80	40-43	1069+1067	1877
115x80	114-119/75-80	46-51	1070+1067	2033
120x80	118-123/75-80	46-51	1050+1067	2045
125x80	123-128/75-80	47-52	1051+1067	2087
130x80	128-133/75-80	51-56	1052+1067	2114
135x80	133-138/75-80	51-56	1053+1067	2148
140x80	138-143/75-80	56-61	1054+1067	2168
145x80	143-148/75-80	56-61	1055+1067	2177
150x80	148-153/75-80	60-65	1056+1067	2189
Measures	Ranges	Opening	References	P
90x90	85-90/85-90	40-43	1068+1068	1846
100x90	95-100/85-90	43-46	1069+1068	1924
115x90	114-119/85-90	51-54	1070+1068	2080
120x90	118-123/85-90	51-54	1050+1068	2092
125x90	123-128/85-90	50-55	1051+1068	2134
130x90	128-133/85-90	54-59	1052+1068	2161
135x90	133-138/85-90	54-59	1053+1068	2195
140x90	138-143/85-90	58-63	1054+1068	2215
145x90	143-148/85-90	58-63	1055+1068	2224
150x90	148-153/85-90	63-68	1056+1068	2236
Expansion profile +1cm			1073	96

VETRUM front + fix side panel



Description	Range	References	Points
Fix side panel 70 VETRUM 10 mm + arm	67-69	1063	522
Fix side panel 75 VETRUM 10 mm + arm	72-74	1115	537
Fix side panel 80 VETRUM 10 mm + arm	77-79	1064	551
Fix side panel 90 VETRUM 10 mm + arm	87-89	1065	579



Combinations VETRUM front + fix side panel

Measures	Range	References	Points	Measures	Range	References	Points
115x70	113-117 / 67-69	1070 + 1063	1679	115x75	113-117 / 72-74	1070 + 1115	1694
120x70	116-121 / 67-69	1050 + 1063	1691	120x75	116-121 / 72-74	1050 + 1115	1706
125x70	121-126 / 67-69	1051 + 1063	1733	125x75	121-126 / 72-74	1051 + 1115	1748
130x70	126-131 / 67-69	1052 + 1063	1760	130x75	126-131 / 72-74	1052 + 1115	1775
135x70	131-136 / 67-69	1053 + 1063	1794	135x75	131-136 / 72-74	1053 + 1115	1809
140x70	136-141 / 67-69	1054 + 1063	1814	140x75	136-141 / 72-74	1054 + 1115	1829
145x70	141-146 / 67-69	1055 + 1063	1823	145x75	141-146 / 72-74	1055 + 1115	1838
150x70	146-151 / 67-69	1056 + 1063	1835	150x75	146-151 / 72-74	1056 + 1115	1850
155x70	151-156 / 67-69	1057 + 1063	1853	155x75	151-156 / 72-74	1057 + 1115	1868
160x70	156-161 / 67-69	1058 + 1063	1865	160x75	156-161 / 72-74	1058 + 1115	1880
165x70	161-166 / 67-69	1059 + 1063	1883	165x75	161-166 / 72-74	1059 + 1115	1898
170x70	166-171 / 67-69	1060 + 1063	1895	170x75	166-171 / 72-74	1060 + 1115	1910
175x70	171-176 / 67-69	1061 + 1063	1933	175x75	171-176 / 72-74	1061 + 1115	1948
180x70	176-181 / 67-69	1062 + 1063	1945	180x75	176-181 / 72-74	1062 + 1115	1960
Measures	Range	References	Points	Measures	Range	References	Points
115x80	113-117 / 77-79	1070 + 1064	1708	115x90	113-117 / 87-89	1070 + 1065	1736
120x80	116-121 / 77-79	1050 + 1064	1720	120x90	116-121 / 87-89	1050 + 1065	1748
125x80	121-126 / 77-79	1051 + 1064	1762	125x90	121-126 / 87-89	1051 + 1065	1790
130x80	126-131 / 77-79	1052 + 1064	1789	130x90	126-131 / 87-89	1052 + 1065	1817
135x80	131-136 / 77-79	1053 + 1064	1823	135x90	131-136 / 87-89	1053 + 1065	1851
140x80	136-141 / 77-79	1054 + 1064	1843	140x90	136-141 / 87-89	1054 + 1065	1871
145x80	141-146 / 77-79	1055 + 1064	1852	145x90	141-146 / 87-89	1055 + 1065	1880
150x80	146-151 / 77-79	1056 + 1064	1864	150x90	146-151 / 87-89	1056 + 1065	1892
155x80	151-156 / 77-79	1057 + 1064	1882	155x90	151-156 / 87-89	1057 + 1065	1910
160x80	156-161 / 77-79	1058 + 1064	1894	160x90	156-161 / 87-89	1058 + 1065	1922
165x80	161-166 / 77-79	1059 + 1064	1912	165x90	161-166 / 87-89	1059 + 1065	1940
170x80	166-171 / 77-79	1060 + 1064	1924	170x90	166-171 / 87-89	1060 + 1065	1952
175x80	171-176 / 77-79	1061 + 1064	1962	175x90	171-176 / 87-89	1061 + 1065	1990
180x80	176-181 / 77-79	1062 + 1064	1974	180x90	176-181 / 87-89	1062 + 1065	2002
1073	Expansion profile +1cm		96				

*The openings are the same as on the wall-to-wall.

Fix side panels to measure (more information on page 290)



Description	Reference	Points	Boxed
Fix side to measure VETRUM until 40 cm	1340	458	+32
Fix side to measure VETRUM from 40 until 80cm	1300	585	+32
Fix side to measure VETRUM from 80 until 120cm	1306	690	+32
Option fix connection profile + fix side (see page 295)	1075	123	

*Delivery time 3 weeks

temple

"The nobility and strength of steel within everyone's reach"






STEEL



TEMPLE



Embellishments. Perfect external and internal finishes



Latest generation double wheels in nylon



Innovative guide with release button for easy cleaning



Stainless steel profile



SHOWER ENCLOSURES TO MEASURE ANG SPECIAL GLASSES
Delivery time 3 weeks
(more information p. 288)
FIX SIDE PANEL TO MEASURE
Delivery time 3 weeks
(more information p. 290)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Side TEMPLE 70 1 fix + 1 sliding door	5118	458	6118	490
Side TEMPLE 75 1 fix + 1 sliding door	5129	469	6129	502
Side TEMPLE 80 1 fix + 1 sliding door	5119	476	6119	508
Side TEMPLE 90 1 fix + 1 sliding door	5120	497	6120	528
Side TEMPLE 100 1 fix + 1 sliding door	5121	507	6121	548
Side TEMPLE 120 1 fix + 1 sliding door	5122	542	6122	597
Corner kit side + side connection	5123	62		
Corner kit front + side connection	5124	39		

TEMPLE corner

Measure	Ranges	TRANSPARENT		FROST PLUS	
		References	Points	References	Points
70x70	65-70 / 65-70	5118+5118+5123	978	6118+6118+5123	1042
75x70	70-75 / 65-70	5129+5118+5123	989	6129+6118+5123	1054
80x70	75-80 / 65-70	5119+5118+5123	996	6119+6118+5123	1060
90x70	85-90 / 65-70	5120+5118+5123	1017	6120+6118+5123	1080
100x70	95-100 / 65-70	5121+5118+5123	1027	6121+6118+5123	1100
120x70	115-120 / 65-70	5122+5118+5123	1062	6122+6118+5123	1149
75x80	70-75 / 75-80	5119+5129+5123	1007	6119+6129+5123	1072
80x80	75-80 / 75-80	5119+5119+5123	1014	6119+6119+5123	1078
90x80	85-90 / 75-80	5120+5119+5123	1035	6120+6119+5123	1098
100x80	95-100 / 75-80	5121+5119+5123	1045	6121+6119+5123	1118
120x80	115-120 / 75-80	5122+5119+5123	1080	6122+6119+5123	1167
90x90	85-90 / 85-90	5120+5120+5123	1056	6120+6120+5123	1118
100x90	95-100 / 85-90	5121+5120+5123	1066	6121+6120+5123	1138
120x90	115-120 / 85-90	5122+5120+5123	1101	6122+6120+5123	1187



Wall-to-wall TEMPLE 1 fix + 1 sliding door

Measure	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
95-100	5101	643	6101	683
100-105	5102	660	6102	701
105-110	5103	669	6103	710
110-115	5104	686	6104	729
115-120	5105	692	6105	740
120-125	5106	710	6106	758
125-130	5107	718	6107	769
130-135	5108	731	6108	783
135-140	5109	740	6109	794
140-145	5110	755	6110	812
145-150	5111	763	6111	823
150-155	5112	782	6112	842
155-160	5113	790	6113	853
160-165	5114	803	6114	866
165-170	5115	806	6115	895
*170-180	5117	832	6117	925

*The openings are the same as in the Basic model combinations page 61.

Description	Ref.	Points
Compensation profile +1,5 cm	5179	47
Decorative plate 193,7x3,4 cm	0008	62

Fix side panel TEMPLE

Range	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
66,5-69	5125	302	6125	332
71,5-74	5157	310	6157	340
76,5-79	5126	317	6126	347
86,5-89	5127	340	6127	370

Combinations TEMPLE + fix side panel

Ranges	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
95-100/66,5-69	5101+5125	945	6101+6125	1015
105-110/66,5-69	5103+5125	971	6103+6125	1042
115-120/66,5-69	5105+5125	994	6105+6125	1072
125-130/66,5-69	5107+5125	1020	6107+6125	1101
135-140/66,5-69	5109+5125	1042	6109+6125	1126
145-150/66,5-69	5111+5125	1065	6111+6125	1155
155-160/66,5-69	5113+5125	1092	6113+6125	1185
165-170/66,5-69	5115+5125	1108	6115+6125	1227
170-180/66,5-69	5117+5125	1134	6117+6125	1257
95-100/76,5-79	5101+5126	960	6101+6126	1030
105-110/76,5-79	5103+5126	986	6103+6126	1057
115-120/76,5-79	5105+5126	1009	6105+6126	1087
125-130/76,5-79	5107+5126	1035	6107+6126	1116
135-140/76,5-79	5109+5126	1057	6109+6126	1141
145-150/76,5-79	5111+5126	1080	6111+6126	1170
155-160/76,5-79	5113+5126	1107	6113+6126	1200
165-170/76,5-79	5115+5126	1123	6115+6126	1242
170-180/76,5-79	5117+5126	1149	6117+6126	1272

Option fix-fix connecting profile **1075** **123**

Other combinations with intermediate sizes of wall-to-wall are possible.

*Door crossover 1-11 cm

futura

"Combination of steel bar and integrated rollers with a style all its own"





STEEL

FUTURA



Wall-to-wall 1 fix + 1 sliding door **FUTURA**

Range	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
95-100	5301	668	6301	708
100-105	5302	678	6302	719
105-110	5303	687	6303	728
110-115	5304	695	6304	738
115-120	5305	701	6305	749
120-125	5306	711	6306	759
125-130	5307	719	6307	770
130-135	5308	725	6308	777
135-140	5309	734	6309	788
140-145	5310	756	6310	813
145-150	5311	764	6311	824
150-155	5312	774	6312	834
155-160	5313	782	6313	845
160-165	5314	788	6314	851
165-170	5315	791	6315	880
170-175	5316	800	6316	892
175-180	5317	809	6317	902

Description	Ref.	Points
Compensation profile +1,5 cm	5179	47
Decorative plate 193,7x3,4 cm	0008	62



Wall-to-wall 2 fix + 2 sliding doors **FUTURA**

Ranges	TRANSPARENT		FROST PLUS	
	Ref.	P	Ref.	P
132-142	5029x2+5351	1009	6029x2+5351	1075
142-152	5019x2+5351	1023	6019x2+5351	1087
152-162	5030x2+5351	1041	6030x2+5351	1105
162-172	5020x2+5351	1057	6020x2+5351	1119
172-182	5031x2+5354	1080	6031x2+5354	1150
182-192	5021x2+5354	1086	6021x2+5354	1168
190-200	5001x2+5354	1096	6001x2+5354	1176
200-210	5002x2+5354	1116	6002x2+5354	1198

*The openings are the same as in the Basic model combinations page 61



Stainless steel profiles and accessories



SHOWER ENCLOSURES TO
MEASURE ANG SPECIAL
GLASSES

Delivery time 3 weeks
(more information p. 288)
FIX SIDE PANEL TO MEASURE
Delivery time 3 weeks
(more information p. 290)



Fix side panels **FUTURA** 8 mm

Range	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
66,5 - 69	5325	383	6325	413
71,5 - 74	5357	391	6357	421
76,5 - 79	5326	398	6326	428
86,5 - 89	5327	421	6327	451

combinations **FUTURA** + fix side panel

Ranges	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
95-100/66,5-69	5301+5325	1051	6301+6325	1121
105-110/66,5-69	5303+5325	1070	6303+6325	1141
115-120/66,5-69	5305+5325	1084	6305+6325	1162
125-130/66,5-69	5307+5325	1102	6307+6325	1183
135-140/66,5-69	5309+5325	1117	6309+6325	1201
145-150/66,5-69	5311+5325	1147	6311+6325	1237
155-160/66,5-69	5313+5325	1165	6313+6325	1258
165-170/66,5-69	5315+5325	1174	6315+6325	1293
175-180/66,5-69	5317+5325	1192	6317+6325	1315
95-100/76,5-79	5301+5326	1066	6301+6326	1136
105-110/76,5-79	5303+5326	1085	6303+6326	1156
115-120/76,5-79	5305+5326	1099	6305+6326	1177
125-130/76,5-79	5307+5326	1117	6307+6326	1198
135-140/76,5-79	5309+5326	1132	6309+6326	1216
145-150/76,5-79	5311+5326	1162	6311+6326	1252
155-160/76,5-79	5313+5326	1180	6313+6326	1273
165-170/76,5-79	5315+5326	1189	6315+6326	1308
175-180/76,5-79	5317+5326	1207	6317+6326	1330

Other combinations with intermediate sizes of wall-to-wall panels and with 75/90 fixed panels use your reference/range/Points.

Sides FUTURA	TRANSPARENT		FROST PLUS	
Description	Ref.	Points	Ref.	Points
Side FUTURA 70	5018	174	6018	206
Side FUTURA 75	5029	182	6029	215
Side FUTURA 80	5019	189	6019	221
Side FUTURA 90	5020	206	6020	237
Side FUTURA 100	5021	213	6021	254
Side FUTURA 120	5022	245	6022	300
Corener kit 120x90	5323	713		

FUTURA corner

Ranges	TRANSPARENT		FROST PLUS	
	Ref.	P	Ref.	P
65-70/65-70	5018+5018+5323	1061	6018+6018+5323	1125
70-75/65-70	5029+5018+5323	1069	6029+6018+5323	1134
75-80/65-70	5019+5018+5323	1076	6019+6018+5323	1140
85-90/65-70	5020+5018+5323	1093	6020+6018+5323	1156
95-100/65-70	5021+5018+5323	1100	6021+6018+5323	1173
115-120/65-70	5022+5018+5323	1132	6022+6018+5323	1219
75-80/75-80	5019+5019+5323	1091	6019+6019+5323	1155
85-90/75-80	5020+5019+5323	1108	6020+6019+5323	1171
95-100/75-80	5021+5019+5323	1115	6021+6019+5323	1188
115-120/75-80	5022+5019+5323	1147	6022+6019+5323	1234
85-90/85-90	5020+5020+5323	1125	6020+6020+5323	1187
95-100/85-90	5021+5020+5323	1132	6021+6020+5323	1204
115-120/85-90	5022+5020+5323	1164	6022+6020+5323	1250

moving 8mm

"Classic and elegant
steel design for the most
demanding customers"





STEEL



Stainless steel profiles



Stainless steel guide and flashing



Stainless steel bar and fittings

Wall-to-wall MOVING 1 fix + 1 sliding door

Description	Op.	Range	Ref.	Points
Wall-to-wall MOVING 1F+1S 115	42-47	112 - 117	1104	1037
Wall-to-wall MOVING 1F+1S 120	47-52	117 - 122	1005	1046
Wall-to-wall MOVING 1F+1S 125	52-57	122 - 127	1105	1085
Wall-to-wall MOVING 1F+1S 130	47-52	127 - 132	1006	1134
Wall-to-wall MOVING 1F+1S 135	52-57	132 - 137	1106	1173
Wall-to-wall MOVING 1F+1S 140	57-62	137 - 142	1007	1197
Wall-to-wall MOVING 1F+1S 145	52-57	142 - 147	1107	1226
Wall-to-wall MOVING 1F+1S 150	57-62	147 - 152	1008	1250
Wall-to-wall MOVING 1F+1S 155	57-62	152 - 157	1108	1278
Wall-to-wall MOVING 1F+1S 160	62-67	157 - 162	1009	1290
Wall-to-wall MOVING 1F+1S 165	67-72	162 - 167	1109	1322
Wall-to-wall MOVING 1F+1S 170	62-67	167 - 172	1010	1331
Wall-to-wall MOVING 1F+1S 175	67-72	172 - 177	1110	1363
Wall-to-wall MOVING 1F+1S 180	67-72	177 - 182	1011	1405
Expansion profile +1cm			1074	93
Option profile seal + bubble seal, with this system the range is reduced by 2cm			1072	98



STEEL

Sides MOVING

Description	References	Points
Side MOVING 80 1F+1S	1001	725
Side MOVING 90 1F+1S	1002	810
Side MOVING 120 1F+1S	1104	1037
Coner kit conversion	1017	57

Combinations MOVING corner

Meas.	Op.	Ranges	References	Points
80x80	41 - 43	76-80/76-80	1001+1001+1017	1507
90x80	45 - 47	86-90/76-80	1002+1001+1017	1592
120X80	52 - 54	116-122/76-80	1104+1001+1017	1819
130x80	60 - 62	124-129/76-80	1105+1001+1017	1867
140x80	60 - 62	134-139/76-80	1106+1001+1017	1955
90x90	48 - 50	86-90/86-90	1002+1002+1017	1677
120X90	55 - 57	116-122/86-90	1104+1002+1017	1904
130x90	63 - 65	124-129/86-90	1105+1002+1017	1952
140x90	63 - 65	134-139/86-90	1106+1002+1017	2040
Expansion profile +1cm			1074	93

*It is also possible to combine the wall-to-wall with intermediate sizes.

*The range increases by 2cm with respect to the wall-to-wall format.

Fix side panel MOVING

Description	Range	Ref.	Points
Fix side panel MOVING 70	67 - 69	1015	498
Fix side panel MOVING 80	77 - 79	1016	518

Combinations MOVING + Fix side panel 8 mm

Measures	Ranges	References	Points
120X70	116-120/67-69	1005+1015	1544
130X70	126-130/67-69	1006+1015	1632
140X70	136-140/67-69	1007+1015	1695
150X70	146-150/67-69	1008+1015	1748
160X70	156-160/67-69	1009+1015	1788
170X70	166-170/67-69	1010+1015	1829
180X70	176-180/67-69	1011+1015	1903
120X80	116-120/77-79	1005+1016	1564
130X80	126-130/77-79	1006+1016	1652
140X80	136-140/77-79	1007+1016	1715
150X80	146-150/77-79	1008+1016	1768
160X80	156-160/77-79	1009+1016	1808
170X80	166-170/77-79	1010+1016	1849
180x80	176-180/77-79	1011+1016	1923
Expansion profile +1cm		1074	93

screen

8mm

"Simplicity and beauty with a wide range of choices and colours"

-  143 CHROME
-  145 BLACK
-  147 WHITE
-  149 GOLD
-  151 COPPER
-  153 NICKEL
-  155 GUNMETAL
-  157 BLACK CHESS





SCREEN

SC90CR




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Chrome Screen of 66,5-68cm +arm support	SC70CR	306	SC70FCR	336
Chrome Screen of 76,5-78cm +arm support	SC80CR	321	SC80FCR	351
Chrome Screen of 86,5-88cm +arm support	SC90CR	344	SC90FCR	374
Chrome Screen of 96,5-98cm +arm support	SC100CR	366	SC100FCR	396
Chrome Screen of 106,5-108cm +arm support	SC110CR	389	SC110FCR	419
Chrome Screen of 116,5-118cm +arm support	SC120CR	411	SC120FCR	441

*Includes orientable/adjustable arm 60-120cm (ref.0184). Parallel bar option see page 159

SCREEN to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305	500	1305+1313	683
Width from 80 to 120cm Height until 195cm	1311	611	1311+1315	794

Delivery time 3 weeks. Includes to measure glass and profile + arm kit.



**SQUARE CUTTING/BOXED
FOR GLASS TO MEASURE**

Ref.: 0862 | Points: 32

SCREEN MOVING

SC90FCR+0193



H195
Height

8mm
Glass thickness

Reversible


STAINLESS
INOX
STEEL

anti-limescale treatment
clear shield glass

Chr
Bla
Wh
Go
Nic
Co
Gu

	TRANSPARENT		FROST PLUS	
Description	Ref.	Points	Ref.	Points
Folding 25 cm	0153	186	0193	210
Folding 40 cm	0154	221	0194	243

The movable glasses are 24.5 / 39.5 cm larger than the fix glass



FIX

SCREEN 35 HINGE 180°


SC90CR+0331



Chrome plated brass hinge

	TRANSPARENT		FROST PLUS	
Description	Ref.	Points	Ref.	Points
Hinge glass 35cm	0331	218	0332CR	281

*Foldings to measure (see page 293).



SCREEN BLACK




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Screen black of 66,5-68cm+black arm support	SC70N	306	SC70FN	336
Screen black of 76,5-78cm+black arm support	SC80N	321	SC80FN	351
Screen black of 86,5-88cm+black arm support	SC90N	344	SC90FN	374
Screen black of 96,5-98cm+black arm support	SC100N	366	SC100FN	396
Screen black of 106,5-108cm+black arm support	SC110N	389	SC110FN	419
Screen black of 116,5-118cm+black arm support	SC120N	411	SC120FN	441

*Includes orientable/adjustable arm 60-120cm (ref.0990). Parallel bar option see page 159

SCREEN BLACK to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305N	500	1305N+1313	683
Width from 80 to 120cm Height until 195cm	1311N	611	1311N+1315	794

Delivery time 3 weeks



**SQUARE CUTTING/BOXED
FOR GLASS TO MEASURE**


Ref.: 0862 | Points: 32

SCREEN BLACK hinged mobile 180°



FIX


	TRANSPARENT		FROST PLUS	
Description	Ref.	Points	Ref.	Points
Hinge glass of 35cm	0331N	218	0332N	281



SCREEN BLACK hinge 180° to measure (see page 293)

	TRANSPARENT		FROST PLUS	
Measure	Ref.	Points	Ref.	Points
Width <40cm Height until 195cm	1355N	309	1357N	492
Width from 40 to 80cm Height until 195cm	1356N	407	1358N	590

Delivery time 3 weeks



SCREEN WHITE




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Screen white of 66,5-68cm+white support arm	SC70B	306	SC70FB	336
Screen white of 76,5-78cm+white support arm	SC80B	321	SC80FB	351
Screen white of 86,5-88cm+white support arm	SC90B	344	SC90FB	374
Screen white of 96,5-98cm+white support arm	SC100B	366	SC100FB	396
Screen white of 106,5-108cm+white support arm	SC110B	389	SC110FB	419
Screen white of 116,5-118cm+white support arm	SC120B	411	SC120FB	441

*Includes orientable/adjustable arm 60-120cm (ref.0186)

SCREEN WHITE to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305B	500	1305B+1313	683
Width from 80 to 120cm Height until 195cm	1311B	611	1311B+1315	794

Delivery time 3 weeks



SQUARE CUTTING/BOXED FOR GLASS TO MEASURE


Ref.: 0862 | Points: 32

SCREEN WHITE hinged mobile 180°



FIX


Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Hinge glass of 35cm	0331BL	218	0332BL	281



SCREEN WHITE hinge 180° to measure (see page 293)

Measure	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <40cm Height until 195cm	1355B	309	1357B	492
Width from 40 to 80cm Height until 195cm	1356B	407	1358B	590

Delivery time 3 weeks



SCREEN GOLD

Brushed gold




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Screen gold of 66,5-68cm+gold support arm	SC70OR	339	SC70FOR	369
Screen gold of 76,5-78cm+gold support arm	SC80OR	354	SC80FOR	384
Screen gold of 86,5-88cm+gold support arm	SC90OR	377	SC90FOR	407
Screen gold of 96,5-98cm+gold support arm	SC100OR	399	SC100FOR	429
Screen gold of 106,5-108cm+gold support arm	SC110OR	422	SC110FOR	452
Screen gold of 116,5-118cm+gold support arm	SC120OR	444	SC120FOR	474

*Includes orientable/adjustable arm 60-120cm (ref.0187)

SCREEN GOLD to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305OR	533	1305OR+1313	716
Width from 80 to 120cm Height until 195cm	1311OR	644	1311OR+1315	827

Delivery time 3 weeks



SQUARE CUTTING/BOXED FOR GLASS TO MEASURE

Ref.: 0862 | Points: 32


SCREEN GOLD hinged mobile 180°

Brushed gold



FIX


Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Hinge glass of 35cm	0331OR	233	0332OR	301



SCREEN GOLD hinge 180° to measure (see page 293)

Measure	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <40cm Height until 195cm	1355OR	329	1357OR	512
Width from 40 to 80cm Height until 195cm	1356OR	427	1358OR	610

Delivery time 3 weeks



SCREEN COPPER




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Screen copper of 66,5-68cm+copper support arm	SC70CB	339	SC70FCB	369
Screen copper of 76,5-78cm+copper support arm	SC80CB	354	SC80FCB	384
Screen copper of 86,5-88cm+copper support arm	SC90CB	377	SC90FCB	407
Screen copper of 96,5-98cm+copper support arm	SC100CB	399	SC100FCB	429
Screen copper of 106,5-108cm+copper support arm	SC110CB	422	SC110FCB	452
Screen copper of 116,5-118cm+copper support arm	SC120CB	444	SC120FCB	474

*Includes orientable/adjustable arm 60-120cm (ref.0189)

SCREEN COPPER to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305CB	533	1305CB+1313	716
Width from 80 to 120cm Height until 195cm	1311CB	644	1311CB+1315	827

Delivery time 3 weeks



**SQUARE CUTTING/BOXED
FOR GLASS TO MEASURE**


Ref.: 0862 | Points: 32

SCREEN COPPER hinged mobile 180°



FIX


Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Hinge glass of 35cm	0331CB	233	0332CB	301



SCREEN COPPER hinge 180° to measure (see page 293)

Measure	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <40cm Height until 195cm	1355CB	329	1357CB	512
Width from 40 to 80cm Height until 195cm	1356CB	427	1358CB	610

Delivery time 3 weeks



SCREEN NICKEL




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Screen nickel of 66,5-68cm+nickel support arm	SC70NK	339	SC70FNK	369
Screen nickel of 76,5-78cm+nickel support arm	SC80NK	354	SC80FNK	384
Screen nickel of 86,5-88cm+nickel support arm	SC90NK	377	SC90FNK	407
Screen nickel of 96,5-98cm+nickel support arm	SC100NK	399	SC100FNK	429
Screen nickel of 106,5-108cm+nickel support arm	SC110NK	422	SC110FNK	452
Screen nickel of 116,5-118cm+nickel support arm	SC120NK	444	SC120FNK	474

*Includes orientable/adjustable arm 60-120cm (ref.0191)

SCREEN NICKEL to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305NK	533	1305NK+1313	716
Width from 80 to 120cm Height until 195cm	1311NK	644	1311NK+1315	827



SQUARE CUTTING/BOXED FOR GLASS TO MEASURE

Ref.: 0862 | Points: 32


Delivery time 3 weeks

SCREEN NICKEL hinged mobile 180°



FIX


Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Hinge glass of 35cm	0331NK	233	0332NK	301



SCREEN NICKEL hinge 180° to measure (see page 293)

Measure	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <40cm Height until 195cm	1355NK	329	1357NK	512
Width from 40 to 80cm Height until 195cm	1356NK	427	1358NK	610

Delivery time 3 weeks



SCREEN GUNMETAL




Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Screen gunmetal of 66,5-68cm+support arm	SC70T	339	SC70FT	369
Screen gunmetal of 76,5-78cm+support arm	SC80T	354	SC80FT	384
Screen gunmetal of 86,5-88cm+support arm	SC90T	377	SC90FT	407
Screen gunmetal of 96,5-98cm+support arm	SC100T	399	SC100FT	429
Screen gunmetal of 106,5-108cm+support arm	SC110T	422	SC110FT	452
Screen gunmetal of 116,5-118cm+support arm	SC120T	444	SC120FT	474

*Includes orientable/adjustable arm 60-120cm (ref.0190)

SCREEN GUNMETAL to measure (see page 292)

Description	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Width <80cm Height until 195cm	1305T	533	1305T+1313	716
Width from 80 to 120cm Height until 195cm	1311T	644	1311T+1315	827

Delivery time 3 weeks



**SQUARE CUTTING/BOXED
FOR GLASS TO MEASURE**


Ref.: 0862 | Points: 32

SCREEN GUNMETAL hinged mobile 180°



FIX


	TRANSPARENT		FROST PLUS	
Description	Ref.	Points	Ref.	Points
Hinge glass of 35cm	0331T	233	0332T	301



SCREEN GUNMETAL hinge 180° to measure (see page 293)

	TRANSPARENT		FROST PLUS	
Measure	Ref.	Points	Ref.	Points
Width <40cm Height until 195cm	1355CB	329	1357CB	512
Width from 40 to 80cm Height until 195cm	1356CB	427	1358CB	610

Delivery time 3 weeks



SCREEN BLACK CHESS



combination with references 0983+0990



references 0983+0986+0990




Black skirting option 2 m

Measure	Range	Ref.	Points
Black Chess 70x195 + support arm	67-69,5	0980+0990	420
Black Chess 80x195 + support arm	77-79,5	0981+0990	453
Black Chess 90x195 + support arm	87-89,5	0982+0990	480
Black Chess 100x195 + support arm	97-99,5	0983+0990	513
Black Chess 110x195 + support arm	107-109,5	0984+0990	548
Black Chess 120x195 + support arm	117-119,5	0985+0990	600
Folding of 35x195 cm, right installation		0986	269
Folding of 35x195 cm, left installation		0987	269



Ref.	Points
0993	38




SCREEN BLACK CHESS XXL



Use the new union profile ref. 0992 to join any of the references of fixed Screen BLACK Chess and get measures over 120cm.

Description	Ref.	Points
Black connection profile for 2 fix glasses	0992	53




references 0980+0983+0991+0990



BLACK CHESS CORNER

Description	Reference	Points
Black angled profile	0991	60

*Increases by 1.3 cm on one side



Arms Screen / Open / Glass

bar with 1 support + fixed side support



wall mounting bracket



support for fixed fastening

Description	 CHROME	 BLACK	 WHITE	Points	
140 cm bar with one support (for front)	1716	9026	1716BL	66	
140 cm bar one bracket + support fix side	1716+1718	9026+9028	1716BL+1718BL	90	
Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
200 cm bar with two supports (for front)	1716OR	1716CB	1716NK	1716T	90
200 cm bar two supports + fix side support	1716OR+1718OR	1716CB+1718CB	1716NK+1718NK	1716T+1718T	150

copper bar with 2 supports



fixed side clamp ref.1718


Description	 CHROME	 BLACK	 WHITE	Points	
200 cm bar with one support (front)	1717	9027	1717BL	90	
200 bar with one support+fixed lat. supp.	1717+1718	9027+9028	1717BL+1718BL	114	
Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
200 cm bar with one support (front)	1717OR	1717CB	1717NK	1717T	120
200 bar with one support+fixed lat. supp.	1717OR+1718OR	1717CB+1718CB	1717NK+1718NK	1717T+1718T	150

Arm 60-120cm straight/45°



 CHR.	 BLACK	 WHITE	Points	
0184	0990	0186	60	
 GOLD	 COPPER	 NICKEL	 GUNME.	Points
0187	0189	0191	0190	83

Angled profile



 CHROME	 BLACK	 WHITE	Points	
0182	0991	0182BL	60	
 GOLD	 COPPER	 NICKEL	 GUNME.	Points
0182OR	0182CB	0182NK	0182T	75

*Increases 1.3 cm on one side



Description	CHROME	BLACK	P
Corner minimal 20x40 cm	1719	1719N	60



Description	Ref.	P
GME Hanger	0012	12




Description	Ref.	P
Screen roof mast	0188	93


Maximum height 260 cm



Description	Ref.	P
Corner bar GLASS/OPEN	1716x2+1730	155



Description	Ref.	Points
Chrome connection profile for 2 fixes	0180	50
Black connection profile for 2 fixes	0992	53



Description	Ref.	Points
Chrome aluminium skirting 2 m	0994	41
Black aluminium skirting 2 m	0993	38

open

"Modular fix and folding doors
programme that adapts to
any space"

● CHROME

● BLACK






FOLDING

OPEN COMBI A door with magnetic wall closing







COMBI A

Range (cm)	Opening	CHROME	BLACK	Points
40,1-41,6	33	OP40AR	-	377
41,1-42,6	33	OP40A	-	377
45,1-46,6	38	OP45AR	-	386
46,1-47,6	38	OP45A	-	386
50,1-51,6	43	OP50AR	OP50ANR	398
51,1-52,6	43	OP50A	OP50AN	398
55,1-56,6	48	OP55AR	OP55ANR	412
56,1-57,6	48	OP55A	OP55AN	412
60,1-61,6	53	OP60AR	OP60ANR	424
61,1-62,6	53	OP60A	OP60AN	424
65,1-66,6	58	OP65AR	OP65ANR	431
66,1-67,6	58	OP65A	OP65AN	431
70,1-71,6	63	OP70AR	OP70ANR	443
71,1-72,6	63	OP70A	OP70AN	443
75,1-76,6	68	OP75AR	OP75ANR	464
76,1-77,6	68	OP75A	OP75AN	464
80,1-81,6	73	OP80AR	OP80ANR	472
81,1-82,6	73	OP80A	OP80AN	472
85,1-86,6	78	OP85AR	OP85ANR	487
86,1-87,6	78	OP85A	OP85AN	487

*Allows connection with fix sides STD on the door side using Ref.1222/9015 (minimum range +1,8 cm), see page 295
The references ending in R use the profile ref. 1215/9014, the rest use the ref. 1211/9012

Description	CHROME	BLACK	Points
Door expander profile (+1,5 a +3cm)	1222	9015	72
Magnet expansion rubber set +1,2 cm	1221		36
IN-OUT 180° opening rubber set	1213		57



Option 180°

OPEN COMBI A+ fix side

External opening
90° d/fix



Option in-out
0180° d/fix



Front end range increased by 1.4 cm
and fixed side range decreased by 1 cm
Ref. 0038 - Increase 32 points



Accessories options

Description	CHROME	BLACK	Points
Expanding profile +1.5 to +3cm for hinged door	1222	9015	72
Compensation profile +2cm for fix side wall	0218	9016	53
Compensation profile +4cm for fix side wall	0029	-	68



Fix side panel to measure **6 mm**

Description	Ref.	Points	Boxed
Fix side to measure until 40 cm	1345	311	+32
Fix side to measure from 40 until 80cm	1316	424	+32
Fix side to measure from 80 until 120cm	1317	529	+32

*Delivery time 3 weeks. More information see page 291

STEP 1 - Selection of front size (door)

Range (cm)	Opening	CHROME	BLACK	Points
39,6-41,1	43	OP40AR	-	377
40,6-42,1	43	OP40A	-	377
44,6-46,1	43	OP45AR	-	386
45,6-47,1	48	OP45A	-	386
49,6-51,1	43	OP50AR	OP50ANR	398
50,6-52,1	58	OP50A	OP50AN	398
54,6-56,1	63	OP55AR	OP55ANR	412
55,6-57,1	43	OP55A	OP55AN	412
59,6-61,1	58	OP60AR	OP60ANR	424
60,6-62,1	73	OP60A	OP60AN	424
64,6-66,1	63	OP65AR	OP65ANR	431
65,6-67,1	43	OP65A	OP65AN	431
69,6-71,1	58	OP70AR	OP70ANR	443
70,6-72,1	73	OP70A	OP70AN	443
74,6-76,1	63	OP75AR	OP75ANR	464
75,6-77,1	58	OP75A	OP75AN	464
79,6-81,1	73	OP80AR	OP80ANR	472
80,6-82,1	63	OP80A	OP80AN	472
84,6-86,1	78	OP85AR	OP85ANR	487
85,6-87,1	73	OP85A	OP85AN	487

*Allows connection with fix sides STD on the door side using Ref.1222/9015 (minimum range +1,8 cm), see page 198
The references ending in R use the profile ref. 1215/9014, the rest use the ref. 1211/9012

STEP 2 - Fix side panel size selection

Range (cm)	CHROME	BLACK	Points
66-69	1720CR	1720N	218
76-79	1721CR	1721N	233
86-89	1722CR	1722N	248


STEP 3 - Support selection

Description	CHROME	BLACK	Points
Orientable/adjustable support arm 60 cm	1715	1715N	45
Parallel bar with one support up to 140 cm	1716+1718	9026+9028	90



OPEN COMBI B door with magnet profile closing





COMBI B


Range (cm)	Opening	● CHROME	● BLACK	Points
42,6-46,6	33	OP45BR	-	467
43,6-47,6	33	OP45B	-	467
47,6-51,6	38	OP50BR	-	476
48,6-52,6	38	OP50B	-	476
52,6-56,6	43	OP55BR	OP55BNR	488
53,6-57,6	43	OP55B	OP55BN	488
57,6-61,6	48	OP60BR	OP60BNR	502
58,6-62,6	48	OP60B	OP60BN	502
62,6-66,6	53	OP65BR	OP65BNR	514
63,6-67,6	53	OP65B	OP65BN	514
67,6-71,6	58	OP70BR	OP70BNR	521
68,6-72,6	58	OP70B	OP70BN	521
72,6-76,6	63	OP75BR	OP75BNR	533
73,6-77,6	63	OP75B	OP75BN	533
77,6-81,6	68	OP80BR	OP80BNR	554
78,6-82,6	68	OP80B	OP80BN	554
82,6-86,6	73	OP85BR	OP85BNR	562
83,6-87,6	73	OP85B	OP85BN	562
87,6-91,6	78	OP90BR	OP90BNR	577
88,6-92,6	78	OP90B	OP90BN	577

Allows connection with fix sides STD on profile side magnet closing (minimum range +0,7 cm, expansion +1,5 cm), see page 198.

Allows connection with fix sides STD on the door side using ref. 1222/9015 (minimum range +1,8 cm, expansion +2,5 cm), see page 198.

Description	● CHROME	● BLACK	Points
Compensation profile for fix wall profile +3cm	0218	9016	53
Compensation profile for fix wall profile +6cm	0029	-	68
Magnet expansion rubber set +1,2 cm, see page 295	1221		36
Expansion profile door side +2,5 cm, see page 295	1222	9015	72
IN-OUT 180° opening rubber set	1213		57

OPEN COMBI C fix + folding door with magnet wall closing



Accessories options

Description	CHROME	BLACK	Points
Compensation profile for fix wall profile +3cm	0218	9016	53
Compensation profile for fix wall profile +6cm	0029	-	68
Magnet expansion rubber set +1,2 cm, see page 295	1221		36
IN-OUT 180° opening rubber set	1213		57



Fix panels
to measure
(see page 289)

STEP 1 - Support selection

Description	CHROME	BLACK	Points
Orientable/adjustable support arm 60 cm	1715	1715N	45
Parallel bar with one support up to 140 cm	1716	9026	66

STEP 2 - Combi C selection (fix+door)

Measures	Range	Fix	Door	Opening	CHROME	BLACK	Points
70	67,5-70	20	50	43	OP2050C	OP2050CN	495
75	72,5-75	25	50	43	OP2550C	OP2550CN	506
75	72,5-75	20	55	48	OP2055C	OP2055CN	509
80	77,5-80	30	50	43	OP3050C	OP3050CN	516
80	77,5-80	25	55	48	OP2555C	OP2555CN	520
80	77,5-80	20	60	53	OP2060C	OP2060CN	521
85	82,5-85	30	55	48	OP3055C	OP3055CN	530
85	82,5-85	25	60	53	OP2560C	OP2560CN	532
85	82,5-85	20	65	58	OP2065C	OP2065CN	528
90	87,5-90	40	50	43	OP4050C	OP4050CN	540
90	87,5-90	30	60	53	OP3060C	OP3060CN	542
90	87,5-90	25	65	58	OP2565C	OP2565CN	539
90	87,5-90	20	70	63	OP2070C	OP2070CN	540
95	92,5-95	40	55	48	OP4055C	OP4055CN	554
95	92,5-95	30	65	58	OP3065C	OP3065CN	549
95	92,5-95	25	70	63	OP2570C	OP2570CN	551
100	97,5-100	50	50	43	OP5050C	OP5050CN	563
100	97,5-100	40	60	53	OP4060C	OP4060CN	566
100	97,5-100	30	70	63	OP3070C	OP3070CN	561
100	97,5-100	20	80	73	OP2080C	OP2080CN	569
105	102,5-105	50	55	48	OP5055C	OP5055CN	577
105	102,5-105	40	65	58	OP4065C	OP4065CN	573
105	102,5-105	30	75	68	OP3075C	OP3075CN	582
110	107,5-110	60	50	43	OP6050C	OP6050CN	585
110	107,5-110	50	60	53	OP5060C	OP5060CN	589
110	107,5-110	40	70	63	OP4070C	OP4070CN	585
110	107,5-110	30	80	73	OP3080C	OP3080CN	590
115	112,5-115	60	55	48	OP6055C	OP6055CN	599
115	112,5-115	50	65	58	OP5065C	OP5065CN	596
115	112,5-115	40	75	68	OP4075C	OP4075CN	606
115	112,5-115	30	85	78	OP3085C	OP3085CN	605
120	117,5-120	60	60	53	OP6060C	OP6060CN	611
120	117,5-120	50	70	63	OP5070C	OP5070CN	608
120	117,5-120	40	80	73	OP4080C	OP4080CN	614
125	122,5-125	60	65	58	OP6065C	OP6065CN	618
125	122,5-125	50	75	68	OP5075C	OP5075CN	629
125	122,5-125	40	85	78	OP4085C	OP4085CN	629
130	127,5-130	60	70	63	OP6070C	OP6070CN	630
130	127,5-130	50	80	73	OP5080C	OP5080CN	637
135	132,5-135	60	75	68	OP6075C	OP6075CN	651
135	132,5-135	50	85	78	OP5085C	OP5085CN	652
140	137,5-140	60	80	73	OP6080C	OP6080CN	659
145	142,5-145	60	85	78	OP6085C	OP6085CN	674

*Allows combination with fix side panel STD on fix side, minimum range +0,7 (without adj.), see page 198

*Allows combination with fix side panel Glass on door side, the range of the front is reduced by 0,5 cm

OPEN COMBI C+ fix side

External opening
90° for fix panel



In-out option
0180° d/fix



Front end range increased by 1.4 cm and
fixed side range decreased by 1 cm
Ref. 0038 - Increase 32 points



Accessories options

Description	● CHROME	● BLACK	Points
Compensation profile for front fix wall profile +2cm	0218	9016	53
Compensation profile for front fix wall profile +4cm	0029	-	68



Fix side panels TRANSPARENTS to measure **6 mm** (more information on page 291)

Description	Ref.	Points	Boxed
Fix side to measure OPEN until 40 cm	1345	311	+32
Fix side to measure OPEN from 40 until 80cm	1316	424	+32
Fix side to measure OPEN from 80 until 120cm	1317	529	+32

*Delivery time 3 weeks.

STEP 1 - Selection of front size (fix+door)

Measure	Range (cm)	Opening	● CHROME	● BLACK	Points
70 (20+50)	67-69,5	43	OP2050C	OP2050CN	495
75 (25+50)	72-74,5	43	OP2550C	OP2550CN	506
80 (30+50)	77-79,5	43	OP3050C	OP3050CN	516
85 (30+55)	82-84,5	48	OP3055C	OP3055CN	530
90 (40+50)	87-89,5	43	OP4050C	OP4050CN	540
95 (30+65)	92-94,5	58	OP3065C	OP3065CN	549
100 (30+70)	97-99,5	63	OP3070C	OP3070CN	561
100 (50+50)	97-99,5	43	OP5050C	OP5050CN	563
105 (40+65)	102-104,5	58	OP4065C	OP4065CN	573
110 (30+80)	107-109,5	73	OP3080C	OP3080CN	590
110 (40+70)	107-109,5	63	OP4070C	OP4070CN	585
110 (60+50)	107-109,5	43	OP6050C	OP6050CN	585
115 (50+65)	112-114,5	58	OP5065C	OP5065CN	596
120 (40+80)	117-119,5	73	OP4080C	OP4080CN	614
120 (50+70)	117-119,5	63	OP5070C	OP5070CN	608
125 (60+65)	122-124,5	58	OP6065C	OP6065CN	618
130 (50+80)	127-129,5	73	OP5080C	OP5080CN	637
130 (60+70)	127-129,5	63	OP6070C	OP6070CN	630
135 (50+85)	132-134,5	78	OP5085C	OP5085CN	652
140 (60+80)	137-139,5	73	OP6080C	OP6080CN	659
145 (60+85)	142-144,5	78	OP6085C	OP6085CN	674

*Allows connection with fix sides STD on the door side using Ref.1222 (minimum range +1,8 cm), see page 198.

*Any other combination can be selected from the table on the page 169, range -0,5 cm.

STEP 2 - Fix side panel size selection

Range (cm)	● CHROME	● BLACK	Points
66-69	1720CR	1720N	218
76-79	1721CR	1721N	233
86-89	1722CR	1722N	248

STEP 3 - Support selection

Description	● CHROME	● BLACK	Points
Orientable/adjustable support arm 60 cm	1715+1715	1715N+1715N	90
Parallel bar with one support up to 140 cm	1716+1718	9026+9028	90



1715



1716+1718




1715N



9026+9028

OPEN COMBI D fix + folding door with magnet profile closing



Accessories options

Description	● CHROME	● BLACK	Points
Compensation profile for fix wall profile +3cm	0218	9016	53
Compensation profile for fix wall profile +6cm	0029	-	68
Magnet expansion rubber set +1,2 cm, see page 295	1221		36
IN-OUT 180° opening rubber set	1213		57



Fix panels
to measure
(see page 289)

STEP 1 - Support selection

Description	CHROME	BLACK	Points
Orientable/adjustable support arm 60 cm	1715	1715N	45
Parallel bar with one support up to 140 cm	1716	9026	66

STEP 2 - Combi D selection (fix+door)

Measures	Range (cm)	Fix	Door	Opening	CHROME	BLACK	Points
70	70-75	20	50	43	OP2050D	OP2050DN	585
75	75-80	25	50	43	OP2550D	OP2550DN	596
75	75-80	20	55	48	OP2055D	OP2055DN	599
80	80-85	30	50	43	OP3050D	OP3050DN	606
80	80-85	25	55	48	OP2555D	OP2555DN	610
80	80-85	20	60	53	OP2060D	OP2060DN	611
85	85-90	30	55	48	OP3055D	OP3055DN	620
85	85-90	25	60	53	OP2560D	OP2560DN	622
85	85-90	20	65	58	OP2065D	OP2065DN	618
90	90-95	40	50	43	OP4050D	OP4050DN	630
90	90-95	30	60	53	OP3060D	OP3060DN	632
90	90-95	25	65	58	OP2565D	OP2565DN	629
90	90-95	20	70	63	OP2070D	OP2070DN	630
95	95-100	40	55	48	OP4055D	OP4055DN	644
95	95-100	30	65	58	OP3065D	OP3065DN	639
95	95-100	25	70	63	OP2570D	OP2570DN	641
100	100-105	50	50	43	OP5050D	OP5050DN	653
100	100-105	40	60	53	OP4060D	OP4060DN	656
100	100-105	30	70	63	OP3070D	OP3070DN	651
100	100-105	20	80	73	OP2080D	OP2080DN	659
105	105-110	50	55	48	OP5055D	OP5055DN	667
105	105-110	40	65	58	OP4065D	OP4065DN	663
105	105-110	30	75	68	OP3075D	OP3075DN	672
110	110-115	60	50	43	OP6050D	OP6050DN	675
110	110-115	50	60	53	OP5060D	OP5060DN	679
110	110-115	40	70	63	OP4070D	OP4070DN	675
110	110-115	30	80	73	OP3080D	OP3080DN	680
115	115-120	60	55	48	OP6055D	OP6055DN	689
115	115-120	50	65	58	OP5065D	OP5065DN	686
115	115-120	40	75	68	OP4075D	OP4075DN	696
115	115-120	30	85	78	OP3085D	OP3085DN	695
120	120-125	60	60	53	OP6060D	OP6060DN	701
120	120-125	50	70	63	OP5070D	OP5070DN	698
120	120-125	40	80	73	OP4080D	OP4080DN	704
125	125-130	60	65	58	OP6065D	OP6065DN	708
125	125-130	50	75	68	OP5075D	OP5075DN	719
125	125-130	40	85	78	OP4085D	OP4085DN	719
130	130-135	60	70	63	OP6070D	OP6070DN	720
130	130-135	50	80	73	OP5080D	OP5080DN	727
135	135-140	60	75	68	OP6075D	OP6075DN	741
135	135-140	50	85	78	OP5085D	OP5085DN	742
140	140-145	60	80	73	OP6080D	OP6080DN	749
145	145-150	60	85	78	OP6085D	OP6085DN	764

FOLDING

*Allows combination with fix side panel STD on fix side, minimum range +0,7 (without adj.), see page 198

OPEN COMBI E folding door closing to fix




Accessories options

Description	● CHROME	● BLACK	Points
Compensation profile for fix wall profile +3cm	0218	9016	53
Door profile (reduces the range by 1 cm), see page 295	1215	9014	38
Expansion profile door side +2,5 cm, see page 295	1222	9015	72
Magnet expansion rubber set +1,2 cm, see page 295	1221		36
IN-OUT 180° opening rubber set	1213		57



Fix panels
to measure
(see page 289)



STEP 1 - Support selection

Description	CHROME	BLACK	Points
Orientable/adjustable support arm 60 cm	1715	1715N	45
Parallel bar with one support up to 140 cm	1716	9026	66



STEP 2 - Combi E selection (fix + door)

Measures	Range (cm)	Fix	Door	Opening	CHROME	BLACK	Points
70	68,6-72,6	20	50	43	OP2050E	OP2050EN	533
75	73,6-77,6	25	50	43	OP2550E	OP2550EN	544
80	78,6-82,6	30	50	43	OP3050E	OP3050EN	554
85	83,6-87,6	20	65	58	OP2065E	OP2065EN	566
85	83,6-87,6	30	55	48	OP3055E	OP3055EN	568
90	88,6-92,6	20	70	43	OP2070E	OP2070EN	578
90	88,6-92,6	25	65	58	OP2565E	OP2565EN	577
90	88,6-92,6	40	50	63	OP4050E	OP4050EN	578
95	93,6-97,6	25	70	63	OP2570E	OP2570EN	589
95	93,6-97,6	30	65	58	OP3065E	OP3065EN	587
100	98,6-102,6	20	80	63	OP2080E	OP2080EN	607
100	98,6-102,6	30	70	73	OP3070E	OP3070EN	599
100	98,6-102,6	50	50	43	OP5050E	OP5050EN	601
105	103,6-107,6	25	80	73	OP2580E	OP2580EN	618
105	103,6-107,6	40	65	58	OP4065E	OP4065EN	611
110	108,6-112,6	30	80	73	OP3080E	OP3080EN	628
110	108,6-112,6	40	70	63	OP4070E	OP4070EN	623
110	108,6-112,6	60	50	43	OP6050E	OP6050EN	623
115	113,6-117,6	50	65	58	OP5065E	OP5065EN	634
120	118,6-122,6	40	80	73	OP4080E	OP4080EN	652
120	118,6-122,6	50	70	63	OP5070E	OP5070EN	646
125	123,6-127,6	60	65	58	OP6065E	OP6065EN	656
130	128,6-132,6	50	80	73	OP5080E	OP5080EN	675
130	128,6-132,6	60	70	63	OP6070E	OP6070EN	668
135	133,6-137,6	50	85	78	OP5085E	OP5085EN	690
140	138,6-142,6	60	80	73	OP6080E	OP6080EN	697
145	143,6-147,6	60	85	78	OP6085E	OP6085EN	712

*Allows combination with fix side panel STD on fix side, minimum range +0,7 / expansión 1,5 cm (see page 198)

*Allows connection with STD fixed side panel on door side using ref. 1222/9015, minimum range +1,8 cm / adjustment 2.5 cm (see page 198)

OPEN COMBI F fix + folding door + fix



Accessories options

Description	● CHROME	● BLACK	Points
Compensation profile for fix wall profile +3cm	0218	9016	53
Compensation profile for fix wall profile +6cm	0029	-	68
Magnet expansion rubber set +1,2 cm, see page 295	1221		36
IN-OUT 180° opening rubber set	1213		57



Fix panels
to measure
(see page 289)

STEP 1 - Support selection

Description	CHROME	BLACK	Points
Orientable/adjustable support arm 60 cm	1715+1715	1715N+1715N	90
Parallel bar with 2 supports up to 200 cm	1717	9027	90

STEP 2 - Combi F selection (fix+door+fix)

Mea. F+D+F	Range	CHROME	BLACK	Points	Mea. F+D+F	Range	CHROME	BLACK	Points
90 (20+50+20)	85-90	OP205020F	OP205020FN	630	145 (25+70+50)	140-145	OP257050F	OP257050FN	754
95 (20+50+25)	90-95	OP205025F	OP205025FN	641	145 (25+80+40)	140-145	OP258040F	OP258040FN	760
100 (25+50+25)	95-100	OP255025F	OP255025FN	652	145 (20+65+60)	140-145	OP206560F	OP206560FN	753
100 (20+50+30)	95-100	OP205030F	OP205030FN	651	150 (40+50+60)	145-150	OP405060F	OP405060FN	765
105 (25+50+30)	100-105	OP255030F	OP255030FN	662	150 (25+65+60)	145-150	OP256560F	OP256560FN	764
105 (20+65+20)	100-105	OP206520F	OP206520FN	663	150 (20+70+60)	145-150	OP207060F	OP207060FN	765
110 (20+65+25)	105-110	OP206525F	OP206525FN	674	150 (30+70+50)	145-150	OP307050F	OP307050FN	764
110 (20+70+20)	105-110	OP207020F	OP207020FN	675	150 (40+70+40)	145-150	OP407040F	OP407040FN	765
110 (30+50+30)	105-110	OP305030F	OP305030FN	672	150 (30+80+40)	145-150	OP308040F	OP308040FN	770
115 (20+65+30)	110-115	OP206530F	OP206530FN	684	150 (20+80+50)	145-150	OP208050F	OP208050FN	772
115 (20+70+25)	110-115	OP207025F	OP207025FN	686	155 (30+65+60)	150-155	OP306560F	OP306560FN	774
120 (30+50+40)	115-120	OP305040F	OP305040FN	696	155 (25+70+60)	150-155	OP257060F	OP257060FN	776
120 (25+65+30)	115-120	OP256530F	OP256530FN	695	155 (40+65+50)	150-155	OP406550F	OP406550FN	776
120 (20+70+30)	115-120	OP207030F	OP207030FN	696	155 (25+80+50)	150-155	OP258050F	OP258050FN	783
120 (20+80+20)	115-120	OP208020F	OP208020FN	704	160 (50+50+60)	155-160	OP505060F	OP505060FN	788
125 (20+65+40)	120-125	OP206540F	OP206540FN	708	160 (30+70+60)	155-160	OP307060F	OP307060FN	786
125 (30+65+30)	120-125	OP306530F	OP306530FN	705	160 (40+70+50)	155-160	OP407050F	OP407050FN	788
125 (25+70+30)	120-125	OP257030F	OP257030FN	707	160 (30+80+50)	155-160	OP308050F	OP308050FN	793
125 (25+80+20)	120-125	OP258020F	OP258020FN	715	160 (20+80+60)	155-160	OP208060F	OP208060FN	794
130 (25+65+40)	125-130	OP256540F	OP256540FN	719	160 (40+80+40)	155-160	OP408040F	OP408040FN	794
130 (20+70+40)	125-130	OP207040F	OP207040FN	720	165 (40+65+60)	160-165	OP406560F	OP406560FN	798
130 (30+70+30)	125-130	OP307030F	OP307030FN	717	165 (50+65+50)	160-165	OP506550F	OP506550FN	799
130 (20+80+30)	125-130	OP208030F	OP208030FN	725	165 (25+80+60)	160-165	OP258060F	OP258060FN	805
130 (20+50+60)	125-130	OP205060F	OP205060FN	720	170 (60+50+60)	165-170	OP605060F	OP605060FN	810
135 (20+65+50)	130-135	OP206550F	OP206550FN	731	170 (40+70+60)	165-170	OP407060F	OP407060FN	810
135 (30+65+40)	130-135	OP306540F	OP306540FN	729	170 (50+70+50)	165-170	OP507050F	OP507050FN	811
135 (25+70+40)	130-135	OP257040F	OP257040FN	731	170 (30+80+60)	165-170	OP308060F	OP308060FN	815
135 (25+80+30)	130-135	OP258030F	OP258030FN	736	170 (40+80+50)	165-170	OP408050F	OP408050FN	817
135 (25+50+60)	130-135	OP255060F	OP255060FN	731	175 (50+65+60)	170-175	OP506560F	OP506560FN	821
140 (25+65+50)	135-140	OP256550F	OP256550FN	742	180 (50+70+60)	175-180	OP507060F	OP507060FN	833
140 (20+70+50)	135-140	OP207050F	OP207050FN	743	180 (40+80+60)	175-180	OP408060F	OP408060FN	839
140 (30+70+40)	135-140	OP307040F	OP307040FN	741	180 (50+80+50)	175-180	OP508050F	OP508050FN	840
140 (20+80+40)	135-140	OP208040F	OP208040FN	749	185 (60+65+60)	180-185	OP606560F	OP606560FN	843
140 (30+80+30)	135-140	OP308030F	OP308030FN	746	190 (60+70+60)	185-190	OP607060F	OP607060FN	855
140 (30+50+60)	135-140	OP305060F	OP305060FN	741	190 (50+80+60)	185-190	OP508060F	OP508060FN	862
145 (30+65+50)	140-145	OP306550F	OP306550FN	752	200 (60+80+60)	195-200	OP608060F	OP608060FN	884
145 (40+65+40)	140-145	OP406540F	OP406540FN	753					

*Allows connection to STD fixed sidewall on both sides (minimum range +0,7 cm / adjustment 2.5 cm), see page 198.

*Allows use of compensation profile on both sides

FOLDING

OPEN COMBI G fix + 2 folding doors + fix



STEP 1 - Support selection

Description	● CHROME	● BLACK	Points
Orientable/adjustable support arm 60 cm	1715+1715	1715N+1715N	90
Parallel bar with 2 supports up to 200 cm	1717	9027	90



STEP 2 - Combi G selection (fix + 2 folding doors + fix)

Measures F+D+D+F	Range (cm)	CHROME	BLACK	Points
135 (20+50+50+20)	131,2/136,2	OP20505020G	OP20505020GN	990
145 (25+50+50+25)	141,2/146,2	OP25505025G	OP25505025GN	1012
145 (20+55+55+20)	141,2/146,2	OP20555520G	OP20555520GN	1018
155 (30+50+50+30)	151,2/156,2	OP30505030G	OP30505030GN	1032
155 (25+55+55+25)	151,2/156,2	OP25555525G	OP25555525GN	1040
155 (20+60+60+20)	151,2/156,2	OP20606020G	OP20606020GN	1042
165 (30+55+55+30)	161,2/166,2	OP30555530G	OP30555530GN	1060
165 (25+60+60+25)	161,2/166,2	OP25606025G	OP25606025GN	1064
165 (20+65+65+20)	161,2/166,2	OP20656520G	OP20656520GN	1056
175 (40+50+50+40)	171,2/176,2	OP40505040G	OP40505040GN	1080
175 (30+60+60+30)	171,2/176,2	OP30606030G	OP30606030GN	1084
175 (25+65+65+25)	171,2/176,2	OP25656525G	OP25656525GN	1078
175 (20+70+70+20)	171,2/176,2	OP20707020G	OP20707020GN	1080
185 (40+55+55+40)	181,2/186,2	OP40555540G	OP40555540GN	1108
185 (30+65+65+30)	181,2/186,2	OP30656530G	OP30656530GN	1098
185 (25+70+70+25)	181,2/186,2	OP25707025G	OP25707025GN	1102
185 (20+75+75+20)	181,2/186,2	OP20757520G	OP20757520GN	1122
195 (50+50+50+50)	191,2/196,2	OP50505050G	OP50505050GN	1126
195 (40+60+60+40)	191,2/196,2	OP40606040G	OP40606040GN	1132
195 (30+70+70+30)	191,2/196,2	OP30707030G	OP30707030GN	1122
195 (25+75+75+25)	191,2/196,2	OP25757525G	OP25757525GN	1144
195 (20+80+80+20)	191,2/196,2	OP20808020G	OP20808020GN	1138
205 (50+55+55+50)	201,2/206,2	OP50555550G	OP50555550GN	1154
205 (40+65+65+40)	201,2/206,2	OP40656540G	OP40656540GN	1146
205 (30+75+75+30)	201,2/206,2	OP30757530G	OP30757530GN	1164
205 (25+80+80+25)	201,2/206,2	OP25808025G	OP25808025GN	1160
205 (20+85+85+20)	201,2/206,2	OP20858520G	OP20858520GN	1168
215 (60+50+50+60)	211,2/216,2	OP60505060G	OP60505060GN	1170
215 (50+60+60+50)	211,2/216,2	OP50606050G	OP50606050GN	1178
215 (40+70+70+40)	211,2/216,2	OP40707040G	OP40707040GN	1170
215 (30+80+80+30)	211,2/216,2	OP30808030G	OP30808030GN	1180
215 (25+85+85+25)	211,2/216,2	OP25858525G	OP25858525GN	1190
225 (60+55+55+60)	221,2/226,2	OP60555560G	OP60555560GN	1198
225 (50+65+65+50)	221,2/226,2	OP50656550G	OP50656550GN	1192
225 (40+75+75+40)	221,2/226,2	OP40757540G	OP40757540GN	1212
225 (30+85+85+30)	221,2/226,2	OP30858530G	OP30858530GN	1210
235 (60+60+60+60)	231,2/236,2	OP60606060G	OP60606060GN	1222
235 (50+70+70+50)	231,2/236,2	OP50707050G	OP50707050GN	1216
235 (40+80+80+40)	231,2/236,2	OP40808040G	OP40808040GN	1228
245 (60+65+65+60)	241,2/246,2	OP60656560G	OP60656560GN	1236
245 (50+75+75+50)	241,2/246,2	OP50757550G	OP50757550GN	1258
245 (40+85+85+40)	241,2/246,2	OP40858540G	OP40858540GN	1258
255 (60+70+70+60)	251,2/256,2	OP60707060G	OP60707060GN	1260
255 (50+80+80+50)	251,2/256,2	OP50808050G	OP50808050GN	1274
265 (60+75+75+60)	261,2/266,2	OP60757560G	OP60757560GN	1302
265 (50+85+85+50)	261,2/266,2	OP50858550G	OP50858550GN	1304
275 (60+80+80+60)	271,2/276,2	OP60808060G	OP60808060GN	1318
285 (60+85+85+60)	281,2/286,2	OP60858560G	OP60858560GN	1348

FOLDING

*Allows connection to STD fixed sidewall on both sides (minimum range +0,7 cm / adjustment 2.5 cm), see page 198.

*Allows use of compensation profile on both sides

*Other combinations see breakdown pag. 197

OPEN COMBI H corner 2 doors + 2 fix

OP3070C+OP2050C+1716+1716+1730



Accessories options

Description	CHROME	BLACK	Points
Compensation profile for fix wall profile +3cm	0218	9016	53
Compensation profile for fix wall profile +6cm	0029	-	68

STEP 1 - Support selection

Description	● CHROME	● BLACK	Points
Orientable/adjustable support arm 60 cm	1715+1715	1715N+1715N	90
Parallel bar with one support up to 140 cm	1716+1716+1730	-	155



STEP 2 - Selection 2 sides of the shower encl. (fix+door)


Measures	Range	Fix	Door	● CHROME	● BLACK	Points
70	67-69,5	20	50	OP2050C	OP2050CN	495
75	72-74,5	25	50	OP2550C	OP2550CN	506
75	72-74,5	20	55	OP2055C	OP2055CN	509
80	77-79,5	30	50	OP3050C	OP3050CN	516
80	77-79,5	25	55	OP2555C	OP2555CN	520
80	77-79,5	20	60	OP2060C	OP2060CN	521
85	82-84,5	30	55	OP3055C	OP3055CN	530
85	82-84,5	25	60	OP2560C	OP2560CN	532
85	82-84,5	20	65	OP2065C	OP2065CN	528
90	87-89,5	40	50	OP4050C	OP4050CN	540
90	87-89,5	30	60	OP3060C	OP3060CN	542
90	87-89,5	25	65	OP2565C	OP2565CN	539
90	87-89,5	20	70	OP2070C	OP2070CN	540
95	92-94,5	40	55	OP4055C	OP4055CN	554
95	92-94,5	30	65	OP3065C	OP3065CN	549
95	92-94,5	25	70	OP2570C	OP2570CN	551
100	97-99,5	50	50	OP5050C	OP5050CN	563
100	97-99,5	40	60	OP4060C	OP4060CN	566
100	97-99,5	30	70	OP3070C	OP3070CN	561
100	97-99,5	25	75	OP2575C	OP2575CN	572
105	102-104,5	50	55	OP5055C	OP5055CN	577
105	102-104,5	40	65	OP4065C	OP4065CN	573
105	102-104,5	30	75	OP3075C	OP3075CN	582
105	102-104,5	25	80	OP2580C	OP2580CN	580
110	107-109,5	50	60	OP5060C	OP5060CN	589
110	107-109,5	40	70	OP4070C	OP4070CN	585
110	107-109,5	30	80	OP3080C	OP3080CN	590
115	112-114,5	50	65	OP5065C	OP5065CN	596
115	112-114,5	40	75	OP4075C	OP4075CN	606
120	117-119,5	60	60	OP6060C	OP6060CN	611
120	117-119,5	50	70	OP5070C	OP5070CN	608
120	117-119,5	40	80	OP4080C	OP4080CN	614
125	122-124,5	60	65	OP6065C	OP6065CN	618
125	122-124,5	50	75	OP5075C	OP5075CN	629
130	127-129,5	60	70	OP6070C	OP6070CN	630
130	127-129,5	50	80	OP5080C	OP5080CN	637
135	132-134,5	60	75	OP6075C	OP6075CN	651
140	137-139,5	60	80	OP6080C	OP6080CN	659

*Example: 100 (30+70) x 70 (20+50) + arm = OP3070C + OP2050C + 1715 + 1715

FOLDING

OPEN COMBI | 2 folding doors





COMBI I SYMMETRIC COMBINATIONS

Measures	Range (cm)	Opening	CHROME	BLACK	Points
80 (40+40)	77-80	66	OP4040IR	-	648
80 (40+40)	79-82	66	OP4040I	-	648
90 (45+45)	87-90	76	OP4545IR	-	772
90 (45+45)	89-92	76	OP4545I	-	772
100 (50+50)	97-100	86	OP5050IR	OP5050INR	796
100 (50+50)	99-102	86	OP5050I	OP5050IN	796
110 (55+55)	107-110	96	OP5555IR	OP5555INR	824
110 (55+55)	109-112	96	OP5555I	OP5555IN	824
120 (60+60)	117-120	106	OP6060IR	OP6060INR	848
120 (60+60)	119-122	106	OP6060I	OP6060IN	848
130 (65+65)	127-130	116	OP6565IR	OP6565INR	862
130 (65+65)	129-132	116	OP6565I	OP6565IN	862
140 (70+70)	137-140	126	OP7070IR	OP7070INR	886
140 (70+70)	139-142	126	OP7070I	OP7070IN	886
150 (75+75)	147-150	136	OP7575IR	OP7575INR	928
150 (75+75)	149-152	136	OP7575I	OP7575IN	928
160 (80+80)	157-160	146	OP8080IR	OP8080INR	944
160 (80+80)	159-162	146	OP8080I	OP8080IN	944
170 (85+85)	167-170	156	OP8585IR	OP8585INR	974
170 (85+85)	169-172	156	OP8585I	OP8585IN	974

*Allows connection with STD fixed side with ref. 1222/9015 (minimum range +1,8 / expansión 1,5), see page 198.

The references ending in R use the profile ref. 1215/9014, the rest use the ref. 1211/9012

COMBI I ASYMMETRIC COMBINATIONS

Measures	Range (cm)	Opening	CHROME	BLACK	Points
85 (40+45)	84-87	71	OP4045I	-	763
95 (45+50)	94-97	81	OP4550I	-	784
105 (50+55)	104-107	91	OP5055I	OP5055IN	810
115 (55+60)	114-117	101	OP5560I	OP5560IN	836
125 (60+65)	124-127	111	OP6065I	OP6065IN	855
135 (65+70)	134-137	121	OP6570I	OP6570IN	874
145 (70+75)	144-147	131	OP7075I	OP7075IN	907
155 (75+80)	154-157	141	OP7580I	OP7580IN	936
165 (80+85)	164-167	151	OP8085I	OP8085IN	959

Description	CHROME	BLACK	Points
Expansion profile door side +2,5 cm, see page 295	1222	9015	72
Magnet expansion rubber set +1,2 cm, see page 295	1221		36
IN-OUT 180° opening rubber set	1213		57

OPEN COMBI J fix + 2 folding doors + fix



STEP 1 - Support selection

Description	● CHROME	● BLACK	Points
Orientable/adjustable support arm 60 cm	1715	1715N	45
Parallel bar with one support (up to 140 cm)	1716	9026	66
Parallel bar with one support (up to 200 cm)	1717	9027	90



STEP 2 - Combi J selection (fix+door+door)

Measures F+D+D	Range (cm)	Op.	CHROME	BLACK	Points
95(20+40+40)	94,8-98,8	66	OP204040J	-	707
100(25+40+40)	99,8-103,8	66	OP254040J	-	718
105(30+40+40)	104,8-108,8	66	OP304040J	-	728
110(25+45+45)	109,8-113,8	76	OP254545J	-	842
115(40+40+40)	114,8-118,8	66	OP404040J	-	752
115(30+45+45)	114,8-118,8	76	OP304545J	-	852
115(20+50+50)	114,8-118,8	86	OP205050J	OP205050JN	855
120(25+50+50)	119,8-123,8	86	OP255050J	OP255050JN	866
125(50+40+40)	124,8-128,8	66	OP504040J	-	775
125(30+50+50)	124,8-128,8	86	OP305050J	OP305050JN	876
130(25+55+55)	129,8-133,8	96	OP255555J	OP255555JN	894
135(60+40+40)	134,8-138,8	66	OP604040J	-	797
135(40+50+50)	134,8-138,8	86	OP405050J	OP405050JN	900
135(30+55+55)	134,8-138,8	96	OP305555J	OP305555JN	904
140(25+60+60)	139,8-143,8	106	OP256060J	OP256060JN	918
145(50+50+50)	144,8-148,8	86	OP505050J	OP505050JN	923
145(40+55+55)	144,8-148,8	96	OP405555J	OP405555JN	928
145(30+60+60)	144,8-148,8	106	OP306060J	OP306060JN	928
150(25+65+65)	149,8-153,8	116	OP256565J	OP256565JN	932
155(60+50+50)	154,8-158,8	86	OP605050J	OP605050JN	945
155(50+55+55)	154,8-158,8	96	OP505555J	OP505555JN	951
155(40+60+60)	154,8-158,8	106	OP406060J	OP406060JN	952
160(25+70+70)	159,8-163,8	126	OP257070J	OP257070JN	956
165(60+55+55)	164,8-168,8	96	OP605555J	OP605555JN	973
165(50+60+60)	164,8-168,8	106	OP506060J	OP506060JN	975
165(40+65+65)	164,8-168,8	116	OP406565J	OP406565JN	966
170(25+75+75)	169,8-173,8	136	OP257575J	OP257575JN	998
175(60+60+60)	174,8-178,8	106	OP606060J	OP606060JN	997
175(50+65+65)	174,8-178,8	116	OP506565J	OP506565JN	989
175(40+70+70)	174,8-178,8	126	OP407070J	OP407070JN	990
180(25+80+80)	179,8-183,8	146	OP258080J	OP258080JN	1014
185(60+65+65)	184,8-188,8	116	OP606565J	OP606565JN	1011
185(50+70+70)	184,8-188,8	126	OP507070J	OP507070JN	1013
185(40+75+75)	184,8-188,8	136	OP407575J	OP407575JN	1032
190(25+85+85)	189,8-193,8	156	OP258585J	OP258585JN	1044
195(60+70+70)	194,8-198,8	126	OP607070J	OP607070JN	1035
195(50+75+75)	194,8-198,8	136	OP507575J	OP507575JN	1055
195(40+80+80)	194,8-198,8	146	OP408080J	OP408080JN	1048
205(60+75+75)	204,8-208,8	136	OP607575J	OP607575JN	1077
205(50+80+80)	204,8-208,8	146	OP508080J	OP508080JN	1071
205(40+85+85)	204,8-208,8	156	OP408585J	OP408585JN	1078
215(60+80+80)	214,8-218,8	146	OP608080J	OP608080JN	1093
215(50+85+85)	214,8-218,8	156	OP508585J	OP508585JN	1101

*Allows connection to STD fixed sidewall on both sides (minimum range +0,7 cm / adjustment 2.5 cm), see page 198.

*Allows use of compensation profile on both sides


Description	CHROME	BLACK	Points
Door profile (reduces the range by 1 cm), see page 295	1215	9014	38
Expansion profile door side +2,5 cm, see page 295	1222	9015	72
Magnet expansion rubber set +1,2 cm, see page 295	1221		36



Fix panels to measure (see page 289)

OPEN COMBI K 2 corner doors





COMBI K

Measures D+D	Range (cm)	Op.	CHROME	BLACK	Points
40x40	40,4-41,9 / 40,4-41,9	66	OP4040K	-	648
40x45	40,4-41,9 / 45,4-46,9	76	OP4045K	-	763
45x45	45,4-46,9 / 45,4-46,9	76	OP4545K	-	772
45x50	45,4-46,9 / 50,4-51,9	86	OP4550K	-	784
45x55	45,4-46,9 / 55,4-56,9	96	OP4555K	-	798
45x60	45,4-46,9 / 60,4-61,9	106	OP4560K	-	810
45x65	45,4-46,9 / 65,4-66,9	116	OP4565K	-	817
45x70	45,4-46,9 / 70,4-71,9	126	OP4570K	-	829
45x75	45,4-46,9 / 75,4-76,9	136	OP4575K	-	850
45x80	45,4-46,9 / 80,4-81,9	146	OP4580K	-	858
50x50	50,4-51,9 / 50,4-51,9	86	OP5050K	OP5050KN	796
50x55	50,4-51,9 / 55,4-56,9	96	OP5055K	OP5055KN	810
50x60	50,4-51,9 / 60,4-61,9	106	OP5060K	OP5060KN	822
50x65	50,4-51,9 / 65,4-66,9	116	OP5065K	OP5065KN	829
50x70	50,4-51,9 / 70,4-71,9	126	OP5070K	OP5070KN	841
50x75	50,4-51,9 / 75,4-76,9	136	OP5075K	OP5075KN	862
50x80	50,4-51,9 / 80,4-81,9	146	OP5080K	OP5080KN	870
55x55	55,4-56,9 / 55,4-56,9	96	OP5555K	OP5555KN	824
55x60	55,4-56,9 / 60,4-61,9	106	OP5560K	OP5560KN	836
55x65	55,4-56,9 / 65,4-66,9	116	OP5565K	OP5565KN	843
55x70	55,4-56,9 / 70,4-71,9	126	OP5570K	OP5570KN	855
55x75	55,4-56,9 / 75,4-76,9	136	OP5575K	OP5575KN	876
55x80	55,4-56,9 / 80,4-81,9	146	OP5580K	OP5580KN	884
60x60	60,4-61,9 / 60,4-61,9	106	OP6060K	OP6060KN	848
60x65	60,4-61,9 / 65,4-66,9	116	OP6065K	OP6065KN	855
60x70	60,4-61,9 / 70,4-71,9	126	OP6070K	OP6070KN	867
60x75	60,4-61,9 / 75,4-76,9	136	OP6075K	OP6075KN	888
60x80	60,4-61,9 / 80,4-81,9	146	OP6080K	OP6080KN	896
65x65	65,4-66,9 / 65,4-66,9	116	OP6565K	OP6565KN	862
65x70	65,4-66,9 / 70,4-71,9	126	OP6570K	OP6570KN	874
65x75	65,4-66,9 / 75,4-76,9	136	OP6575K	OP6575KN	895
65x80	65,4-66,9 / 80,4-81,9	146	OP6580K	OP6580KN	903
70x70	70,4-71,9 / 70,4-71,9	126	OP7070K	OP7070KN	886
70x75	70,4-71,9 / 75,4-76,9	136	OP7075K	OP7075KN	907
70x80	70,4-71,9 / 80,4-81,9	146	OP7080K	OP7080KN	915
75x75	75,4-76,9 / 75,4-76,9	136	OP7575K	OP7575KN	928
75x80	75,4-76,9 / 80,4-81,9	146	OP7580K	OP7580KN	936
80x80	80,4-81,9 / 80,4-81,9	146	OP8080K	OP8080KN	944
80x85	80,4-81,9 / 85,4-86,9	156	OP8085K	OP8085KN	959
85x85	85,4-86,9 / 85,4-86,9	156	OP8585K	OP8585KN	974

*Allows use of compensation profile on both sides

*Table references include profile ref. 1211

Description	CHROME	BLACK	Points
Door profile (reduces the range by 1 cm), see page 295	1215	9014	38
Expansion profile door side +2,5 cm, see page 295	1222	9015	72

FOLDING



COMBI A FROST

Range (cm)	Op.	Ref.	Points
50,1-51,6	43	OP50ASR	428
51,1-52,6	43	OP50AS	428
55,1-56,6	48	OP55ASR	442
56,1-57,6	48	OP55AS	442
60,1-61,6	53	OP60ASR	454
61,1-62,6	53	OP60AS	454
65,1-66,6	58	OP65ASR	461
66,1-67,6	58	OP65AS	461
70,1-71,6	63	OP70ASR	473
71,1-72,6	63	OP70AS	473
75,1-76,6	68	OP75ASR	494
76,1-77,6	68	OP75AS	494
80,1-81,6	73	OP80ASR	502
81,1-82,6	73	OP80AS	502
85,1-86,6	78	OP85ASR	517
86,1-87,6	78	OP85AS	517

Allows connection with fix sides STD on the door side using Ref.1222 (minimum range +1,8 cm), see page 198
Combinations with the reference finished in R use wall profile 1215 and those ending in S the profile 1211.

COMBI B FROST

Range (cm)	Op.	Ref.	Points
52,6-56,6	43	OP55BSR	518
53,6-57,6	43	OP55BS	518
57,6-61,6	48	OP60BSR	532
58,6-62,6	48	OP60BS	532
62,6-66,6	53	OP65BSR	544
63,6-67,6	53	OP65BS	544
67,6-71,6	58	OP70BSR	551
68,6-72,6	58	OP70BS	551
72,6-76,6	63	OP75BSR	563
73,6-77,6	63	OP75BS	563
77,6-81,6	68	OP80BSR	584
78,6-82,6	68	OP80BS	584
82,6-86,6	73	OP85BSR	592
83,6-87,6	73	OP85BS	592
87,6-91,6	78	OP90BS	607
88,6-92,6	78	OP90BSR	607

Allows connection with fix sides STD on profile side magnet closing (minimum range +0,7 cm, expansion +1,5 cm), see page 198
Allows connection with fix sides STD on the door side using ref. 1222 (minimum range +1,8 cm, expansion +2,5 cm), see page 198
Combinations with the reference finished in R use wall profile 1215 and those ending in S the profile 1211.

Description.	Ref.	Points
Compensation profile for fix wall profile +3cm	0218	53
Magnet expansion rubber set +1,2 cm, see page 295	1221	36
Expansion profile door side +2,5 cm, see page 295	1222	72
IN-OUT 180° opening rubber set	1213	57



Parallel bar option ref. 1716



STEP 1 - Support selection

Description	CHROME	BLACK	Points
Orientable/adjustable support arm 60 cm	1715	1715N	45
Parallel bar with one support (up to 140 cm)	1716	9026	66

STEP 2 - COMBI C FROST

Measure	Range (cm)	Ref.	Points
80 (30+50)	77,5-80	OP3050CS	599
85 (30+55)	82,5-85	OP3055CS	613
90 (30+60)	87,5-90	OP3060CS	625
90 (40+50)	87,5-90	OP4050CS	623
95 (30+65)	92,5-95	OP3065CS	632
95 (40+55)	92,5-95	OP4055CS	637
100 (30+70)	97,5-100	OP3070CS	644
100 (40+60)	97,5-100	OP4060CS	649
105 (30+75)	102,5-105	OP3075CS	665
105 (40+65)	102,5-105	OP4065CS	656
110 (30+80)	107,5-110	OP3080CS	673
110 (40+70)	107,5-110	OP4070CS	668
110 (50+60)	107,5-110	OP5060CS	671
115 (30+85)	112,5-115	OP3085CS	688
115 (40+75)	112,5-115	OP4075CS	689
115 (50+65)	112,5-115	OP5065CS	678
120 (40+80)	117,5-120	OP4080CS	697
120 (50+70)	117,5-120	OP5070CS	690
125 (40+85)	122,5-125	OP4085CS	712
125 (50+75)	122,5-125	OP5075CS	711
125 (60+65)	122,5-125	OP6065CS	701
130 (50+80)	127,5-130	OP5080CS	719
130 (60+70)	127,5-130	OP6070CS	713
135 (50+85)	132,5-135	OP5085CS	734
135 (60+75)	132,5-135	OP6075CS	734
140 (60+80)	137,5-140	OP6080CS	742
145 (60+85)	142,5-145	OP6085CS	757

*Allows connection with STD fixed side panel on the door side using Ref. 1222 (minimum range +1,8 cm), see page 198

STEP 2 - COMBI D FROST

Measure	Range (cm)	Ref.	Points
85 (30+50)	80-85	OP3050DS	689
90 (30+55)	85-90	OP3055DS	703
95 (30+60)	90-95	OP3060DS	715
95 (40+50)	90-95	OP4050DS	713
100 (30+65)	95-100	OP3065DS	722
100 (40+55)	95-100	OP4055DS	727
105 (30+70)	100-105	OP3070DS	734
105 (40+60)	100-105	OP4060DS	739
110 (30+75)	105-110	OP3075DS	755
110 (40+65)	105-110	OP4065DS	746
115 (30+80)	110-115	OP3080DS	763
115 (40+70)	110-115	OP4070DS	758
115 (50+60)	110-115	OP5060DS	761
120 (30+85)	115-120	OP3085DS	778
120 (40+75)	115-120	OP4075DS	779
120 (50+65)	115-120	OP5065DS	768
125 (40+80)	120-125	OP4080DS	787
125 (50+70)	120-125	OP5070DS	780
130 (40+85)	125-130	OP4085DS	802
130 (50+75)	125-130	OP5075DS	801
130 (60+65)	125-130	OP6065DS	791
135 (50+80)	130-135	OP5080DS	809
135 (60+70)	130-135	OP6070DS	803
140 (50+85)	135-140	OP5085DS	824
140 (60+75)	135-140	OP6075DS	824
145 (60+80)	140-145	OP6080DS	832
150 (60+85)	145-150	OP6085DS	847

*Allows combination with fix side panel STD on fix side, minimum range +0,7 (without adj.), see page 198

OPEN FROST PLUS COMBI A+ fix side

External opening
90° for fix panel



In-out option
0180° d/fix



The range of the front increases
+1.4 cm and the range of the fixed
side is reduced by -1 cm
Ref. 0038 - 21 points

Accessories options


Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68



Fix side panel to measure **6 mm**

Description	FROST PLUS		
	Ref.	Points	Boxed
Fix side to measure until 40 cm	1345+1312	494	+32
Fix side to measure from 40 until 80cm	1316+1313	607	+32
Fix side to measure from 80 until 120cm	1317+1315	712	+32

*Delivery time 3 weeks. More information see page 291



STEP 1 - Selection of front size (door)

Range (cm)	Opening	Reference	Points
49,6-51,1	43	OP50ASR	428
50,6-52,1	43	OP50AS	428
54,6-56,1	48	OP55ASR	442
55,6-57,1	48	OP55AS	442
59,6-61,1	53	OP60ASR	454
60,6-62,1	53	OP60AS	454
64,6-66,1	58	OP65ASR	461
65,6-67,1	58	OP65AS	461
69,6-71,1	63	OP70ASR	473
70,6-72,1	63	OP70AS	473
74,6-76,1	68	OP75ASR	494
75,6-77,1	68	OP75AS	494
79,6-81,1	73	OP80ASR	502
80,6-82,1	73	OP80AS	502
84,6-86,1	78	OP85ASR	517
85,6-87,1	78	OP85AS	517

*Allows connection with fix sides STD on the door side using Ref.1222 (minimum range +1,8 cm), see page 198

STEP 2 - Fix side panel size selection

Range (cm)	Reference	Points
66-69	1292	324
76-79	1293	351
86-89	1294	380


STEP 3 - Support selection

Description	Reference	Points
Orientable/adjustable support arm 60 cm	1715	45
Parallel bar with one support up to 140 cm	1716+1718	90



OPEN FROST PLUS COMBI C+ fix side

External opening
90° for fix panel




In-out option
0180° d/fix



The range of the front end increases +1.4 cm and the range of the fixed side is reduced by -1 cm
Ref. 0038 - 21 points

Accessories options

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68



Fix side panel to measure **6 mm**

Description	FROST PLUS		
	Ref.	Points	Boxed
Fix side to measure until 40 cm	1345+1312	494	+32
Fix side to measure from 40 until 80cm	1316+1313	607	+32
Fix side to measure from 80 until 120cm	1317+1315	712	+32

*Delivery time 3 weeks. More information see page 291

STEP 1 - Selection of front size (fix+door)

Measure	Range (cm)	Reference	Points
80 (30+50)	77,5-80	OP3050CS	599
85 (30+55)	82,5-85	OP3055CS	613
90 (30+60)	87,5-90	OP3060CS	625
90 (40+50)	87,5-90	OP4050CS	623
95 (30+65)	92,5-95	OP3065CS	632
95 (40+55)	92,5-95	OP4055CS	637
100 (30+70)	97,5-100	OP3070CS	644
100 (40+60)	97,5-100	OP4060CS	649
100 (50+50)	97,5-100	OP5050CS	645
105 (30+75)	102,5-105	OP3075CS	665
105 (40+65)	102,5-105	OP4065CS	656
105 (50+55)	102,5-105	OP5055CS	659
110 (30+80)	107,5-110	OP3080CS	673
110 (40+70)	107,5-110	OP4070CS	668
110 (50+60)	107,5-110	OP5060CS	671
110 (60+50)	107,5-110	OP6050CS	668
115 (30+85)	112,5-115	OP3085CS	688
115 (40+75)	112,5-115	OP4075CS	689
115 (50+65)	112,5-115	OP5065CS	678
115 (60+55)	112,5-115	OP6055CS	682
120 (40+80)	117,5-120	OP4080CS	697
120 (50+70)	117,5-120	OP5070CS	690
120 (60+60)	117,5-120	OP6060CS	694
125 (40+85)	122,5-125	OP4085CS	712
125 (50+75)	122,5-125	OP5075CS	711
125 (60+65)	122,5-125	OP6065CS	701
130 (50+80)	127,5-130	OP5080CS	719
130 (60+70)	127,5-130	OP6070CS	713
135 (50+85)	132,5-135	OP5085CS	734
135 (60+75)	132,5-135	OP6075CS	734
140 (60+80)	137,5-140	OP6080CS	742
145 (60+85)	142,5-145	OP6085CS	757

*Allows connection with fix sides STD on the door side using Ref.1222 (minimum range +1,8 cm), see page 198

STEP 2 - Fix side panel size selection

Range (cm)	Reference	Points
66-69	1292	324
76-79	1293	351
86-89	1294	380

STEP 3 - Support selection

Description	Reference	Points
Orientable/adjustable support arm 60 cm	1715+1715	90
Parallel bar with one support up to 140 cm	1716+1718	90





COMBI G FROST

STEP 1 - Combi G size selection

Measure	Range (cm)	Ref.	Points
155 (30+50+50+30)	151,2/156,2	OP30505030GS	1198
165 (30+55+55+30)	161,2/166,2	OP30555530GS	1226
175 (40+50+50+40)	171,2/176,2	OP40505040GS	1246
175 (30+60+60+30)	171,2/176,2	OP30606030GS	1250
185 (40+55+55+40)	181,2/186,2	OP40555540GS	1274
185 (30+65+65+30)	181,2/186,2	OP30656530GS	1264
195 (50+50+50+50)	191,2/196,2	OP50505050GS	1290
195 (40+60+60+40)	191,2/196,2	OP40606040GS	1298
195 (30+70+70+30)	191,2/196,2	OP30707030GS	1288
205 (50+55+55+50)	201,2/206,2	OP50555550GS	1318
205 (40+65+65+40)	201,2/206,2	OP40656540GS	1312
205 (30+75+75+30)	201,2/206,2	OP30757530GS	1330
215 (60+50+50+60)	211,2/216,2	OP60505060GS	1336
215 (50+60+60+50)	211,2/216,2	OP50606050GS	1342
215 (40+70+70+40)	211,2/216,2	OP40707040GS	1336
215 (30+80+80+30)	211,2/216,2	OP30808030GS	1346
225 (60+55+55+60)	221,2/226,2	OP60555560GS	1364
225 (50+65+65+50)	221,2/226,2	OP50656550GS	1356
225 (40+75+75+40)	221,2/226,2	OP40757540GS	1378
225 (30+85+85+30)	221,2/226,2	OP30858530GS	1376
235 (60+60+60+60)	231,2/236,2	OP60606060GS	1388
235 (50+70+70+50)	231,2/236,2	OP50707050GS	1380
235 (40+80+80+40)	231,2/236,2	OP40808040GS	1394
245 (60+65+65+60)	241,2/246,2	OP60656560GS	1402
245 (50+75+75+50)	241,2/246,2	OP50757550GS	1422
245 (40+85+85+40)	241,2/246,2	OP40858540GS	1424
255 (60+70+70+60)	251,2/256,2	OP60707060GS	1426
255 (50+80+80+50)	251,2/256,2	OP50808050GS	1438
265 (60+75+75+60)	261,2/266,2	OP60757560GS	1468
265 (50+85+85+50)	261,2/266,2	OP50858550GS	1468
275 (60+80+80+60)	271,2/276,2	OP60808060GS	1484
285 (60+85+85+60)	281,2/286,2	OP60858560GS	1514

STEP 2 - Support selection

Description	Reference	Points
Adjust./orient. arm 60 cm	1715+1715	90
Parallel bar 200 cm	1717	90

*Allows connection to STD fixed sidewall on both sides (minimum range +0,7 cm / adjustment 2.5 cm), see page 198

*Allows use of compensation profile on both sides



Description	Ref.	Points
Compensation profile +3cm	0218	53
Compensation profile +6cm	0029	68
Magnet expansion rubber set +1,2 cm	1221	36



Fix panels
to measure
(see page 289)



COMBI H FROST

STEP 1 - Selection 2 sides of the shower en.

Measure	Range (cm)	Ref.	Points
80 (30+50)	77,5-80	OP3050CS	599
85 (30+55)	82,5-85	OP3055CS	613
90 (30+60)	87,5-90	OP3060CS	625
90 (40+50)	87,5-90	OP4050CS	623
95 (30+65)	92,5-95	OP3065CS	632
95 (40+55)	92,5-95	OP4055CS	637
100 (30+70)	97,5-100	OP3070CS	644
100 (40+60)	97,5-100	OP4060CS	649
100 (50+50)	97,5-100	OP5050CS	645
105 (30+75)	102,5-105	OP3075CS	665
105 (40+65)	102,5-105	OP4065CS	656
105 (50+55)	102,5-105	OP5055CS	659
110 (30+80)	107,5-110	OP3080CS	673
110 (40+70)	107,5-110	OP4070CS	668
110 (50+60)	107,5-110	OP5060CS	671
110 (60+50)	107,5-110	OP6050CS	668
115 (30+85)	112,5-115	OP3085CS	688
115 (40+75)	112,5-115	OP4075CS	689
115 (50+65)	112,5-115	OP5065CS	678
115 (60+55)	112,5-115	OP6055CS	682
120 (40+80)	117,5-120	OP4080CS	697
120 (50+70)	117,5-120	OP5070CS	690
120 (60+60)	117,5-120	OP6060CS	694
125 (40+85)	122,5-125	OP4085CS	712
125 (50+75)	122,5-125	OP5075CS	711
125 (60+65)	122,5-125	OP6065CS	701
130 (50+80)	127,5-130	OP5080CS	719
130 (60+70)	127,5-130	OP6070CS	713
135 (50+85)	132,5-135	OP5085CS	734
135 (60+75)	132,5-135	OP6075CS	734
140 (60+80)	137,5-140	OP6080CS	742
145 (60+85)	142,5-145	OP6085CS	757

STEP 2 - Support selection

Description	Reference	Points
Adjustable/orientable arm 60 cm	1715+1715	90
Parallel bar up to 140 cm	1716+1716+1730	155


*Allows use of compensation profile on both sides

Example: 100x80 = OP4060CS+OP3050CS+1715+1715

Description	References	Points
Compensation profile +3cm	0218	53
Compensation profile +6cm	0029	68



Fix panels
to measure
(see page 289)





COMBI I FROST

SYMMETRIC COMBINATIONS

Range	Opening	Ref.	Points
97-100	86	OP5050ISR	856
99-102	86	OP5050IS	856
107-110	96	OP5555ISR	884
109-112	96	OP5555IS	884
117-120	106	OP6060ISR	908
119-122	106	OP6060IS	908
127-130	116	OP6565ISR	922
129-132	116	OP6565IS	922
137-140	126	OP7070ISR	946
139-142	126	OP7070IS	946
147-150	136	OP7575ISR	988
149-152	136	OP7575IS	988
157-160	146	OP8080ISR	1004
159-162	146	OP8080IS	1004
167-170	156	OP8585ISR	1034
169-172	156	OP8585IS	1034

COMBI I FROST

ASYMMETRIC COMBINATIONS

Range	Opening	Ref.	Points
104-107	111	OP6065IS	870
114-117	116	OP6570IS	896
124-127	121	OP7075IS	915
134-137	126	OP7580IS	934
144-147	131	OP8085IS	967
154-157	136	OP6060IS	996
164-167	141	OP6565ISR	1019

*Allows connection with STD fixed side with ref. 1222 (minimum range +1,8 / expansión 1,5), see page 198

The references ending in R use the profile ref. 1215, the rest use the ref. 1211

Description	References	Points
Door expander profile +2.5 cm	1222	72
Magnet expansion rubber set +1,2 cm	1221	36

MODULAR PROGRAM OPEN

Fix

Range (cm)	TRANSPARENT			FROST PLUS	
	CHR.	BLACK	Points	Ref.	Points
17,5/20	1200	9024	135	-	-
22,5/25	1201	9025	146	-	-
27,5/30	1202	9000	156	1280	209
37,5/40	1203	9001	180	1281	233
47,5/50	1204	9002	203	1282	255
57,5/60	1205	9003	225	1283	278

(2,5 adj.)

*Arm not included

Standars profiles

Description	CHR	BLACK	P.
Wall profile Open	1211	9012	38
Magnet closing profile	1212	9013	90
Door profile reduces range by 1 cm	1215	9014	38

Doors

Door	TRANSPARENT			FROST P.		A,E +1211	B +1211 +1212	C,F	D +1212	G	H	I +1211x2	J +1211
	CHR	NG	Points	Ref.	Points								
40x2	1206	-	572	-	-								
40	1216	-	339	-	-	41,1/42,6	43,6/47,6	40	42,5/45	38,1	39,5	39,5/41	38,6/39,5
45	1217	-	348	-	-	46,1/47,6	48,6/52,6	45	47,5/50	43,1	44,5	44,5/46	43,6/44,3
50	1207	9004	360	1284	390	51,1/52,6	53,6/57,6	50	52,5/55	48,1	49,5	49,5/51	48,6/49,3
55	1218	9005	374	1285	404	56,1/57,6	58,6/62,6	55	57,5/60	53,1	54,5	54,5/56	53,6/54,3
60	1219	9006	386	1286	416	61,1/62,6	63,6/67,6	60	62,5/65	58,1	59,5	59,5/61	58,6/59,3
65	1208	9007	393	1287	423	66,1/67,6	68,6/72,6	65	67,5/70	63,1	64,5	64,5/66	63,6/64,3
70	1209	9008	405	1288	435	71,1/72,6	73,6/77,6	70	72,5/75	68,1	69,5	69,5/71	68,6/69,3
75	1220	9009	426	1289	456	76,1/77,6	78,6/82,6	75	77,5/80	73,1	74,5	74,5/76	73,6/74,3
80	1210	9010	434	1290	464	81,1/82,6	83,6/87,6	80	82,5/85	78,1	79,5	79,5/81	78,6/79,3
85	1223	9011	449	1291	479	86,1/87,6	88,6/92,6	85	87,5/90	83,1	84,5	84,5/86	83,6/84,3

Fix side panels


Description	Ref.	Points
Fix side glass of 70	1760	165
Fix side glass of 80	1761	180
Fix side glass of 90	1762	195
Description	Ref.	Points
Wall profile chrome	5429	53
Wall profile black	5477	53

Fix side panels Frost

Description	Ref.	Points
Fix side panel of 70 frost	1292	324
Fix side panel of 80 frost	1293	351
Fix side panel of 90 frost	1294	380

CONFIGURE IT TO MEASURE IN OUR B2B

b2b.gmelorente.com





FOLDING

OPEN/GLASS

Fix side panel STD TRANSPARENT

Combi E 30+70+ fix side STD 70
Refs. 1202+1209+1211+0814+1715+1715



If the connection is to the fix side or to the magnet profile closing ref. 1212, the following will be added +0.7 cm to the min. range of the combination + expansion of the free side of the fix side. The expansion of the fix side is lost.


If the connection is to the door side, use ref. 1222, +1.8 cm will be added to the minimum range of the combination + expansion of the free side of the fix side.

Available for combinations


COMBI A
side door
profile




COMBI B
both
sides




COMBI C
fix side




COMBI D
both
sides




COMBI E
both
sides




COMBI F
both
sides




COMBI G
both
sides



COMBI I
both
sides



COMBI J
both
sides



Fix sides STD TRANSPARENT 8 mm

Description	Range	References	Points
Fix side panel STD 30x195 + arm	26-29	0810+1715	278
Fix side panel STD 40x195 + arm	36-39	0811+1715	293
Fix side panel STD 50x195 + arm	46-49	0812+1715	308
Fix side panel STD 60x195 + arm	56-59	0813+1715	323
Fix side panel STD 70x195 + arm	66-69	0814+1715	338
Fix side panel STD 75x195 + arm	71-74	0820+1715	345
Fix side panel STD 80x195 + arm	76-79	0815+1715	353
Fix side panel STD 90x195 + arm	86-89	0816+1715	375



Parallel bar option 140 cm ref. 1716+1718+5568
Increase 72 p. (discounted arm 1715)
Parallel bar option 200 cm ref. 1717+1718+5568
Increase 96 p. (discounted arm 1715)

Description	Ref.	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68



Fix side panel to measure STD TRANSPARENT 8 mm (more information on page 290)

Description	References	Points	Boxed
Fix side to measure STD until 40cm+arm	1343+1715	308	+32
Fix side to measure STD from 40 until 80cm + arm	1304+1715	420	+32
Fix side to measure STD from 80 until 120cm + arm	1310+1715	525	+32




*Delivery time 3 weeks

OPEN

Fix side panel STD Frost Plus

to fix panel to closing magnet profile

to folding door



Combi C Frost 30+70+ fix side Frost STD 70 + parallel bar
Refs. 1280+1288+1211+0817+1716+1718+5568



If the connection is to the fix side or to the magnet profile closing ref. 1212, the following will be added +0.7 cm to the min. range of the combination + expansion of the free side of the fix side. The expansion of the fix side is lost.


If the connection is to the door side, use ref. 1222, +1.8 cm will be added to the minimum range of the combination + expansion of the free side of the fix side.

Available for combinations


COMBI A
side door profile




COMBI B
both sides




COMBI C
fix side




COMBI D
both sides




COMBI G
both sides



COMBI I
both sides



COMBI J
both sides



Fix sides STD FROST PLUS 8 mm

Description	Range	References	Points
Fix side panel STD 70x195 + arm	66-69	0817+1715	390
Fix side panel STD 80x195 + arm	76-79	0818+1715	405
Fix side panel STD 90x195 + arm	86-89	0819+1715	420



Parallel bar option 140 cm ref. 1716+1718+5568
Increase 72 p. (discounted arm 1715)
Parallel bar option 200 cm ref. 1717+1718+5568
Increase 96 p. (discounted arm 1715)

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68



Fix side panel to measure STD FROST PLUS 8 mm (more information on page 290)

Description	References	Points	Boxed
Fix side to measure STD until 40cm+arm	1343+1312+1715	491	+32
Fix side to measure STD from 40 until 80cm + arm	1304+1313+1715	603	+32
Fix side to measure STD from 80 until 120cm + arm	1310+1315+1715	708	+32


*Delivery time 3 weeks

FOLDING

glass

"Solutions to any space with the elegance of the hinged folding doors"

- CHROME
- BLACK
- GOLD
- NICKEL
- GUNMETAL
- COPPER
- WHITE





GLASS HINGE TO WALL



Description	Ranges	Opening	● CHROME	● BLACK	● WHITE	Points
Combi 1 65	65,1	59	GL65A	GL65AN	GL65ABL	425
Combi 2 65	67,6-70,1	59	GL65B	GL65BN	GL65BBL	515
Combi 1 70	70,1	64	GL70A	GL70AN	GL70ABL	433
Combi 2 70	72,6-75,1	64	GL70B	GL70BN	GL70BBL	523
Combi 1 80	80,1	74	GL80A	GL80AN	GL80ABL	451
Combi 2 80	82,6-85,1	74	GL80B	GL80BN	GL80BBL	541
To measure door 60 to 80cm (delivery time 3 weeks)			1338CR	1338N	1338BL	506
Compensation profile +2cm (only Combi 2)			0218	9016	0218BL	53
Magnet range rubber set +1,2 cm			1221			36


Combinations with fixed sidewall see page 207

GLASS HINGE TO WALL




Description	Ranges	Opening	GOLD	COPPER	NICKEL	GUNMET.	Points
Combi 1 65	65,1	59	GL65AOR	GL65ACB	GL65ANK	GL65AT	506
Combi 2 65	67,6-70,1	59	GL65BOR	GL65BCB	GL65BNK	GL65BT	619
Combi 1 70	70,1	64	GL70AOR	GL70ACB	GL70ANK	GL70AT	514
Combi 2 70	72,6-75,1	64	GL70BOR	GL70BCB	GL70BNK	GL70BT	627
Combi 1 80	80,1	74	GL80AOR	GL80ACB	GL80ANK	GL80AT	532
Combi 2 80	82,6-85,1	74	GL80BOR	GL80BCB	GL80BNK	GL80BT	645
To measure door 60 to 80cm (delivery time 3 weeks)			1338OR	1338CB	1338NK	1338T	587
Compensation profile +2cm (only Combi 2)			0218OR	0218CB	0218NK	0218T	68
Magnet range rubber set +1,2 cm			1221				36

GLASS HINGE TO PROFILE



Description	Ranges	Opening	CHROME	BLACK	WHITE	Points
Combi A 65	68,2-70,2	59	GL65A	GL65AN	GL65ABL	425
Combi B 65	70,7-75,2	59	GL65B	GL65BN	GL65BBL	515
Combi A 70	73,2-75,2	64	GL70A	GL70AN	GL70ABL	433
Combi B 70	75,7-80,2	64	GL70B	GL70BN	GL70BBL	523
Combi A 80	83,2-85,2	74	GL80A	GL80AN	GL80ABL	451
Combi B 80	85,7-90,2	74	GL80B	GL80BN	GL80BBL	541
Compensation profile +2cm (only Combi B)			0218	9016	0218BL	53
Magnet range rubber set +1,2 cm			1221			36

GLASS HINGE TO PROFILE



Description	Ranges	Opening	GOLD	COPPER	NICKEL	GUNMET.	Points
Combi A 65	68,2-70,2	59	GL65AOR	GL65ACB	GL65ANK	GL65AT	506
Combi B 65	70,7-75,2	59	GL65BOR	GL65BCB	GL65BNK	GL65BT	619
Combi A 70	73,2-75,2	64	GL70AOR	GL70ACB	GL70ANK	GL70AT	514
Combi B 70	75,7-80,2	64	GL70BOR	GL70BCB	GL70BNK	GL70BT	627
Combi A 80	83,2-85,2	74	GL80AOR	GL80ACB	GL80ANK	GL80AT	532
Combi B 80	85,7-90,2	74	GL80BOR	GL80BCB	GL80BNK	GL80BT	645
Compensation profile +2cm (only Combi B)			0218OR	0218CB	0218NK	0218T	68
Magnet range rubber set +1,2 cm			1221				36

GLASS COMBI A + Fix side panel





STEP 1 - Selection of door size and color

Range	Opening	● CHROME	● BLACK	● WHITE	Points
67,7-69,7	60	GL65A	GL65AN	GL65ABL	425
72,7-74,7	65	GL70A	GL70AN	GL70ABL	433
82,7-84,7	70	GL80A	GL80AN	GL80ABL	451
To measure door 60 to 80cm (delivery time 3 weeks)		1338CR	1338N	1338BL	506

STEP 2 - Fix side panel selection

Description	Ranges	● CHROME	● BLACK	● WHITE	Points
Fix side panel of 70 cm	66-69	1720CR	1720N	1720BL	218
Fix side panel of 80cm	76-79	1721CR	1721N	1721BL	233
Fix side panel of 90 cm	86-89	1722CR	1722N	1722BL	248

STEP 3 - Support selection

Description	● CHROME	● BLACK	● WHITE	Points
Adjustable arm 60 cm	1715	1715N	1715B	45
Bar up to 140 cm with one support	1716+1718	9026+9028	1716BL+1718BL	90



Fix side panel to measure GLASS/OPEN **6 mm** (more information on page 291)

Description	● CHROM.	● BLACK	● WHITE	Points	Boxed
Width <40cm	1345	1345N	1345B	311	+32
Width >40 and <80cm	1316	1316N	1316B	424	+32
Width >80 and <120cm	1317	1317N	1317B	529	+32

*Arm not included, delivery time 3 weeks

GLASS COMBI A + Fix side panel



Gold



Copper




Nickel



Gunmetal





STEP 1 - Selection of door size and color

Range	Op.	GOLD	COPPER	NICKEL	GUNMETAL	Points
67,7-69,7	60	GL65AOR	GL65ACB	GL65ANK	GL65AT	506
72,7-74,7	65	GL70AOR	GL70ACB	GL70ANK	GL70AT	514
82,7-84,7	75	GL80AOR	GL80ACB	GL80ANK	GL80AT	532
To measure door 60 to 80cm (delivery time 3 weeks)		1338OR	1338CB	1338NK	1338T	587

STEP 2 - Fix side panel selection

Description	Ranges	GOLD	COPPER	NICKEL	GUNMETAL	Points
Fix side panel of 70 cm	66-69	1720OR	1720CB	1720NK	1720T	233
Fix side panel of 80cm	76-79	1721OR	1721CB	1721NK	1721T	248
Fix side panel of 90 cm	86-89	1722OR	1722CB	1722NK	1722T	263

STEP 3 - Support selection

Description	GOLD	COPPER	NICKEL	GUNMETAL	P.
Adjustable arm 60 cm	1715OR	1715CB	1715NK	1715T	60
Bar up to 140 cm with one support	1716OR+1718OR	1716CB+1718CB	1716NK+1718NK	1716T+1718T	120



Fix side panel to measure GLASS/OPEN **6 mm** (more information on page 291)

Description	GOLD	COPPER	NICKEL	GUNME.	Points	Boxed
Width <40cm	1345OR	1345CB	1345NK	1345T	326	+32
Width >40 and <80cm	1316OR	1316CB	1316NK	1316T	439	+32
Width >80 and <120cm	1317OR	1317CB	1317NK	1317T	544	+32

*Arm not included, delivery time 3 weeks

GLASS COMBI C fix + folding door with magnet wall closing



Chrome



Black



White



Magnetic wall closing



Fix panels and doors to measure page289



STEP 1 - Size and color selection (fix+door)

Range	Fix	Door	Op.	CHROME	BLACK	WHITE	Points
67-70	20	50	47	GL2050C	GL2050CN	GL2050CBL	441
72-74	25	50	47	GL2550C	GL2550CN	GL2550CBL	452
77-80	30	50	47	GL3050C	GL3050CN	GL3050CBL	462
82-85	20	65	62	GL2065C	GL2065CN	GL2065CBL	471
87-90	25	65	62	GL2565C	GL2565CN	GL2565CBL	482
87-90	20	70	67	GL2070C	GL2070CN	GL2070CBL	479
87-90	40	50	47	GL4050C	GL4050CN	GL4050CBL	483
92-95	25	70	67	GL2570C	GL2570CN	GL2570CBL	490
92-95	30	65	62	GL3065C	GL3065CN	GL3065CBL	492
97-100	30	70	67	GL3070C	GL3070CN	GL3070CBL	500
97-100	50	50	47	GL5050C	GL5050CN	GL5050CBL	504
97-100	20	80	77	GL2080C	GL2080CN	GL2080CBL	497
102-105	25	80	77	GL2580C	GL2580CN	GL2580CBL	508
102-105	40	65	62	GL4065C	GL4065CN	GL4065CBL	513
107-110	30	80	77	GL3080C	GL3080CN	GL3080CBL	518
107-110	40	70	67	GL4070C	GL4070CN	GL4070CBL	521
107-110	60	50	47	GL6050C	GL6050CN	GL6050CBL	525
112-115	50	65	62	GL5065C	GL5065CN	GL5065CBL	534
117-120	40	80	77	GL4080C	GL4080CN	GL4080CBL	539
117-120	50	70	67	GL5070C	GL5070CN	GL5070CBL	542
122-125	60	65	62	GL6065C	GL6065CN	GL6065CBL	555
127-130	50	80	77	GL5080C	GL5080CN	GL5080CBL	560
127-130	60	70	67	GL6070C	GL6070CN	GL6070CBL	563
137-140	60	80	77	GL6080C	GL6080CN	GL6080CBL	581

*Allows combination with fixed side Glass on the door side, the range of the front side will be reduced by 0,5 cm. Expansion 3 cm.
See page 215

STEP 2 - Support selection

Description	CHROME	BLACK	WHITE	Points
Adjustable arm 60 cm	1715	1715N	1715B	45
Bar up to 140 cm with one support	1716	9026	1716BL	66




Description	CHROME	BLACK	WHITE	Points
Compensation profile +2cm fix side	0218	9016	0218BL	53
Compensation profile +4cm fix side	0029			68
Magnet expansion +1.2 cm (see page 295)	1221			36

GLASS COMBI C fix + folding door with magnet wall closing



Fix panels and doors to measure page 289



STEP 1 - Size and color selection (fix+door)

Range	Fix	Door	Op.	GOLD	COPPER	NICKEL	GUNMET.	Points
67-70	20	50	47	GL2050COR	GL2050CCB	GL2050CNK	GL2050CT	536
72-74	25	50	47	GL2550COR	GL2550CCB	GL2550CNK	GL2550CT	547
77-80	30	50	47	GL3050COR	GL3050CCB	GL3050CNK	GL3050CT	557
82-85	20	65	62	GL2065COR	GL2065CCB	GL2065CNK	GL2065CT	566
87-90	25	65	62	GL2565COR	GL2565CCB	GL2565CNK	GL2565CT	577
87-90	20	70	67	GL2070COR	GL2070CCB	GL2070CNK	GL2070CT	574
87-90	40	50	47	GL4050COR	GL4050CCB	GL4050CNK	GL4050CT	578
92-95	25	70	67	GL2570COR	GL2570CCB	GL2570CNK	GL2570CT	585
92-95	30	65	62	GL3065COR	GL3065CCB	GL3065CNK	GL3065CT	587
97-100	30	70	67	GL3070COR	GL3070CCB	GL3070CNK	GL3070CT	595
97-100	50	50	47	GL5050COR	GL5050CCB	GL5050CNK	GL5050CT	599
97-100	20	80	77	GL2080COR	GL2080CCB	GL2080CNK	GL2080CT	592
102-105	25	80	77	GL2580COR	GL2580CCB	GL2580CNK	GL2580CT	603
102-105	40	65	62	GL4065COR	GL4065CCB	GL4065CNK	GL4065CT	608
107-110	30	80	77	GL3080COR	GL3080CCB	GL3080CNK	GL3080CT	613
107-110	40	70	67	GL4070COR	GL4070CCB	GL4070CNK	GL4070CT	616
107-110	60	50	47	GL6050COR	GL6050CCB	GL6050CNK	GL6050CT	620
112-115	50	65	62	GL5065COR	GL5065CCB	GL5065CNK	GL5065CT	629
117-120	40	80	77	GL4080COR	GL4080CCB	GL4080CNK	GL4080CT	634
117-120	50	70	67	GL5070COR	GL5070CCB	GL5070CNK	GL5070CT	637
122-125	60	65	62	GL6065COR	GL6065CCB	GL6065CNK	GL6065CT	650
127-130	50	80	77	GL5080COR	GL5080CCB	GL5080CNK	GL5080CT	655
127-130	60	70	67	GL6070COR	GL6070CCB	GL6070CNK	GL6070CT	658
137-140	60	80	77	GL6080COR	GL6080CCB	GL6080CNK	GL6080CT	676

*Allows combination with fixed side Glass on the door side, the range of the front side will be reduced by 0,5 cm. Expansion 3 cm.

See page 217


STEP 2 - Support selection

Description	GOLD	COPPER	NICKEL	GUNMETAL	Points
Adjustable arm 60 cm	1715OR	1715CB	1715NK	1715T	60
Bar up to 140 cm with one support	1716OR	1716CB	1716NK	1716T	90



Description	GOLD	COPPER	NICKEL	GUNMETAL	Points
Compensation profile +2cm fix side	0218OR	0218CB	0218NK	0218T	68
Magnet expansion +1.2 cm (see page 295)	1221				36

GLASS COMBI C + Fix side panel



Fix side panel to measure GLASS/OPEN **6 mm** (more information on page 291)

Description	● CHROM.	● BLACK	● WHITE	Points	Boxed
Width <40cm	1345	1345N	1345B	311	+32
Width >40 and <80cm	1316	1316N	1316B	424	+32
Width >80 and <120cm	1317	1317N	1317B	529	+32

*Arm not included, delivery time 3 weeks

STEP 1 - Size and color selection (fix+door)

Range	Fix	Door	Op.	● CHROME	● BLACK	● WHITE	Points
66,5-69,5	20	50	47	GL2050C	GL2050CN	GL2050CBL	441
71,5-74,5	25	50	47	GL2550C	GL2550CN	GL2550CBL	452
76,5-79,5	30	50	47	GL3050C	GL3050CN	GL3050CBL	462
81,5-84,5	20	65	62	GL2065C	GL2065CN	GL2065CBL	471
86,5-89,5	25	65	62	GL2565C	GL2565CN	GL2565CBL	482
86,5-89,5	20	70	67	GL2070C	GL2070CN	GL2070CBL	479
86,5-89,5	40	50	47	GL4050C	GL4050CN	GL4050CBL	483
91,5-94,5	25	70	67	GL2570C	GL2570CN	GL2570CBL	490
91,5-94,5	30	65	62	GL3065C	GL3065CN	GL3065CBL	492
96,5-99,5	30	70	67	GL3070C	GL3070CN	GL3070CBL	500
96,5-99,5	50	50	47	GL5050C	GL5050CN	GL5050CBL	504
96,5-99,5	20	80	77	GL2080C	GL2080CN	GL2080CBL	497
101,5-104,5	25	80	77	GL2580C	GL2580CN	GL2580CBL	508
101,5-104,5	40	65	62	GL4065C	GL4065CN	GL4065CBL	513
106,5-109,5	30	80	77	GL3080C	GL3080CN	GL3080CBL	518
106,5-109,5	40	70	67	GL4070C	GL4070CN	GL4070CBL	521
106,5-109,5	60	50	47	GL6050C	GL6050CN	GL6050CBL	525
111,5-114,5	50	65	62	GL5065C	GL5065CN	GL5065CBL	534
116,5-119,5	40	80	77	GL4080C	GL4080CN	GL4080CBL	539
116,5-119,5	50	70	67	GL5070C	GL5070CN	GL5070CBL	542
121,5-124,5	60	65	62	GL6065C	GL6065CN	GL6065CBL	555
126,5-129,5	50	80	77	GL5080C	GL5080CN	GL5080CBL	560
126,5-129,5	60	70	67	GL6070C	GL6070CN	GL6070CBL	563
136,5-139,5	60	80	77	GL6080C	GL6080CN	GL6080CBL	581

STEP 2 - Fix side panel selection

Description	Ranges	● CHROME	● BLACK	● WHITE	Points
Fix side panel of 70 cm	66-69	1720CR	1720N	1720BL	218
Fix side panel of 80cm	76-79	1721CR	1721N	1721BL	233
Fix side panel of 90 cm	86-89	1722CR	1722N	1722BL	248

STEP 3 - Support selection

Description	● CHROME	● BLACK	● WHITE	P.
Adjustable arm 60 cm	1715+1715	1715N+1715N	1715B+1715B	90
Bar up to 140 cm with one support	1716+1718	9026+9028	1716BL+1718BL	90



Description	● CHROME	● BLACK	● WHITE	Points
Compensation profile +2cm fix side	0218	9016	0218BL	53
Compensation profile +4cm fix side	0029			68
Magnet expansion +1.2 cm (see page 295)	1221			36

GLASS COMBI C + Fix side panel



Fix side panel to measure GLASS/OPEN **6 mm** (more information on page 291)

Description	GOLD	COPPER	NICKEL	GUNMET.	Points	Boxed
Width <40cm	1345OR	1345CB	1345NK	1345T	326	+32
Width >40 and <80cm	1316OR	1316CB	1316NK	1316T	439	+32
Width >80 and <120cm	1317OR	1317CB	1317NK	1317T	544	+32

*Arm not included, delivery time 3 weeks

STEP 1 - Size and color selection (fix+door)

Range	Fix	Door	Op.	 GOLD	 COPPER	 NICKEL	 GUNMET.	Points
66,5-69,5	20	50	47	GL2050COR	GL2050CCB	GL2050CNK	GL2050CT	536
71,5-74,5	25	50	47	GL2550COR	GL2550CCB	GL2550CNK	GL2550CT	547
76,5-79,5	30	50	47	GL3050COR	GL3050CCB	GL3050CNK	GL3050CT	557
81,5-84,5	20	65	62	GL2065COR	GL2065CCB	GL2065CNK	GL2065CT	566
86,5-89,5	25	65	62	GL2565COR	GL2565CCB	GL2565CNK	GL2565CT	577
86,5-89,5	20	70	67	GL2070COR	GL2070CCB	GL2070CNK	GL2070CT	574
86,5-89,5	40	50	47	GL4050COR	GL4050CCB	GL4050CNK	GL4050CT	578
91,5-94,5	25	70	67	GL2570COR	GL2570CCB	GL2570CNK	GL2570CT	585
91,5-94,5	30	65	62	GL3065COR	GL3065CCB	GL3065CNK	GL3065CT	587
96,5-99,5	30	70	67	GL3070COR	GL3070CCB	GL3070CNK	GL3070CT	595
96,5-99,5	50	50	47	GL5050COR	GL5050CCB	GL5050CNK	GL5050CT	599
96,5-99,5	20	80	77	GL2080COR	GL2080CCB	GL2080CNK	GL2080CT	592
101,5-104,5	25	80	77	GL2580COR	GL2580CCB	GL2580CNK	GL2580CT	603
101,5-104,5	40	65	62	GL4065COR	GL4065CCB	GL4065CNK	GL4065CT	608
106,5-109,5	30	80	77	GL3080COR	GL3080CCB	GL3080CNK	GL3080CT	613
106,5-109,5	40	70	67	GL4070COR	GL4070CCB	GL4070CNK	GL4070CT	616
106,5-109,5	60	50	47	GL6050COR	GL6050CCB	GL6050CNK	GL6050CT	620
111,5-114,5	50	65	62	GL5065COR	GL5065CCB	GL5065CNK	GL5065CT	629
116,5-119,5	40	80	77	GL4080COR	GL4080CCB	GL4080CNK	GL4080CT	634
116,5-119,5	50	70	67	GL5070COR	GL5070CCB	GL5070CNK	GL5070CT	637
121,5-124,5	60	65	62	GL6065COR	GL6065CCB	GL6065CNK	GL6065CT	650
126,5-129,5	50	80	77	GL5080COR	GL5080CCB	GL5080CNK	GL5080CT	655
126,5-129,5	60	70	67	GL6070COR	GL6070CCB	GL6070CNK	GL6070CT	658
136,5-139,5	60	80	77	GL6080COR	GL6080CCB	GL6080CNK	GL6080CT	676

STEP 2 - Fix side panel selection

Description	Ranges	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Fix side panel of 70 cm	66-69	1720OR	1720CB	1720NK	1720T	233
Fix side panel of 80cm	76-79	1721OR	1721CB	1721NK	1721T	248
Fix side panel of 90 cm	86-89	1722OR	1722CB	1722NK	1722T	263

STEP 3 - Support selection

Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	P.
Adjustable support arms 60cm	1715OR+1715OR	1715CB+1715CB	1715NK+1715NK	1715T+1715T	120
Bar up to 140 cm with one support	1716OR+1718OR	1716CB+1718CB	1716NK+1718NK	1716T+1718T	120



Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Compensation profile +2cm fix side	0218OR	0218CB	0218NK	0218T	68
Magnet expansion +1.2 cm (see page 295)	1221				36

GLASS COMBI D fix + folding door with magnet profile closing



Chrome



Black




White



Magnet profile closing



Fix panels and doors to measure page289



STEP 1 - Size and color selection (fix+door)

Range	Fix	Door	Op.	CHROME	BLACK	WHITE	Points
69,5-75	20	50	43	GL2050D	GL2050DN	GL2050DBL	531
74,5-80	25	50	43	GL2550D	GL2550DN	GL2550DBL	542
79,5-85	30	50	43	GL3050D	GL3050DN	GL3050DBL	552
84,5-90	20	65	58	GL2065D	GL2065DN	GL2065DBL	561
89,5-95	25	65	58	GL2565D	GL2565DN	GL2565DBL	572
89,5-95	20	70	63	GL2070D	GL2070DN	GL2070DBL	569
89,5-95	40	50	43	GL4050D	GL4050DN	GL4050DBL	573
94,5-100	25	70	63	GL2570D	GL2570DN	GL2570DBL	580
94,5-100	30	65	53	GL3065D	GL3065DN	GL3065DBL	582
99,5-105	30	70	63	GL3070D	GL3070DN	GL3070DBL	590
99,5-105	50	50	43	GL5050D	GL5050DN	GL5050DBL	594
99,5-105	20	80	73	GL2080D	GL2080DN	GL2080DBL	587
104,5-110	25	80	73	GL2580D	GL2580DN	GL2580DBL	598
104,5-110	40	65	58	GL4065D	GL4065DN	GL4065DBL	603
109,5-115	30	80	73	GL3080D	GL3080DN	GL3080DBL	608
109,5-115	40	70	63	GL4070D	GL4070DN	GL4070DBL	611
109,5-115	60	50	43	GL6050D	GL6050DN	GL6050DBL	615
114,5-120	50	65	58	GL5065D	GL5065DN	GL5065DBL	624
119,5-125	40	80	73	GL4080D	GL4080DN	GL4080DBL	629
119,5-125	50	70	63	GL5070D	GL5070DN	GL5070DBL	632
124,5-130	60	65	58	GL6065D	GL6065DN	GL6065DBL	645
129,5-135	50	80	73	GL5080D	GL5080DN	GL5080DBL	650
129,5-135	60	70	63	GL6070D	GL6070DN	GL6070DBL	653
139,5-145	60	80	73	GL6080D	GL6080DN	GL6080DBL	671

*Allows use of compensation profile on both sides in chrome and black finish.

*Can be combined with STD fixed side panel in chrome and black finish, minimum range +0,7 / expansión 3 cm (see page 198)

STEP 2 - Support selection

Description	CHROME	BLACK	WHITE	P.
Adjustable arm 60 cm	1715	1715N	1715B	45
Bar up to 140 cm with one support	1716	9026	1716BL	66




Description	CHROME	BLACK	WHITE	Points
Compensation profile +2cm fix side	0218	9016	0218BL	53
Compensation profile +4cm fix side	0029			68
Magnet expansion +1.2 cm (see page 295)	1221			36

GLASS COMBI D fix + folding door with magnet profile closing



Fix panels and doors to measure page 289



STEP 1 - Size and color selection (fix+door)

Range	Fix	Door	Op.	GOLD	COPPER	NICKEL	GUNMET.	Points
69,5-75	20	50	43	GL2050DOR	GL2050DCB	GL2050DNK	GL2050DT	649
74,5-80	25	50	43	GL2550DOR	GL2550DCB	GL2550DNK	GL2550DT	660
79,5-85	30	50	43	GL3050DOR	GL3050DCB	GL3050DNK	GL3050DT	670
84,5-90	20	65	58	GL2065DOR	GL2065DCB	GL2065DNK	GL2065DT	679
89,5-95	25	65	58	GL2565DOR	GL2565DCB	GL2565DNK	GL2565DT	690
89,5-95	20	70	63	GL2070DOR	GL2070DCB	GL2070DNK	GL2070DT	687
89,5-95	40	50	43	GL4050DOR	GL4050DCB	GL4050DNK	GL4050DT	691
94,5-100	25	70	63	GL2570DOR	GL2570DCB	GL2570DNK	GL2570DT	698
94,5-100	30	65	53	GL3065DOR	GL3065DCB	GL3065DNK	GL3065DT	700
99,5-105	30	70	63	GL3070DOR	GL3070DCB	GL3070DNK	GL3070DT	708
99,5-105	50	50	43	GL5050DOR	GL5050DCB	GL5050DNK	GL5050DT	712
99,5-105	20	80	73	GL2080DOR	GL2080DCB	GL2080DNK	GL2080DT	705
104,5-110	25	80	73	GL2580DOR	GL2580DCB	GL2580DNK	GL2580DT	716
104,5-110	40	65	58	GL4065DOR	GL4065DCB	GL4065DNK	GL4065DT	721
109,5-115	30	80	73	GL3080DOR	GL3080DCB	GL3080DNK	GL3080DT	726
109,5-115	40	70	63	GL4070DOR	GL4070DCB	GL4070DNK	GL4070DT	729
109,5-115	60	50	43	GL6050DOR	GL6050DCB	GL6050DNK	GL6050DT	733
114,5-120	50	65	58	GL5065DOR	GL5065DCB	GL5065DNK	GL5065DT	742
119,5-125	40	80	73	GL4080DOR	GL4080DCB	GL4080DNK	GL4080DT	747
119,5-125	50	70	63	GL5070DOR	GL5070DCB	GL5070DNK	GL5070DT	750
124,5-130	60	65	58	GL6065DOR	GL6065DCB	GL6065DNK	GL6065DT	763
129,5-135	50	80	73	GL5080DOR	GL5080DCB	GL5080DNK	GL5080DT	768
129,5-135	60	70	63	GL6070DOR	GL6070DCB	GL6070DNK	GL6070DT	771
139,5-145	60	80	73	GL6080DOR	GL6080DCB	GL6080DNK	GL6080DT	789

STEP 2 - Support selection

Description	GOLD	COPPER	NICKEL	GUNMETAL	P.
Adjustable arm 60 cm	1715OR	1715CB	1715NK	1715T	60
Bar up to 140 cm with one support	1716OR	1716CB	1716NK	1716T	90



Description	GOLD	COPPER	NICKEL	GUNMETAL	Points
Compensation profile +2cm fix side	0218OR	0218CB	0218NK	0218T	68
Magnet expansion +1.2 cm (see page 295)	1221				36

GLASS COMBI G fix + 2 folding doors + fix



Chrome



Black



White



Magnet closing



Fix panels and doors to measure page289

STEP 1 - Size and color selection (fix+door+door+fix)

Range	Measures F+D+D+F	Op.	CHROME	BLACK	WHITE	Points
129,5-135,5	20+50+50+20	90	GL20505020G	GL20505020GN	GL20505020GBL	882
129,5-135,5	25+45+45+25	80	GL25454525G	GL25454525GN	GL25454525GBL	886
129,5-135,5	30+40+40+30	75	GL30404030G	GL30404030GN	GL30404030GBL	888
139,5-145,5	25+50+50+25	90	GL25505025G	GL25505025GN	GL25505025GBL	904
139,5-145,5	30+45+45+30	80	GL30454530G	GL30454530GN	GL30454530GBL	906
139,5-145,5	40+35+35+40	65	GL40353540G	GL40353540GN	GL40353540GBL	912
149,5-155,5	30+50+50+30	90	GL30505030G	GL30505030GN	GL30505030GBL	924
149,5-155,5	40+40+40+40	70	GL40404040G	GL40404040GN	GL40404040GBL	930
159,5-165,5	20+65+65+20	120	GL20656520G	GL20656520GN	GL20656520GBL	942
159,5-165,5	40+45+45+40	80	GL40454540G	GL40454540GN	GL40454540GBL	948
159,5-165,5	50+35+35+50	60	GL50353550G	GL50353550GN	GL50353550GBL	954
169,5-175,5	20+70+70+20	130	GL20707020G	GL20707020GN	GL20707020GBL	958
169,5-175,5	25+65+65+25	120	GL25656525G	GL25656525GN	GL25656525GBL	964
169,5-175,5	40+50+50+40	90	GL40505040G	GL40505040GN	GL40505040GBL	966
169,5-175,5	50+40+40+50	70	GL50404050G	GL50404050GN	GL50404050GBL	972
179,5-185,5	25+70+70+25	130	GL25707025G	GL25707025GN	GL25707025GBL	980
179,5-185,5	30+65+65+30	120	GL30656530G	GL30656530GN	GL30656530GBL	984
179,5-185,5	50+45+45+50	80	GL50454550G	GL50454550GN	GL50454550GBL	990
179,5-185,5	60+35+35+60	60	GL60353560G	GL60353560GN	GL60353560GBL	996
189,5-195,5	20+80+80+20	150	GL20808020G	GL20808020GN	GL20808020GBL	994
189,5-195,5	30+70+70+30	130	GL30707030G	GL30707030GN	GL30707030GBL	1000
189,5-195,5	50+50+50+50	90	GL50505050G	GL50505050GN	GL50505050GBL	1008
189,5-195,5	60+40+40+60	70	GL60404060G	GL60404060GN	GL60404060GBL	1014
199,5-205,5	25+80+80+25	150	GL25808025G	GL25808025GN	GL25808025GBL	1016
199,5-205,5	40+65+65+40	120	GL40656540G	GL40656540GN	GL40656540GBL	1026
199,5-205,5	60+45+45+60	80	GL60454560G	GL60454560GN	GL60454560GBL	1032
209,5-215,5	30+80+80+30	150	GL30808030G	GL30808030GN	GL30808030GBL	1036
209,5-215,5	40+70+70+40	130	GL40707040G	GL40707040GN	GL40707040GBL	1042
209,5-215,5	60+50+50+60	90	GL60505060G	GL60505060GN	GL60505060GBL	1050
219,5-225,5	50+65+65+50	120	GL50656550G	GL50656550GN	GL50656550GBL	1068
229,5-235,5	40+80+80+40	150	GL40808040G	GL40808040GN	GL40808040GBL	1078
229,5-235,5	50+70+70+50	130	GL50707050G	GL50707050GN	GL50707050GBL	1084
239,5-245,5	60+65+65+60	120	GL60656560G	GL60656560GN	GL60656560GBL	1110
249,5-255,5	50+80+80+50	150	GL50808050G	GL50808050GN	GL50808050GBL	1120
249,5-255,5	60+70+70+60	130	GL60707060G	GL60707060GN	GL60707060GBL	1126
269,5-275,5	60+80+80+60	150	GL60808060G	GL60808060GN	GL60808060GBL	1162

*Allows use of compensation profile on both sides in chrome and black finish.

*Can be combined with STD fixed side panel in chrome and black finish, minimum range +0,7 / expansión 3 cm (see page 198)

STEP 2 - Support selection

Description	CHROME	BLACK	WHITE	P.
Adjustable arm 60 cm	1715+1715	1715N+1715N	1715B+1715B	90
200 cm bar with 2 supports (only up to 2 meters)	1717	9027	1717BL	90

Description	CHROME	BLACK	WHITE	Points
Compensation profile +2cm fix side	0218	9016	0218BL	53
Compensation profile +4cm fix side	0029			68
Magnet expansion +1.2 cm (see page 295)	1221			36

GLASS COMBI G fix + 2 folding doors + fix



Fix panels and doors
to measure page289

STEP 1 - Size and color selection (fix+door+door+fix)

Range	Measure F+D+D+F	Op.	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
129,5-135,5	20+50+50+20	90	GL20505020GOR	GL20505020GCB	GL20505020GNK	GL20505020GT	1072
129,5-135,5	25+45+45+25	80	GL25454525GOR	GL25454525GCB	GL25454525GNK	GL25454525GT	1076
129,5-135,5	30+40+40+30	75	GL30404030GOR	GL30404030GCB	GL30404030GNK	GL30404030GT	1078
139,5-145,5	25+50+50+25	90	GL25505025GOR	GL25505025GCB	GL25505025GNK	GL25505025GT	1094
139,5-145,5	30+45+45+30	80	GL30454530GOR	GL30454530GCB	GL30454530GNK	GL30454530GT	1096
139,5-145,5	40+35+35+40	65	GL40353540GOR	GL40353540GCB	GL40353540GNK	GL40353540GT	1102
149,5-155,5	30+50+50+30	90	GL30505030GOR	GL30505030GCB	GL30505030GNK	GL30505030GT	1114
149,5-155,5	40+40+40+40	70	GL40404040GOR	GL40404040GCB	GL40404040GNK	GL40404040GT	1120
159,5-165,5	20+65+65+20	120	GL20656520GOR	GL20656520GCB	GL20656520GNK	GL20656520GT	1132
159,5-165,5	40+45+45+40	80	GL40454540GOR	GL40454540GCB	GL40454540GNK	GL40454540GT	1138
159,5-165,5	50+35+35+50	60	GL50353550GOR	GL50353550GCB	GL50353550GNK	GL50353550GT	1144
169,5-175,5	20+70+70+20	130	GL20707020GOR	GL20707020GCB	GL20707020GNK	GL20707020GT	1148
169,5-175,5	25+65+65+25	120	GL25656525GOR	GL25656525GCB	GL25656525GNK	GL25656525GT	1154
169,5-175,5	40+50+50+40	90	GL40505040GOR	GL40505040GCB	GL40505040GNK	GL40505040GT	1156
169,5-175,5	50+40+40+50	70	GL50404050GOR	GL50404050GCB	GL50404050GNK	GL50404050GT	1162
179,5-185,5	25+70+70+25	130	GL25707025GOR	GL25707025GCB	GL25707025GNK	GL25707025GT	1170
179,5-185,5	30+65+65+30	120	GL30656530GOR	GL30656530GCB	GL30656530GNK	GL30656530GT	1174
179,5-185,5	50+45+45+50	80	GL50454550GOR	GL50454550GCB	GL50454550GNK	GL50454550GT	1180
179,5-185,5	60+35+35+60	60	GL60353560GOR	GL60353560GCB	GL60353560GNK	GL60353560GT	1186
189,5-195,5	20+80+80+20	150	GL20808020GOR	GL20808020GCB	GL20808020GNK	GL20808020GT	1184
189,5-195,5	30+70+70+30	130	GL30707030GOR	GL30707030GCB	GL30707030GNK	GL30707030GT	1190
189,5-195,5	50+50+50+50	90	GL50505050GOR	GL50505050GCB	GL50505050GNK	GL50505050GT	1198
189,5-195,5	60+40+40+60	70	GL60404060GOR	GL60404060GCB	GL60404060GNK	GL60404060GT	1204
199,5-205,5	25+80+80+25	150	GL25808025GOR	GL25808025GCB	GL25808025GNK	GL25808025GT	1206
199,5-205,5	40+65+65+40	120	GL40656540GOR	GL40656540GCB	GL40656540GNK	GL40656540GT	1216
199,5-205,5	60+45+45+60	80	GL60454560GOR	GL60454560GCB	GL60454560GNK	GL60454560GT	1222
209,5-215,5	30+80+80+30	150	GL30808030GOR	GL30808030GCB	GL30808030GNK	GL30808030GT	1226
209,5-215,5	40+70+70+40	130	GL40707040GOR	GL40707040GCB	GL40707040GNK	GL40707040GT	1232
209,5-215,5	60+50+50+60	90	GL60505060GOR	GL60505060GCB	GL60505060GNK	GL60505060GT	1240
219,5-225,5	50+65+65+50	120	GL50656550GOR	GL50656550GCB	GL50656550GNK	GL50656550GT	1258
229,5-235,5	40+80+80+40	150	GL40808040GOR	GL40808040GCB	GL40808040GNK	GL40808040GT	1268
229,5-235,5	50+70+70+50	130	GL50707050GOR	GL50707050GCB	GL50707050GNK	GL50707050GT	1274
239,5-245,5	60+65+65+60	120	GL60656560GOR	GL60656560GCB	GL60656560GNK	GL60656560GT	1300
249,5-255,5	50+80+80+50	150	GL50808050GOR	GL50808050GCB	GL50808050GNK	GL50808050GT	1310
249,5-255,5	60+70+70+60	130	GL60707060GOR	GL60707060GCB	GL60707060GNK	GL60707060GT	1316
269,5-275,5	60+80+80+60	150	GL60808060GOR	GL60808060GCB	GL60808060GNK	GL60808060GT	1352

HINGES

STEP 2 - Support selection

Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Adjustable arm 60 cm	1715OR+1715OR	1715CB+1715CB	1715NK+1715NK	1715T+1715T	120
200 cm bar with 2 supports	1717OR	1717CB	1717NK	1717T	120

Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Compensation profile +2cm fix side	0218OR	0218CB	0218NK	0218T	68
Magnet expansion +1.2 cm (see page 295)	1221				36

GLASS COMBI H Corner 2 folding doors + 2 fix



Chrome



Black




White



Magnet closing



Fix panels and doors to measure page289



STEP 1 - Selection of 2 sides of the shower enclosing

Range	Fix	Door	CHROME	BLACK	WHITE	Points
67-70	20	50	GL2050C	GL2050CN	GL2050CBL	441
72-75	25	50	GL2550C	GL2550CN	GL2550CBL	452
77-80	30	50	GL3050C	GL3050CN	GL3050CBL	462
82-85	20	65	GL2065C	GL2065CN	GL2065CBL	471
87-90	25	65	GL2565C	GL2565CN	GL2565CBL	482
87-90	20	70	GL2070C	GL2070CN	GL2070CBL	479
87-90	40	50	GL4050C	GL4050CN	GL4050CBL	483
92-95	25	70	GL2570C	GL2570CN	GL2570CBL	490
92-95	30	65	GL3065C	GL3065CN	GL3065CBL	492
97-100	30	70	GL3070C	GL3070CN	GL3070CBL	500
97-100	50	50	GL5050C	GL5050CN	GL5050CBL	504
97-100	20	80	GL2080C	GL2080CN	GL2080CBL	497
102-105	25	80	GL2580C	GL2580CN	GL2580CBL	508
102-105	40	65	GL4065C	GL4065CN	GL4065CBL	513
107-110	30	80	GL3080C	GL3080CN	GL3080CBL	518
107-110	40	70	GL4070C	GL4070CN	GL4070CBL	521
107-110	60	50	GL6050C	GL6050CN	GL6050CBL	525
112-115	50	65	GL5065C	GL5065CN	GL5065CBL	534
117-120	40	80	GL4080C	GL4080CN	GL4080CBL	539
117-120	50	70	GL5070C	GL5070CN	GL5070CBL	542
122-125	60	65	GL6065C	GL6065CN	GL6065CBL	555
127-130	50	80	GL5080C	GL5080CN	GL5080CBL	560
127-130	60	70	GL6070C	GL6070CN	GL6070CBL	563
137-140	60	80	GL6080C	GL6080CN	GL6080CBL	581

*Example: 120 (40+80) X 80 (30+50) + black arm = GL4080CN + GL3050CN + 1715N + 1715N

STEP 2 - Support selection

Description	CHROME	BLACK	WHITE	Points
Adjustable support arms 60cm	1715+1715	1715N+1715N	1715B+1715B	90
Parallel bar with corner connection	1716+1716+1730			155



Description	CHROME	BLACK	WHITE	Points
Compensation profile +2cm fix side	0218	9016	0218BL	53
Compensation profile +4cm fix side	0029			68
Magnet expansion +1.2 cm (see page 295)	1221			36

GLASS COMBI H Corner 2 folding doors + 2 fix



Gold



Copper



Nickel




Gunmetal



Magnet closing



Fix panels and doors to measure page 289



STEP 1 - Selection of 2 sides of the shower enclosing

Range	Fix	Door	GOLD	COPPER	NICKEL	GUNMETAL	Points
67-70	20	50	GL2050COR	GL2050CCB	GL2050CNK	GL2050CT	536
72-75	25	50	GL2550COR	GL2550CCB	GL2550CNK	GL2550CT	547
77-80	30	50	GL3050COR	GL3050CCB	GL3050CNK	GL3050CT	557
82-85	20	65	GL2065COR	GL2065CCB	GL2065CNK	GL2065CT	566
87-90	25	65	GL2565COR	GL2565CCB	GL2565CNK	GL2565CT	577
87-90	20	70	GL2070COR	GL2070CCB	GL2070CNK	GL2070CT	574
87-90	40	50	GL4050COR	GL4050CCB	GL4050CNK	GL4050CT	578
92-95	25	70	GL2570COR	GL2570CCB	GL2570CNK	GL2570CT	585
92-95	30	65	GL3065COR	GL3065CCB	GL3065CNK	GL3065CT	587
97-100	30	70	GL3070COR	GL3070CCB	GL3070CNK	GL3070CT	595
97-100	50	50	GL5050COR	GL5050CCB	GL5050CNK	GL5050CT	599
97-100	20	80	GL2080COR	GL2080CCB	GL2080CNK	GL2080CT	592
102-105	25	80	GL2580COR	GL2580CCB	GL2580CNK	GL2580CT	603
102-105	40	65	GL4065COR	GL4065CCB	GL4065CNK	GL4065CT	608
107-110	30	80	GL3080COR	GL3080CCB	GL3080CNK	GL3080CT	613
107-110	40	70	GL4070COR	GL4070CCB	GL4070CNK	GL4070CT	616
107-110	60	50	GL6050COR	GL6050CCB	GL6050CNK	GL6050CT	620
112-115	50	65	GL5065COR	GL5065CCB	GL5065CNK	GL5065CT	629
117-120	40	80	GL4080COR	GL4080CCB	GL4080CNK	GL4080CT	634
117-120	50	70	GL5070COR	GL5070CCB	GL5070CNK	GL5070CT	637
122-125	60	65	GL6065COR	GL6065CCB	GL6065CNK	GL6065CT	650
127-130	50	80	GL5080COR	GL5080CCB	GL5080CNK	GL5080CT	655
127-130	60	70	GL6070COR	GL6070CCB	GL6070CNK	GL6070CT	658
137-140	60	80	GL6080COR	GL6080CCB	GL6080CNK	GL6080CT	676

Example: 70 (20+50) x 70 (20+50) gold = GL2050OR + GL2050OR + 1715OR+1715OR

STEP 2 - Support selection

Description	GOLD	COPPER	NICKEL	GUNMETAL	P.
Adjustable clamping arm 60 cm	1715OR+1715OR	1715CB+1715CB	1715NK+1715NK	1715T+1715T	120

Description	GOLD	COPPER	NICKEL	GUNMETAL	Points
Compensation profile +2cm fix side	0218OR	0218CB	0218NK	0218T	68
Magnet expansion +1.2 cm (see page 295)	1221				36

GLASS COMBI | 2 folding doors



Range	Door	Door	Op.	● CHROME	● BLACK	● WHITE	Points
83-87	40	40	70	GL4040I	GL4040IN	GL4040IBL	754
88-92	40	45	75	GL4045I	GL4045IN	GL4045IBL	763
93-97	45	45	80	GL4545I	GL4545IN	GL4545IBL	772
98-102	45	50	85	GL4550I	GL4550IN	GL4550IBL	781
103-107	50	50	90	GL5050I	GL5050IN	GL5050IBL	790
118-122	50	65	105	GL5065I	GL5065IN	GL5065IBL	820
133-137	65	65	120	GL6565I	GL6565IN	GL6565IBL	850
138-142	65	70	125	GL6570I	GL6570IN	GL6570IBL	858
143-147	70	70	130	GL7070I	GL7070IN	GL7070IBL	866
153-157	70	80	140	GL7080I	GL7080IN	GL7080IBL	884
163-167	80	80	150	GL8080I	GL8080IN	GL8080IBL	902

*Can also be installed with hinge to the wall, the range is reduced by 3.1 cm on each side where it is installed

Description	Ref.	Points
Magnet expansion +1.2 cm (see page 295)	1221	36

GLASS COMBI | 2 folding doors



HINGES

Range	Door	Door	Op.	GOLD	COPPER	NICKEL	GUNMET.	Points
83-87	40	40	70	GL4040IOR	GL4040ICB	GL4040INK	GL4040IT	916
88-92	40	45	75	GL4045IOR	GL4045ICB	GL4045INK	GL4045IT	925
93-97	45	45	80	GL4545IOR	GL4545ICB	GL4545INK	GL4545IT	934
98-102	45	50	85	GL4550IOR	GL4550ICB	GL4550INK	GL4550IT	943
103-107	50	50	90	GL5050IOR	GL5050ICB	GL5050INK	GL5050IT	952
118-122	50	65	105	GL5065IOR	GL5065ICB	GL5065INK	GL5065IT	982
133-137	65	65	120	GL6565IOR	GL6565ICB	GL6565INK	GL6565IT	1012
138-142	65	70	125	GL6570IOR	GL6570ICB	GL6570INK	GL6570IT	1020
143-147	70	70	130	GL7070IOR	GL7070ICB	GL7070INK	GL7070IT	1028
153-157	70	80	140	GL7080IOR	GL7080ICB	GL7080INK	GL7080IT	1046
163-167	80	80	150	GL8080IOR	GL8080ICB	GL8080INK	GL8080IT	1064

*Can also be installed with hinge to the wall, the range is reduced by 3.1 cm on each side where it is installed

Description	Ref.	Points
Magnet expansion +1.2 cm (see page 295)	1221	36

GLASS COMBI K 2 doors to corner



Chrome



Black




White



Magnet closing



Fix panels and doors to measure page 289



Range	Door	Door	CHROME	BLACK	WHITE	Points
43,5-45,5/43,5-45,5	40	40	GL4040K	GL4040KN	GL4040KBL	754
48,5-50,5/43,5-45,5	45	40	GL4540K	GL4540KN	GL4540KBL	763
53,5-55,5/43,5-45,5	50	40	GL5040K	GL5040KN	GL5040KBL	772
68,5-70,5/43,5-45,5	65	40	GL6540K	GL6540KN	GL6540KBL	802
73,5-75,5/43,5-45,5	70	40	GL7040K	GL7040KN	GL7040KBL	810
83,5-85,5/43,5-45,5	80	40	GL8040K	GL8040KN	GL8040KBL	828
43,5-45,5/48,5-50,5	40	45	GL4045K	GL4045KN	GL4045KBL	763
48,5-50,5/48,5-50,5	45	45	GL4545K	GL4545KN	GL4545KBL	772
53,5-55,5/48,5-50,5	50	45	GL5045K	GL5045KN	GL5045KBL	781
68,5-70,5/48,5-50,5	65	45	GL6545K	GL6545KN	GL6545KBL	811
73,5-75,5/48,5-50,5	70	45	GL7045K	GL7045KN	GL7045KBL	819
83,5-85,5/48,5-50,5	80	45	GL8045K	GL8045KN	GL8045KBL	837
43,5-45,5/53,5-55,5	40	50	GL4050K	GL4050KN	GL4050KBL	772
48,5-50,5/53,5-55,5	45	50	GL4550K	GL4550KN	GL4550KBL	781
53,5-55,5/53,5-55,5	50	50	GL5050K	GL5050KN	GL5050KBL	790
68,5-70,5/53,5-55,5	65	50	GL6550K	GL6550KN	GL6550KBL	820
73,5-75,5/53,5-55,5	70	50	GL7050K	GL7050KN	GL7050KBL	828
83,5-85,5/53,5-55,5	80	50	GL8050K	GL8050KN	GL8050KBL	846
43,5-45,5/68,5-70,5	40	65	GL4065K	GL4065KN	GL4065KBL	802
48,5-50,5/68,5-70,5	45	65	GL4565K	GL4565KN	GL4565KBL	811
53,5-55,5/68,5-70,5	50	65	GL5065K	GL5065KN	GL5065KBL	820
68,5-70,5/68,5-70,5	65	65	GL6565K	GL6565KN	GL6565KBL	850
73,5-75,5/68,5-70,5	70	65	GL7065K	GL7065KN	GL7065KBL	858
83,5-85,5/68,5-70,5	80	65	GL8065K	GL8065KN	GL8065KBL	876
43,5-45,5/73,5-75,5	40	70	GL4070K	GL4070KN	GL4070KBL	810
48,5-50,5/73,5-75,5	45	70	GL4570K	GL4570KN	GL4570KBL	819
53,5-55,5/73,5-75,5	50	70	GL5070K	GL5070KN	GL5070KBL	828
68,5-70,5/73,5-75,5	65	70	GL6570K	GL6570KN	GL6570KBL	858
73,5-75,5/73,5-75,5	70	70	GL7070K	GL7070KN	GL7070KBL	866
83,5-85,5/73,5-75,5	80	70	GL8070K	GL8070KN	GL8070KBL	884
43,5-45,5/83,5-85,5	40	80	GL4080K	GL4080KN	GL4080KBL	828
48,5-50,5/83,5-85,5	45	80	GL4580K	GL4580KN	GL4580KBL	837
53,5-55,5/83,5-85,5	50	80	GL5080K	GL5080KN	GL5080KBL	846
68,5-70,5/83,5-85,5	65	80	GL6580K	GL6580KN	GL6580KBL	876
73,5-75,5/83,5-85,5	70	80	GL7080K	GL7080KN	GL7080KBL	884
83,5-85,5/83,5-85,5	80	80	GL8080K	GL8080KN	GL8080KBL	902

*Can also be installed with hinge to the wall, the range is reduced by 3.1 cm on each side where it is installed.

*Allows use of compensation profile on both sides.

Description	CHROME	BLACK	WHITE	Points
Compensation profile +2cm fix side	0218	9016	0218BL	53
Compensation profile +4cm fix side	0029			68
Magnet expansion +1.2 cm (see page 295)	1221			36

GLASS COMBI K 2 doors to corner



Gold



Copper



Nickel




Gunmetal



Magnet closing



Fix panels and doors to measure page 289



Range	Door	Door	GOLD	COPPER	NICKEL	GUNMET.	Points
43,5-45,5/43,5-45,5	40	40	GL4040KOR	GL4040KCB	GL4040KNK	GL4040KT	916
48,5-50,5/43,5-45,5	45	40	GL4540KOR	GL4540KCB	GL4540KNK	GL4540KT	925
53,5-55,5/43,5-45,5	50	40	GL5040KOR	GL5040KCB	GL5040KNK	GL5040KT	934
68,5-70,5/43,5-45,5	65	40	GL6540KOR	GL6540KCB	GL6540KNK	GL6540KT	964
73,5-75,5/43,5-45,5	70	40	GL7040KOR	GL7040KCB	GL7040KNK	GL7040KT	972
83,5-85,5/43,5-45,5	80	40	GL8040KOR	GL8040KCB	GL8040KNK	GL8040KT	990
43,5-45,5/48,5-50,5	40	45	GL4045KOR	GL4045KCB	GL4045KNK	GL4045KT	925
48,5-50,5/48,5-50,5	45	45	GL4545KOR	GL4545KCB	GL4545KNK	GL4545KT	934
53,5-55,5/48,5-50,5	50	45	GL5045KOR	GL5045KCB	GL5045KNK	GL5045KT	943
68,5-70,5/48,5-50,5	65	45	GL6545KOR	GL6545KCB	GL6545KNK	GL6545KT	973
73,5-75,5/48,5-50,5	70	45	GL7045KOR	GL7045KCB	GL7045KNK	GL7045KT	981
83,5-85,5/48,5-50,5	80	45	GL8045KOR	GL8045KCB	GL8045KNK	GL8045KT	999
43,5-45,5/53,5-55,5	40	50	GL4050KOR	GL4050KCB	GL4050KNK	GL4050KT	934
48,5-50,5/53,5-55,5	45	50	GL4550KOR	GL4550KCB	GL4550KNK	GL4550KT	943
53,5-55,5/53,5-55,5	50	50	GL5050KOR	GL5050KCB	GL5050KNK	GL5050KT	952
68,5-70,5/53,5-55,5	65	50	GL6550KOR	GL6550KCB	GL6550KNK	GL6550KT	982
73,5-75,5/53,5-55,5	70	50	GL7050KOR	GL7050KCB	GL7050KNK	GL7050KT	990
83,5-85,5/53,5-55,5	80	50	GL8050KOR	GL8050KCB	GL8050KNK	GL8050KT	1008
43,5-45,5/68,5-70,5	40	65	GL4065KOR	GL4065KCB	GL4065KNK	GL4065KT	964
48,5-50,5/68,5-70,5	45	65	GL4565KOR	GL4565KCB	GL4565KNK	GL4565KT	973
53,5-55,5/68,5-70,5	50	65	GL5065KOR	GL5065KCB	GL5065KNK	GL5065KT	982
68,5-70,5/68,5-70,5	65	65	GL6565KOR	GL6565KCB	GL6565KNK	GL6565KT	1012
73,5-75,5/68,5-70,5	70	65	GL7065KOR	GL7065KCB	GL7065KNK	GL7065KT	1020
83,5-85,5/68,5-70,5	80	65	GL8065KOR	GL8065KCB	GL8065KNK	GL8065KT	1038
43,5-45,5/73,5-75,5	40	70	GL4070KOR	GL4070KCB	GL4070KNK	GL4070KT	972
48,5-50,5/73,5-75,5	45	70	GL4570KOR	GL4570KCB	GL4570KNK	GL4570KT	981
53,5-55,5/73,5-75,5	50	70	GL5070KOR	GL5070KCB	GL5070KNK	GL5070KT	990
68,5-70,5/73,5-75,5	65	70	GL6570KOR	GL6570KCB	GL6570KNK	GL6570KT	1020
73,5-75,5/73,5-75,5	70	70	GL7070KOR	GL7070KCB	GL7070KNK	GL7070KT	1028
83,5-85,5/73,5-75,5	80	70	GL8070KOR	GL8070KCB	GL8070KNK	GL8070KT	1046
43,5-45,5/83,5-85,5	40	80	GL4080KOR	GL4080KCB	GL4080KNK	GL4080KT	990
48,5-50,5/83,5-85,5	45	80	GL4580KOR	GL4580KCB	GL4580KNK	GL4580KT	999
53,5-55,5/83,5-85,5	50	80	GL5080KOR	GL5080KCB	GL5080KNK	GL5080KT	1008
68,5-70,5/83,5-85,5	65	80	GL6580KOR	GL6580KCB	GL6580KNK	GL6580KT	1038
73,5-75,5/83,5-85,5	70	80	GL7080KOR	GL7080KCB	GL7080KNK	GL7080KT	1046
83,5-85,5/83,5-85,5	80	80	GL8080KOR	GL8080KCB	GL8080KNK	GL8080KT	1064

*Can also be installed with wall hinge, the range is reduced by 3.1 cm on each side where it is installed

*Allows use of compensation profile on both sides.

Description	GOLD	COPPER	NICKEL	GUNMETAL	Points
Compensation profile +2cm fix side	0218OR	0218CB	0218NK	0218T	68
Magnet expansion +1.2 cm (see page 295)	1221				36



GME
COLAB

CONFIGURATOR



Sign up



More information

Shower enclosing configurator

Discover our Shower enclosing Configurator available on our B2B, an intuitive and visual tool designed to facilitate the selection and customization of our products. With this configurator, you can easily and precisely choose the measurements, model, color and glass finishes, ensuring that every detail fits your needs and preferences.

Configurator features:

- **Visual Selection:** Choose sizes, model, color and glass finishes visually and easily.
- **Avoids errors:** Reduces errors in the transmission of manual orders thanks to its intuitive interface.
- **Online Access:** Available anytime, anywhere, so you can make your configurations whenever you need them.

Optimize your selection process and ensure the accuracy of your orders with our Shower enclosing Configurator.



Available for models:

BASIC 1F+1S+1F



OPEN



GLASS



GLASS MODULAR PROGRAM

FIX (glass only)


FIX	Range	Ref.	Points
FIX 20	17-20	1700	54
FIX 25	22-25	1701	65
FIX 30	27-30	1702	75
FIX 40	37-40	1703	96
FIX 50	47-50	1704	117
FIX 60	57-60	1705	138

DOORS (glass only)

DOORS	Measure	Ref.	Points
DOOR 30	30	1725	78
DOOR 35	35	1727	87
DOOR 40	40	1726	96
DOOR 45	45	1728	105
DOOR 50	50	1706	114
DOOR 65	65	1707	144
DOOR 70	70	1708	152
DOOR 80	80	1709	170

GLASS DOOR HARDWARE HINGED TO WALL


FINISH	Ref.	Point
● CHROME	1738	281
● BLACK	1738N	281
● WHITE	1738BL	281
● GOLD	1738OR	362
● COPPER	1738CB	362
● NICKEL	1738NK	362
● GUNMETAL	1738T	362



1738 It is used for both wall hinge and hinge to wall and hinge to profile.

GLASS DOOR HARDWARE HINGED TO FIXED

FINISH	Ref.	Point
● CHROME	1737	273
● BLACK	1737N	273
● WHITE	1737BL	273
● GOLD	1737OR	368
● COPPER	1737CB	368
● NICKEL	1737NK	368
● GUNMETAL	1737T	368



Fix side panel 6 mm

Description	Ref.	Points
Fix side panel glass 70	1760	165
Fix side panel glass 80	1761	180
Fix side panel glass 90	1762	195
Description	Ref.	Points
Chrome wall profile	5429	53
Black wall profile	5477	53
White wall profile	5473	53
Gold wall profile	5474	68
Copper wall profile	5476	68
Nickel wall profile	5475	68
Gunmetal wall profile	5478	68

GME

GLASS BIFOLD pg.244
1 panel + 1 folding glass



SPAZIO pg.244
1 sliding door



AKORD pg.250
2 bifold doors

TANDEM pg.248
Bifold + fixed and sliding





BIFOLD GLASS



COMBI 1 with magnet wall closing

Measures	Range	References	Points
60 (30+30)	57,5-59	1712+1725	513
70 (40+30)	67,5-69	1713+1725	533
75 (40+35)	72,5-74	1713+1727	542
80 (40+40)	77,5-79	1713+1726	551
80 (50+30)	77,5-79	1714+1725	551
85 (50+35)	82,5-84	1714+1727	560
90 (50+40)	87,5-89	1714+1726	569
95 (50+45)	92,5-94	1714+1728	578
100 (50+50)	97,5-99	1714+1706	587

Allows combination with fixed side Glass on the door side, the range of the wall-to-wall side will be reduced by 0,5 cm

Description	Ref.	Points
Door profile (reduces the range by 1 cm)	1215	38
Expansion profile +2,5 cm	1222	72
Expansion magnets +1,2 cm	1221	36



Option doors to measure (see page 289)

Description	Ref.	Points
Door <80cm	1338	225




COMBI 2 with magnet profile closing

Measure	Range	References	Points
65 (30+30)	60-64	1712+1725+1212	603
75 (40+30)	70-74	1713+1725+1212	623
80 (40+35)	75-79	1713+1727+1212	632
85 (40+40)	80-84	1713+1726+1212	641
85 (50+30)	80-84	1714+1725+1212	641
90 (50+35)	85-89	1714+1727+1212	650
95 (50+40)	90-94	1714+1726+1212	659
100 (50+45)	95-99	1714+1728+1212	668
105 (50+50)	100-104	1714+1706+1212	677

Can be combined with STD fix side panel on the door side, minimum wall-to-wall reach increases by 0.7 cm

Description	Ref.	Points
Door profile (reduces the range by 1 cm)	1215	38
Expansion profile glass side +2,5 cm	1222	72
Expansion magnets +1,2 cm	1221	36
Exp. profile for fix wall profile (+3cm)	0218	53
Exp. profile for fix wall profile (+6cm)	0029	68



BIFOLD GLASS BLACK



COMBI 1 with magnet wall closing

Measures	Range	References	Points
60 (30+30)	57,5-59	1712N+1725	543
70 (40+30)	67,5-69	1713N+1725	563
75 (40+35)	72,5-74	1713N+1727	572
80 (40+40)	77,5-79	1713N+1726	581
80 (50+30)	77,5-79	1714N+1725	581
85 (50+35)	82,5-84	1714N+1727	590
90 (50+40)	87,5-89	1714N+1726	599
95 (50+45)	92,5-94	1714N+1728	608
100 (50+50)	97,5-99	1714N+1706	617

Allows combination with fixed side Glass on the door side, the range of the wall-to-wall side will be reduced by 0,5 cm

Description	Ref.	Points
Door profile (reduces the range by 1 cm)	9014	38
Expansion profile +2,5 cm	9015	72
Expansion magnets +1,2 cm	1221	36



Option doors to measure (see page 289)

Description	Ref.	Points
Door <80cm	1338	225

COMBI 2 with magnet profile closing

Measure	Range	References	Points
65 (30+30)	60-64	1712N+1725+9013	633
75 (40+30)	70-74	1713N+1725+9013	653
80 (40+35)	75-79	1713N+1727+9013	662
85 (40+40)	80-84	1713N+1726+9013	671
85 (50+30)	80-84	1714N+1725+9013	671
90 (50+35)	85-89	1714N+1727+9013	680
95 (50+40)	90-94	1714N+1726+9013	689
100 (50+45)	95-99	1714N+1728+9013	698
105 (50+50)	100-104	1714N+1706+9013	707

Can be combined with STD fix side panel on the door side, minimum wall-to-wall reach increases by 0.7 cm

Description	Ref.	Points
Door profile (reduces the range by 1 cm)	9014	38
Expansion profile glass side +2,5 cm	9015	72
Expansion magnets +1,2 cm	1221	36
Exp. profile magnet profile closing side (+3cm)	9016	53

BIFOLD GLASS+ fix side



COMBI 1 + FIX SIDE 70 w/ARM 1715

Measures	Range	References	Points
60 (30+30)x70	57-58,5/66-69	1712+1725+1720F+1715	807
70 (40+30)x70	67-68,5/66-69	1713+1725+1720F+1715	827
75 (40+35)x70	72-73,5/66-69	1713+1727+1720F+1715	836
80 (40+40)x70	77-78,5/66-69	1713+1726+1720F+1715	845
80 (50+30)x70	77-78,5/66-69	1714+1725+1720F+1715	845
85 (50+35)x70	82-83,5/66-69	1714+1727+1720F+1715	854
90 (50+40)x70	87-88,5/66-69	1714+1726+1720F+1715	863
95 (50+45)x70	92-93,5/66-69	1714+1728+1720F+1715	872
100 (50+50)x70	97-98,5/66-69	1714+1706+1720F+1715	881

COMBI 1 + FIX SIDE 80 w/ARM 1715

Measures	Range	References	Points
60 (30+30)x80	57-58,5/76-79	1712+1725+1721F+1715	825
70 (40+30)x80	67-68,5/76-79	1713+1725+1721F+1715	845
75 (40+35)x80	72-73,5/76-79	1713+1727+1721F+1715	854
80 (40+40)x80	77-78,5/76-79	1713+1726+1721F+1715	863
80 (50+30)x80	77-78,5/76-79	1714+1725+1721F+1715	863
85 (50+35)x80	82-83,5/76-79	1714+1727+1721F+1715	872
90 (50+40)x80	87-88,5/76-79	1714+1726+1721F+1715	881
95 (50+45)x80	92-93,5/76-79	1714+1728+1721F+1715	890
100 (50+50)x80	97-98,5/76-79	1714+1706+1721F+1715	899

COMBI 1 + FIX SIDE 90 w/ARM 1715


Measures	Range	References	Points
60 (30+30)x90	57-58,5/86-89	1712+1725+1722F+1715	843
70 (40+30)x90	67-68,5/86-89	1713+1725+1722F+1715	863
75 (40+35)x90	72-73,5/86-89	1713+1727+1722F+1715	872
80 (40+40)x90	77-78,5/86-89	1713+1726+1722F+1715	881
80 (50+30)x90	77-78,5/86-89	1714+1725+1722F+1715	881
85 (50+35)x90	82-83,5/86-89	1714+1727+1722F+1715	890
90 (50+40)x90	87-88,5/86-89	1714+1726+1722F+1715	899
95 (50+45)x90	92-93,5/86-89	1714+1728+1722F+1715	908
100 (50+50)x90	97-98,5/86-89	1714+1706+1722F+1715	917

Fix side panel BIFOLD GLASS 6 mm

Description	Range	Ref.	Points
Fix side panel 70	66 - 69	1720F	249
Fix side panel 80	76 - 79	1721F	267
Fix side panel 90	86 - 89	1722F	285

Description	Ref.	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68

Arm option



Parallel bar with support
ref. **1716+1718**
(replace ref. 1715)

Points

90



Fix side panel to measure 6 mm (more information on page 291)

Description	References	Points	Boxed
Fix side to measure GLASS BIFOLD until 40 cm	1380	311	+32
Fix side to measure GLASS BIFOLD from 40 until 80cm	1381	424	+32
Fix side to measure GLASS BIFOLD from 80 until 120cm	1382	529	+32

*Delivery time 3 weeks

BIFOLD GLASS BLACK+ fix side



COMBI 1 + FIX SIDE 70 w/ARM 1715N

Measures	Range	References	Points
60 (30+30)x70	57-58,5/66-69	1712N+1725+1720FN+1715N	852
70 (40+30)x70	67-68,5/66-69	1713N+1725+1720FN+1715N	872
75 (40+35)x70	72-73,5/66-69	1713N+1727+1720FN+1715N	881
80 (40+40)x70	77-78,5/66-69	1713N+1726+1720FN+1715N	890
80 (50+30)x70	77-78,5/66-69	1714N+1725+1720FN+1715N	890
85 (50+35)x70	82-83,5/66-69	1714N+1727+1720FN+1715N	899
90 (50+40)x70	87-88,5/66-69	1714N+1726+1720FN+1715N	908
95 (50+45)x70	92-93,5/66-69	1714N+1728+1720FN+1715N	917
100 (50+50)x70	97-98,5/66-69	1714N+1706+1720FN+1715N	926

COMBI 1 + FIX SIDE 80 w/ARM 1715N

Measures	Range	References	Points
60 (30+30)x80	57-58,5/76-79	1712N+1725+1721FN+1715N	870
70 (40+30)x80	67-68,5/76-79	1713N+1725+1721FN+1715N	890
75 (40+35)x80	72-73,5/76-79	1713N+1727+1721FN+1715N	899
80 (40+40)x80	77-78,5/76-79	1713N+1726+1721FN+1715N	908
80 (50+30)x80	77-78,5/76-79	1714N+1725+1721FN+1715N	908
85 (50+35)x80	82-83,5/76-79	1714N+1727+1721FN+1715N	917
90 (50+40)x80	87-88,5/76-79	1714N+1726+1721FN+1715N	926
95 (50+45)x80	92-93,5/76-79	1714N+1728+1721FN+1715N	935
100 (50+50)x80	97-98,5/76-79	1714N+1706+1721FN+1715N	944

COMBI 1 + FIX SIDE 90 w/ARM 1715N

Measures	Range	References	Points
60 (30+30)x90	57-58,5/86-89	1712N+1725+1722FN+1715N	888
70 (40+30)x90	67-68,5/86-89	1713N+1725+1722FN+1715N	908
75 (40+35)x90	72-73,5/86-89	1713N+1727+1722FN+1715N	917
80 (40+40)x90	77-78,5/86-89	1713N+1726+1722FN+1715N	926
80 (50+30)x90	77-78,5/86-89	1714N+1725+1722FN+1715N	926
85 (50+35)x90	82-83,5/86-89	1714N+1727+1722FN+1715N	935
90 (50+40)x90	87-88,5/86-89	1714N+1726+1722FN+1715N	944
95 (50+45)x90	92-93,5/86-89	1714N+1728+1722FN+1715N	953
100 (50+50)x90	97-98,5/86-89	1714N+1706+1722FN+1715N	962


Fix side panel BIFOLD GLASS BLACK 6 mm

Description	Range	Ref.	Points
Fix side panel 70	66 - 69	1720FN	264
Fix side panel 80	76 - 79	1721FN	282
Fix side panel 90	86 - 89	1722FN	300

Description	Ref.	Points
Compensation profile black+2cm	9016	53

Arm option

Points



Parallel bar with support
ref. 9026+9028
(replace ref. 1715N)

90



Fix side panel to measure 6 mm (more information on page 291)

Description	Ref.	Points	Boxed
Fix side panel to measure GLASS BIFOLD BLACK until 40 cm	1380N	311	+32
Fix side panel to measure GLASS BIFOLD BLACK from 40 until 80cm	1381N	424	+32
Fix side panel to measure GLASS BIFOLD BLACK from 80 until 120cm	1382N	529	+32

*Delivery time 3 weeks

AKORD

bifold



Wall-to-wall AKORD

Range	Opening	References	Points
66-71	50	0830	644
76-81	60	0831	660
86-91	70	0832	678
96-101	80	0833	696

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68



Bifold blade system

Combinations AKORD + Fix side panel STD

Ranges	References	Points
66,4-68,9/66-69	0830+0814	937
76,4-78,9/66-69	0831+0814	953
86,4-88,9/66-69	0832+0814	971
96,4-98,9/66-69	0833+0814	989

Ranges	References	Points
66,4-68,9/76-79	0830+0815	952
76,4-78,9/76-79	0831+0815	968
86,4-88,9/76-79	0832+0815	986
96,4-98,9/76-79	0833+0815	1004

*Can be combined with fixed STD (see page 198)

Description	References	Points
Compensation profile +2cm	0218	53
Compensation profile +4cm	0029	68


SPAZIO COMBI A



H195
Height



6mm
Glass thickness



Bifold



Reversible



aluminio
AL
aluminium



clear
shield
glass



BIFOLD

Measure	Opening	Range (cm)	CHROME		BLACK	
			Reference	Points	Reference	Points
65	49	62,5-64	1260+1215	601	1260N+9014	608
65	49	63,5-65	1260+1211	601	1260N+9012	608
70	54	68-69,5	1261+1215	614	1261N+9014	622
70	54	69-70,5	1261+1211	614	1261N+9012	622
75	60	73,5-75	1262+1215	629	1262N+9014	637
75	60	74,5-76	1262+1211	629	1262N+9012	637

Description	Ref.	P.
Chrome door expansion profile (+1cm over max. range + expansion 2.5cm)	1222	72
Black door expansion profile (+1cm over max. range + expansion 2.5cm)	9015	72


Example: combination 1260+1211 (range 63,5-65). Adding profile 1222 the new range will be 66-68,5cm.



The depth must be = or > than the maximum range of the door.

SPAZIO

COMBI A + Fix side panel




Measures	Op.	Ranges	CHROME		BLACK	
			Reference	Points	Reference	Points
65x70	49	62,5-64/66,5-69	1260+1215+1263	843	1260N+9014+1263N	857
65x70	49	63,5-65/66,5-69	1260+1211+1263	843	1260N+9012+1263N	857
65x80	49	62,5-64/76,5-79	1260+1215+1264	865	1260N+9014+1264N	880
65x80	49	63,5-65/76,5-79	1260+1211+1264	865	1260N+9012+1264N	880
70x80	54	68-69,5/76,5-79	1261+1215+1264	878	1261N+9014+1264N	894
70x80	54	69-70,5/76,5-79	1261+1211+1264	878	1261N+9012+1264N	894
75x80	60	73,5-75/76,5-79	1262+1215+1264	893	1262N+9014+1264N	909
75x80	60	74,5-76/76,5-79	1262+1211+1264	893	1262N+9012+1264N	909
65x90	49	62,5-64/86,5-89	1260+1215+1265	886	1260N+9014+1265N	901
65x90	49	63,5-65/86,5-89	1260+1211+1265	886	1260N+9012+1265N	901
70x90	54	68-69,5/86,5-89	1261+1215+1265	899	1261N+9014+1265N	915
70x90	54	69-70,5/86,5-89	1261+1211+1265	899	1261N+9012+1265N	915
75x90	60	73,5-75/86,5-89	1262+1215+1265	914	1262N+9014+1265N	930
75x90	60	74,5-76/86,5-89	1262+1211+1265	914	1262N+9012+1265N	930

*Can be installed with fixed on both sides, ask factory.

Description	Reference	Points
Fixed side expansion profile +3	0218	53
Fixed side expansion profile +6	0029	68
Chrome door expansion profile (+1cm over max. range + expansion 2.5cm)*	1222	72
Black door expansion profile (+1cm over max. range + expansion 2.5cm)*	9015	72

*Example: combination 1260+1211 (range 63,5-65). Adding profile 1222 the new range will be 66-68,5cm.



					CHROME		BLACK	
Measures	Op.	Range	Fix	Door	Reference	Points	Reference	Points
85	49	79,5-82	20	65	1200+1260	698	9024+1260N	705
90	54	84,5-87	20	70	1200+1261	711	9024+1261N	719
90	49	84,5-87	25	65	1201+1260	709	9025+1260N	716
95	60	90-92,5	20	75	1200+1262	726	9024+1262N	734
95	54	90-92,5	25	70	1201+1261	722	9025+1261N	730
95	49	90-92,5	30	65	1202+1260	719	9000+1260N	726
100	60	95-97,5	25	75	1201+1262	737	9025+1262N	745
100	54	95-97,5	30	70	1202+1261	732	9000+1261N	740
105	49	100,5-103	40	65	1203+1260	743	9001+1260N	750
105	60	100,5-103	30	75	1202+1262	747	9000+1262N	755
110	54	105-107,5	40	70	1203+1261	756	9001+1261N	764
115	49	109,5-112	50	65	1204+1260	766	9002+1260N	773
115	60	109,5-112	40	75	1203+1262	771	9001+1262N	779
120	54	115-117,5	50	70	1204+1261	779	9002+1261N	787
125	49	120,5-123	60	65	1205+1260	788	9003+1260N	795
125	60	120,5-123	50	75	1204+1262	794	9002+1262N	802
125	54	125-127,5	60	70	1205+1261	801	9003+1261N	809
135	60	130,5-133	60	75	1205+1262	816	9003+1262N	824

Description	Reference	Points
Expansion profile fix side +3cm	0218	53
Expansion profile fix side +6cm	0029	68

The depth should be = or > than the maximum range of the door

SPAZIO COMBI B + Fix side panel





combinations SPAZIO + fix side panel

Measures	Openings	Range	Fix	Door	Reference	Points
85x70	49	79,5-82/66,5-69	20	65	1200+1260+1263	940
90x70	49	84,5-87/66,5-69	25	65	1201+1260+1263	951
95x70	49	90-92,5/66,5-69	30	65	1202+1260+1263	961
105x70	49	100,5-103/66,5-69	40	65	1203+1260+1263	985
115x70	49	109,5-112/66,5-69	50	65	1204+1260+1263	1008
125x70	49	120,5-123/66,5-69	60	65	1205+1260+1263	1030
85x80	49	79,5-82/76,5-79	20	65	1200+1260+1264	962
90x80	54	84,5-87/76,5-79	20	70	1200+1261+1264	975
90x80	49	84,5-87/76,5-79	25	65	1201+1260+1264	973
95x80	60	90-92,5/76,5-79	20	75	1200+1262+1264	990
95x80	54	90-92,5/76,5-79	25	70	1201+1261+1264	986
95x80	49	90-92,5/76,5-79	30	65	1202+1260+1264	983
100x80	60	95-97,5/76,5-79	25	75	1201+1262+1264	1001
100x80	54	95-97,5/76,5-79	30	70	1202+1261+1264	996
105x80	49	100,5-103/76,5-79	40	65	1203+1260+1264	1007
105x80	60	100,5-103/76,5-79	30	75	1202+1262+1264	1011
110x80	54	105-107,5/76,5-79	40	70	1203+1261+1264	1020
115x80	49	109,5-112/76,5-79	50	65	1204+1260+1264	1030
115x80	60	109,5-112/76,5-79	40	75	1203+1262+1264	1035
120x80	54	115-117,5/76,5-79	50	70	1204+1261+1264	1043
125x80	49	120,5-123/76,5-79	60	65	1205+1260+1264	1052
125x80	60	120,5-123/76,5-79	50	75	1204+1262+1264	1058
130x80	54	125-127,5/76,5-79	60	70	1205+1261+1264	1065
135x80	60	130,5-133/76,5-79	60	75	1205+1262+1264	1080
85x90	49	79,5-82/86,5-89	20	65	1200+1260+1265	983
90x90	54	84,5-87/86,5-89	20	70	1200+1261+1265	996
90x90	49	84,5-87/86,5-89	25	65	1201+1260+1265	994
95x90	60	90-92,5/86,5-89	20	75	1200+1262+1265	1011
95x90	54	90-92,5/86,5-89	25	70	1201+1261+1265	1007
95x90	49	90-92,5/86,5-89	30	65	1202+1260+1265	1004
100x90	60	95-97,5/86,5-89	25	75	1201+1262+1265	1022
100x90	54	95-97,5/86,5-89	30	70	1202+1261+1265	1017
105x90	49	100,5-103/86,5-89	40	65	1203+1260+1265	1028
105x90	60	100,5-103/86,5-89	30	75	1202+1262+1265	1032
110x90	54	105-107,5/86,5-89	40	70	1203+1261+1265	1041
115x90	49	109,5-112/86,5-89	50	65	1204+1260+1265	1051
115x90	60	109,5-112/86,5-89	40	75	1203+1262+1265	1056
120x90	54	115-117,5/86,5-89	50	70	1204+1261+1265	1064
125x90	49	120,5-123/86,5-89	60	65	1205+1260+1265	1073
125x90	60	120,5-123/86,5-89	50	75	1204+1262+1265	1079
130x90	54	125-127,5/86,5-89	60	70	1205+1261+1265	1086
135x90	60	130,5-133/86,5-89	60	75	1205+1262+1265	1101

*Can be installed with fixed on both sides, ask factory.




Description	Reference	Points
Fix side panel to measure <40cm	1345SP	393
Fix side panel made to measure from 40cm until 90cm	1316SP	506
Fix side panel made to measure from >90cm until 120cm	1317SP	679

*Delivery time 3 weeks

SPAZIO COMBI B + Black fix side panel





combinations SPAZIO + fix side panel

Measures	Openings	Range	Fix	Door	Reference	Points
85x70	49	79,5-82/66,5-69	20	65	9024+1260N+1263N	954
90x70	49	84,5-87/66,5-69	25	65	9025+1260N+1263N	965
95x70	49	90-92,5/66,5-69	30	65	9000+1260N+1263N	975
105x70	49	100,5-103/66,5-69	40	65	9001+1260N+1263N	999
115x70	49	109,5-112/66,5-69	50	65	9002+1260N+1263N	1022
125x70	49	120,5-123/66,5-69	60	65	9003+1260N+1263N	1044
85x80	49	79,5-82/76,5-79	20	65	9024+1260N+1264N	977
90x80	54	84,5-87/76,5-79	20	70	9024+1261N+1264N	991
90x80	49	84,5-87/76,5-79	25	65	9025+1260N+1264N	988
95x80	60	90-92,5/76,5-79	20	75	9024+1262N+1264N	1006
95x80	54	90-92,5/76,5-79	25	70	9025+1261N+1264N	1002
95x80	49	90-92,5/76,5-79	30	65	9000+1260N+1264N	998
100x80	60	95-97,5/76,5-79	25	75	9025+1262N+1264N	1017
100x80	54	95-97,5/76,5-79	30	70	9000+1261N+1264N	1012
105x80	49	100,5-103/76,5-79	40	65	9001+1260N+1264N	1022
105x80	60	100,5-103/76,5-79	30	75	9000+1262N+1264N	1027
110x80	54	105-107,5/76,5-79	40	70	9001+1261N+1264N	1036
115x80	49	109,5-112/76,5-79	50	65	9002+1260N+1264N	1045
115x80	60	109,5-112/76,5-79	40	75	9001+1262N+1264N	1051
120x80	54	115-117,5/76,5-79	50	70	9002+1261N+1264N	1059
125x80	49	120,5-123/76,5-79	60	65	9003+1260N+1264N	1067
125x80	60	120,5-123/76,5-79	50	75	9002+1262N+1264N	1074
130x80	54	125-127,5/76,5-79	60	70	9003+1261N+1264N	1081
135x80	60	130,5-133/76,5-79	60	75	9003+1262N+1264N	1096
85x90	49	79,5-82/86,5-89	20	65	9024+1260N+1265N	998
90x90	54	84,5-87/86,5-89	20	70	9024+1261N+1265N	1012
90x90	49	84,5-87/86,5-89	25	65	9025+1260N+1265N	1009
95x90	60	90-92,5/86,5-89	20	75	9024+1262N+1265N	1027
95x90	54	90-92,5/86,5-89	25	70	9025+1261N+1265N	1023
95x90	49	90-92,5/86,5-89	30	65	9000+1260N+1265N	1019
100x90	60	95-97,5/86,5-89	25	75	9025+1262N+1265N	1038
100x90	54	95-97,5/86,5-89	30	70	9000+1261N+1265N	1033
105x90	49	100,5-103/86,5-89	40	65	9001+1260N+1265N	1043
105x90	60	100,5-103/86,5-89	30	75	9000+1262N+1265N	1048
110x90	54	105-107,5/86,5-89	40	70	9001+1261N+1265N	1057
115x90	49	109,5-112/86,5-89	50	65	9002+1260N+1265N	1066
115x90	60	109,5-112/86,5-89	40	75	9001+1262N+1265N	1072
120x90	54	115-117,5/86,5-89	50	70	9002+1261N+1265N	1080
125x90	49	120,5-123/86,5-89	60	65	9003+1260N+1265N	1088
125x90	60	120,5-123/86,5-89	50	75	9002+1262N+1265N	1095
130x90	54	125-127,5/86,5-89	60	70	9003+1261N+1265N	1102
135x90	60	130,5-133/86,5-89	60	75	9003+1262N+1265N	1117

*Can be installed with fixed on both sides, ask factory.







Description	Reference	Points
Fix side panel to measute until <40cm	1345NSP	393
Fix side panel made to measure from 40cm until 90cm	1316NSP	506
Fix side panel made to measure from >90cm until 120cm	1317NSP	679

*Delivery time 3 weeks

TANDEM fix + slinding and bifold





Combinations TANDEM corner

F+SxFold.	Op.	Ranges	References	Points	F+SxFold.	Op.	Ranges	References	Points
70x70	59	63-68 / 66,5-69,5	5018+5423+1740	1004	70x75	66	63-68 / 71,5-74,5	5018+5423+1743	1013
75x70	59	68-73 / 66,5-69,5	5029+5423+1740	1012	75x75	67	68-73 / 71,5-74,5	5029+5423+1743	1021
80x70	61	73-78 / 66,5-69,5	5019+5423+1740	1019	80x75	68	73-78 / 71,5-74,5	5019+5423+1743	1028
85x70	63	78-83 / 66,5-69,5	5030+5423+1740	1028	85x75	69	78-83 / 71,5-74,5	5030+5423+1743	1037
90x70	64	83-88 / 66,5-69,5	5020+5423+1740	1036	90x75	70	83-88 / 71,5-74,5	5020+5423+1743	1045
95x70	66	88-93 / 66,5-69,5	5031+5423+1740	1040	95x75	72	88-93 / 71,5-74,5	5031+5423+1743	1049
100x70	67	93-98 / 66,5-69,5	5021+5423+1740	1043	100x75	73	93-98 / 71,5-74,5	5021+5423+1743	1052
110x70	68	102-107 / 66,5-69,5	5002+5423+1740	1058	110x75	74	102-107 / 71,5-74,5	5002+5423+1743	1067
120x70	73	113-118 / 66,5-69,5	5022+5423+1740	1075	120x75	79	113-118 / 71,5-74,5	5022+5423+1743	1084
130x70	74	122-127 / 66,5-69,5	5006+5424+1740	1106	130x75	80	122-127 / 71,5-74,5	5006+5424+1743	1115
140x70	78	132-137 / 66,5-69,5	5008+5424+1740	1120	140x75	83	132-137 / 71,5-74,5	5008+5424+1743	1129
F+SxFold.	Op.	Ranges	References	P	F+SxFold.	Op.	Ranges	References	P
70X80	68	63-68 / 76,5-79,5	5018+5423+1741	1021	70X90	77	63-68 / 86,5-89,5	5018+5423+1742	1037
75x80	68	68-73 / 76,5-79,5	5029+5423+1741	1029	75x90	77	68-73 / 86,5-89,5	5029+5423+1742	1045
80X80	70	73-78 / 76,5-79,5	5019+5423+1741	1036	80x90	79	73-78 / 86,5-89,5	5019+5423+1742	1052
85x80	71	78-83 / 76,5-79,5	5030+5423+1741	1045	85x90	80	78-83 / 86,5-89,5	5030+5423+1742	1061
90X80	72	83-88 / 76,5-79,5	5020+5423+1741	1053	90X90	81	83-88 / 86,5-89,5	5020+5423+1742	1069
95x80	74	88-93 / 76,5-79,5	5031+5423+1741	1057	95x90	82	88-93 / 86,5-89,5	5031+5423+1742	1073
100X80	75	93-98 / 76,5-79,5	5021+5423+1741	1060	100X90	83	93-98 / 86,5-89,5	5021+5423+1742	1076
110x80	76	102-107 / 76,5-79,5	5002+5423+1741	1075	110x90	84	102-107 / 86,5-89,5	5002+5423+1742	1091
120X80	81	113-118 / 76,5-79,5	5022+5423+1741	1092	120X90	88	113-118 / 86,5-89,5	5022+5423+1742	1108
130X80	82	122-127 / 76,5-79,5	5006+5424+1741	1123	130x90	89	122-127 / 86,5-89,5	5006+5424+1742	1139
140X80	85	132-137 / 76,5-79,5	5008+5424+1741	1137	140X90	92	132-137 / 86,5-89,5	5008+5424+1742	1153

They can be combined with Basic wall-to-wall of intermediate sizes, range +2cm.

Description	References	Points
Compensation profile +1,5 cm for fix + sliding side	5429	53
Compensation profile +2,5 for folding side	1222	72



Made-to-measure screens and special glass	Boxed
Shower enclosing to measure +45%	+32

The fix and sliding side and the folding side door with a height of 195 cm can be made to measure.

*Delivery time 3 weeks

GME

TRIO pg.256
1 fix and 2 slidings



TRIO BLACK pg.258
1 fix and 2 slidings




BYPASS pg.260
2 slidings



SLIDING DOOR pg.262
Sliding



TRIO 1 fix + 2 slidings



Decorative plate

Description	Range	Opening	References	Points
Wall-to-wall 1F+2S TRIO 90	86-91	43-45	1230	705
Wall-to-wall 1F+2S TRIO 95	91-96	46-48	1231	720
Wall-to-wall 1F+2S TRIO 100	96-101	49-51	1232	735
Wall-to-wall 1F+2S TRIO 105	101-106	53-55	1233	750
Wall-to-wall 1F+2S TRIO 110	106-111	56-58	1234	767
Wall-to-wall 1F+2S TRIO 115	111-116	59-61	1235	782
Wall-to-wall 1F+2S TRIO 120	116-121	63-65	1236	795
Wall-to-wall 1F+2S TRIO 125	121-126	66-68	1237	806
Wall-to-wall 1F+2S TRIO 130	126-131	69-71	1238	819
Wall-to-wall 1F+2S TRIO 135	131-136	73-75	1239	831
Wall-to-wall 1F+2S TRIO 140	136-141	76-78	1240	840
Wall-to-wall 1F+2S TRIO 145	141-146	79-81	1243	858
Wall-to-wall 1F+2S TRIO 150	146-151	82-84	1244	875
Wall-to-wall 1F+2S TRIO 155	151-156	85-88	1245	894
Wall-to-wall 1F+2S TRIO 160	156-161	89-91	1246	912
Decorative plate 195x3,8 cm			0007	45

TRIO front + fix side panel



Measures	Ranges	References	Points	Meas.	Ranges	References	Points
90x70	87-89,5 / 67-69,5	1230 + 1241	1050	90x80	87-89,5 / 77-79,5	1230 + 1242	1068
95x70	92-94,5 / 67-69,5	1231 + 1241	1065	95x80	92-94,5 / 77-79,5	1231 + 1242	1083
100x70	97-99,5 / 67-69,5	1232 + 1241	1080	100x80	97-99,5 / 77-79,5	1232 + 1242	1098
105x70	102-104,5 / 67-69,5	1233 + 1241	1095	105x80	102-104,5 / 77-79,5	1233 + 1242	1113
110x70	107-109,5 / 67-69,5	1234 + 1241	1112	110x80	107-109,5 / 77-79,5	1234 + 1242	1130
115x70	112-114,5 / 67-69,5	1235 + 1241	1127	115x80	112-114,5 / 77-79,5	1235 + 1242	1145
120x70	117-119,5 / 67-69,5	1236 + 1241	1140	120x80	117-119,5 / 77-79,5	1236 + 1242	1158
125x70	122-124,5 / 67-69,5	1237 + 1241	1151	125x80	122-124,5 / 77-79,5	1237 + 1242	1169
130x70	127-129,5 / 67-69,5	1238 + 1241	1164	130x80	127-129,5 / 77-79,5	1238 + 1242	1182
135x70	132-134,5 / 67-69,5	1239 + 1241	1176	135x80	132-134,5 / 77-79,5	1239 + 1242	1194
140x70	137-139,5 / 67-69,5	1240 + 1241	1185	140x80	137-139,5 / 77-79,5	1240 + 1242	1203
145x70	142-144,5 / 67-69,5	1243 + 1241	1203	145x80	142-144,5 / 77-79,5	1243 + 1242	1221
150x70	147-149,5 / 67-69,5	1244 + 1241	1220	150x80	147-149,5 / 77-79,5	1244 + 1242	1238
155x70	152-154,5 / 67-69,5	1245 + 1241	1239	155x80	152-154,5 / 77-79,5	1245 + 1242	1257
160x70	157-159,5 / 67-69,5	1246 + 1241	1257	160x80	157-159,5 / 77-79,5	1246 + 1242	1275

Description	References	Points
Compensation profile +3cm only for fix side panel	0218	53
Compensation profile +6cm only for fix side panel	0029	68



Fix side panel to measure TRIO (more information on page 291)

Description	References	Points	Boxed
Fix side to measure until 40 cm	1342	309	+32
Fix side panel to measure from 40 until 80cm	1303	429	+32
Fix side panel to measure from 80 until 120cm	1309	534	+32

*Delivery time 3 weeks

TRIO BLACK 1 fix + 2 slidings



Description	Range	Opening	References	Points
Wall-to-wall 1F+2S TRIO BLACK 100	96-101	49-51	1232N	750
Wall-to-wall 1F+2S TRIO BLACK 105	101-106	53-55	1233N	765
Wall-to-wall 1F+2S TRIO BLACK 110	106-111	56-58	1234N	782
Wall-to-wall 1F+2S TRIO BLACK 115	111-116	59-61	1235N	797
Wall-to-wall 1F+2S TRIO BLACK 120	116-121	63-65	1236N	810
Decorative black plate 195x3,8 cm			0007N	45
Option black vertical rubber bands			0014	23

TRIO BLACK front + fix side panel



Measures	Ranges	References	Points
100x70	97-99,5 / 67-69,5	1232N+1241N	1095
105x70	102-104,5 / 67-69,5	1233N+1241N	1113
110x70	107-109,5 / 67-69,5	1234N+1241N	1110
115x70	112-114,5 / 67-69,5	1235N+1241N	1128
120x70	117-119,5 / 67-69,5	1236N+1241N	1127
100x80	97-99,5 / 77-79,5	1232N+1242N	1145
105x80	102-104,5 / 77-79,5	1233N+1242N	1142
110x80	107-109,5 / 77-79,5	1234N+1242N	1160
115x80	112-114,5 / 77-79,5	1235N+1242N	1155
120x80	117-119,5 / 77-79,5	1236N+1242N	1173

*The apertures are the same as in the wall-to-wall.

Description	References	Points
Compensation profile +3cm only for fix side panel	9016	53

Fix side panel to measure TRIO BLACK (more information on page 291)

Description	References	Points	Boxed
Fix side to measure until 40 cm	1342N	309	+32
Fix side panel to measure from 40 until 80cm	1303N	429	+32
Fix side panel to measure from 80 until 120cm	1309N	534	+32

*Delivery time 3 weeks

BYPASS 2 slidings





Description	Range	Opening	References	Points
Wall-to-wall BYPASS 140	128 - 138	55-65	1272	872
Wall-to-wall BYPASS 150	138 - 148	60-70	1273	894
Wall-to-wall BYPASS 160	148 - 158	65-75	1274	918



Hidden bearing 4 pulleys

BYPASS front + fix side panel



Fix side panel BYPASS

Description	Range	Ref.	Points
Fix side panel BYPASS 70	66-69	1275	386
Fix side panel BYPASS 80	76-79	1276	401

Fronts combinations BYPASS + fix side panel

Measures	Ranges	References	Points	Measures	Ranges	References	Points
140x70	130-140/66-69	1272 + 1275	1258	140x80	130-140/76-79	1272 + 1276	1273
150x70	140-150/66-69	1273 + 1275	1280	150x80	140-150/76-79	1273 + 1276	1295
160x70	150-160/66-69	1274 + 1275	1304	160x80	150-160/76-79	1274 + 1276	1319

*The openings are the same as on the wall-to-wall.




Fix side panels to measure (more information on page 290)

Description	References	Points	Boxed
Fix side to measure BYPASS until 40 cm	1346	327	+32
Fix side to measure BYPASS from 40 until 80cm	1318	446	+32
Fix side to measure BYPASS from 80 until 120cm	1319	551	+32

*Delivery time 3 weeks

SLIDING DOOR CHROME



Description	Ref.	Points
Door 75cm+bar/guide kit 150 cm chrome	1750+1752	507
Door 85cm+bar/guide kit 170 cm chrome	1751+1753	536

DOORS TO MEASURE AND SPECIALS	
TRANSP.	MATT
+45%	+60%

*Delivery time 3 weeks

SLIDING DOOR BLACK



Description	Ref.	Points
Door 75cm+bar/guide kit 150 cm black	1750+1754	507
Door 85cm+bar/guide kit 170 cm black	1751+1755	536

DOORS TO MEASURE AND SPECIALS	
TRANSP.	MATT
+45%	+60%

*Delivery time 3 weeks

OPEN
pg.266 ● ●



OPEN 2
pg.268



GLASS BIFOLD
pg.269



GME

FIX SCREEN

pg.270 ● ● ● ● ● ● ●



BASIC

pg.274 ● ● ● ● ● ● ●




BATHTUB

BATHTUB ENCLOSURES

Open 1


Folding bathtub



Open 1

Folding bathtub door 85x150

Description	Ref.	Points
Folding door 150x85cm	0121	254



Open 1 Frost Plus

Folding bathtub door 85x150

Description	Ref.	Points
Folding door Frost Plus 150x85cm	0123	263

Open 1 Black

Folding bathtub door 85x150



Height




Glass thickness



Folding 180°



Expansion



Reversible



Description	Ref.	Points
Folding door 150x85cm	0121N	254



Open 2



Fix + folding door



Open 2

Fix + folding door 150x122

Description	Ref.	Points
Open 2 transparent	0120+0121	386



A	B	C
120	37	83

- Aluminium profile
- Tempered glass 6mm
- Elevation when turning




Open 2 Frost Plus

Fix + folding door 150x122

Description	Ref.	Points
Open 2 frost plus	0122+0123	407

Open 2 Black

Fix + folding door 150x122




Description	Ref.	Points
Open 2 black transparent	0120N+0121N	386






Glass bifold

Bathtub 94,5x150 cm (47+47)



Ref.	Points
1733	449



Screen

bathtub fix150x85

Screen Chrome



Description	Ref.	Points
CHROME 150x85cm	0118	239
Includes adjustable arm straight/45° adjustable 60-120cm		

Screen Chrome Frost



Description	Ref.	Points
CHROME Frost 150x85cm	0119	291
Includes adjustable arm straight/45° adjustable 60-120cm		

Screen Black



Description	Ref.	Points
BLACK 150x85cm	0118N	239

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Black Frost



Description	Ref.	Points
BLACK Frost 150x85cm	SC85FN	380

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen White



Description	Ref.	Points
WHITE 150x85cm	SC85B	328

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen White Frost



Description	Ref.	Points
WHITE Frost 150x85cm	SC85FB	380

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen color bathtub fix 150x85



Screen Gold



Description	Ref.	Points
GOLD 150x85cm	SC85OR	398

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Gold Frost



Description	Ref.	Points
GOLD Frost 150x85cm	SC85FOR	450

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Nickel



Description	Ref.	Points
NICKEL 150x85cm	SC85NK	398

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Nickel Frost




Description	Ref.	Points
NICKEL Frost 150x85cm	SC85FNK	450

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen color

bathtub fix 150x85



Screen Copper



Description	Ref.	Points
COPPER 150x85cm	SC85CB	398

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Gunmetal Frost



Description	Ref.	Points
COPPER Frost 150x85cm	SC85FCB	450

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Gunmetal



Description	Ref.	Points
GUNMETAL 150x85cm	SC85T	398

Includes adjustable arm **straight/45°** adjustable 60-120cm

Screen Gunmetal Frost



Description	Ref.	Points
GUNMETAL Frost 150x85cm	SC85FT	450

Includes adjustable arm **straight/45°** adjustable 60-120cm

BASIC BATHTUB 1F+1S



Range	Op.	TRANSPARENT				FROST PLUS			
		CHR	BLACK	WHITE	Points	CHR	BLACK	WHITE	Points
140-145	56-61	5801	5801N	5801B	500	6801	6801N	6801B	524
145-150	61-66	5802	5802N	5802B	506	6802	6802N	6802B	534
150-155	61-66	5803	5803N	5803B	513	6803	6803N	6803B	540
155-160	66-71	5804	5804N	5804B	518	6804	6804N	6804B	549
160-165	61-66	5805	5805N	5805B	527	6805	6805N	6805B	554
165-170	66-71	5806	5806N	5806B	534	6806	6806N	6806B	563


Accessories
Compensation profile +1,5 cm
Decorative plate 195x3,8 cm

CHR	BLACK	WHITE	Points
5429	5477	5473	53
0007	0007N	0007B	45



TO MEASURE
AND SPECIALS
See page 288


BASIC BATHTUB 1F+1S



Range	TRANSPARENT					FROST PLUS				
	GOLD	NIC	COPP	GUNM	Points	GOLD	NIC	COPP	GUNM	Points
140-145	5801OR	5801NK	5801CB	5801T	550	6801OR	6801NK	6801CB	6801T	574
145-150	5802OR	5802NK	5802CB	5802T	556	6802OR	6802NK	6802CB	6802T	584
150-155	5803OR	5803NK	5803CB	5803T	563	6803OR	6803NK	6803CB	6803T	590
155-160	5804OR	5804NK	5804CB	5804T	568	6804OR	6804NK	6804CB	6804T	599
160-165	5805OR	5805NK	5805CB	5805T	577	6805OR	6805NK	6805CB	6805T	604
165-170	5806OR	5806NK	5806CB	5806T	584	6806OR	6806NK	6806CB	6806T	613

Accessories	GOLD	NICKEL	COPPER	GUNMET.	Points
Compensation profile +1,5 cm	5474	5475	5476	5478	68
Decorative plate 195x3,8 cm	0007OR	0007NK	0007CB	0007T	60

BASIC BATHTUB + fix side panel 8 mm



Bathtub fix side panels

Description	Range
Fix side panel BASIC 70x150	67-70
Fix side panel BASIC 75x150	72-74

TRANSPARENT	
Ref.	Points
5065CR	263
5066CR	293

FROST PLUS	
Ref.	Points
6065CR	270
6066CR	300

combinations BASIC BATHTUB + fix side panel 8 mm

Measure	Ranges	Opening
145x70	140-145/67-70	56-61
150x70	145-150/67-70	61-66
155x70	150-155/67-70	61-66
160x70	155-160/67-70	66-71
165x70	160-165/67-70	61-66
170x70	165-170/67-70	66-71
Measure	Ranges	Opening
145x75	140-145/72-74	56-61
150x75	145-150/72-74	61-66
155x75	150-155/72-74	61-66
160x75	155-160/72-74	66-71
165x75	160-165/72-74	61-66
170x75	165-170/72-74	66-71

TRANSPARENT	
References	Points
5801+5065CR	763
5802+5065CR	769
5803+5065CR	776
5804+5065CR	781
5805+5065CR	790
5806+5065CR	797
References	Points
5801+5066CR	793
5802+5066CR	799
5803+5066CR	806
5804+5066CR	811
5805+5066CR	820
5806+5066CR	827

FROST PLUS	
References	Points
6801+6065CR	795
6802+6065CR	805
6803+6065CR	811
6804+6065CR	820
6805+6065CR	825
6806+6065CR	834
References	Points
6801+6066CR	825
6802+6066CR	835
6803+6066CR	841
6804+6066CR	850
6805+6066CR	855
6806+6066CR	864

*Option fixed-fixed connection profile chrome ref. 0182 +60 points (indicate side).



Fix side panel to measure

Description
Measure until 40 cm
Measure from 40 until 80cm
Measure from 80 until 120cm

*Delivery time 3 weeks

TRANSPARENT	
Ref.	Points
1350	324
1334	444
1335	549

FROST PLUS	
Ref.	Points
1350+1312	507
1334+1313	627
1335+1315	732

Boxed
+32
+32
+32

BASIC COLOR BATHTUB + fix side panel 8 mm



Bathtub fix side panels

Description	Range	TRANSPARENT			FROST PLUS		
		BLACK	WHITE	Points	BLACK	WHITE	Points
Fix side panel BASIC 70x150	67-70	5065N	5065B	353	6065N	6065B	360
Fix side panel BASIC 75x150	72-74	5066N	5066B	383	6066N	6066B	390

Range (front/fixe side)	TRANSPARENT			FROST PLUS		
	BLACK	WHITE	Points	BLACK	WHITE	Points
140-145/67-70	5801N+5065N	5801B+5065B	853	6801N+6065N	6801B+6065B	885
145-150/67-70	5802N+5065N	5802B+5065B	859	6802N+6065N	6802B+6065B	895
150-155/67-70	5803N+5065N	5803B+5065B	866	6803N+6065N	6803B+6065B	901
155-160/67-70	5804N+5065N	5804B+5065B	871	6804N+6065N	6804B+6065B	910
160-165/67-70	5805N+5065N	5805B+5065B	880	6805N+6065N	6805B+6065B	915
165-170/67-70	5806N+5065N	5806B+5065B	887	6806N+6065N	6806B+6065B	924
Range (front/fixe side)	BLACK	WHITE	Points	BLACK	WHITE	Points
140-145/72-74	5801N+5066N	5801B+5066B	883	6801N+6066N	6801B+6066B	915
145-150/72-74	5802N+5066N	5802B+5066B	889	6802N+6066N	6802B+6066B	925
150-155/72-74	5803N+5066N	5803B+5066B	896	6803N+6066N	6803B+6066B	931
155-160/72-74	5804N+5066N	5804B+5066B	901	6804N+6066N	6804B+6066B	940
160-165/72-74	5805N+5066N	5805B+5066B	910	6805N+6066N	6805B+6066B	945
165-170/72-74	5806N+5066N	5806B+5066B	917	6806N+6066N	6806B+6066B	954

*Option fixed-fixed connection profile black ref. 0991 +60 points (indicate side).

*Option fixed-fixed connection profile white ref. 0182B +60 points (indicate side).



Fix side panel to meas.

Description
Measure until 40cm
Measure from 40 until 80cm
Measure from 80 until 120cm

*Delivery time 3 weeks

TRANSPARENT			FROST PLUS		
BLACK	WHITE	Points	BLACK	WHITE	P.
1350N	1350B	324	1350N+1312	1350B+1312	507
1334N	1334B	444	1334N+1313	1334B+1313	627
1335N	1335B	549	1335N+1315	1335B+1315	732

BASIC COLOR BATHTUB + fix side panel 8 mm



Bathtub fix side panels

Description	Range	TRANSPARENT			FROST PLUS		
		GOLD	NICKEL	Points	GOLD	NICKEL	Points
Fix side panel BASIC 70x150	67-70	5065OR	5065NK	405	6065OR	6065NK	413
Fix side panel BASIC 75x150	72-74	5066OR	5066NK	435	6066OR	6066NK	443

Range (front/fixe side)	TRANSPARENT			FROST PLUS		
	GOLD	NICKEL	Points	GOLD	NICKEL	Points
140-145/67-70	5801OR+5065OR	5801NK+5065NK	955	6801OR+6065OR	6801NK+6065NK	987
145-150/67-70	5802OR+5065OR	5802NK+5065NK	961	6802OR+6065OR	6802NK+6065NK	997
150-155/67-70	5803OR+5065OR	5803NK+5065NK	968	6803OR+6065OR	6803NK+6065NK	1003
155-160/67-70	5804OR+5065OR	5804NK+5065NK	973	6804OR+6065OR	6804NK+6065NK	1012
160-165/67-70	5805OR+5065OR	5805NK+5065NK	982	6805OR+6065OR	6805NK+6065NK	1017
165-170/67-70	5806OR+5065OR	5806NK+5065NK	989	6806OR+6065OR	6806NK+6065NK	1026
Range (front/fixe side)	GOLD	NICKEL	Points	GOLD	NICKEL	Points
140-145/72-74	5801OR+5066OR	5801NK+5066NK	985	6801OR+6066OR	6801NK+6066NK	1017
145-150/72-74	5802OR+5066OR	5802NK+5066NK	991	6802OR+6066OR	6802NK+6066NK	1027
150-155/72-74	5803OR+5066OR	5803NK+5066NK	998	6803OR+6066OR	6803NK+6066NK	1033
155-160/72-74	5804OR+5066OR	5804NK+5066NK	1003	6804OR+6066OR	6804NK+6066NK	1042
160-165/72-74	5805OR+5066OR	5805NK+5066NK	1012	6805OR+6066OR	6805NK+6066NK	1047
165-170/72-74	5806OR+5066OR	5806NK+5066NK	1019	6806OR+6066OR	6806NK+6066NK	1056

*Option fixed-fixed connection profile gold ref. 0182OR +75 points (indicate side).

*Option fixed-fixed connection profile nickel ref. 0182NK +75 points (indicate side).



Fix side panel to meas.

Description	TRANSPARENT			FROST PLUS		
	GOLD	NICKEL	Points	GOLD	NICKEL	P.
Measure until 40cm	1350OR	1350NK	376	1350OR+1312	1350NK+1312	559
Measure from 40 until 80cm	1334OR	1334NK	496	1334OR+1313	1334NK+1313	679
Measure from 80 until 120cm	1335OR	1335NK	601	1335OR+1315	1335NK+1315	784

*Delivery time 3 weeks

BASIC COLOR BATHTUB + fix side panel 8 mm



Bathtub fix side panels

Description	Range	TRANSPARENT			FROST PLUS		
		COPPER	GUNMET.	Points	COPPER	GUNMET.	Points
Fix side panel BASIC 70x150	67-70	5065CB	5065T	405	6065CB	6065T	413
Fix side panel BASIC 75x150	72-74	5066CB	5066T	435	6066CB	6066T	443

Range (front/fixe side)	TRANSPARENT			FROST PLUS		
	COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
140-145/67-70	5801CB+5065CB	5801T+5065T	955	6801CB+6065CB	6801T+6065T	987
145-150/67-70	5802CB+5065CB	5802T+5065T	961	6802CB+6065CB	6802T+6065T	997
150-155/67-70	5803CB+5065CB	5803T+5065T	968	6803CB+6065CB	6803T+6065T	1003
155-160/67-70	5804CB+5065CB	5804T+5065T	973	6804CB+6065CB	6804T+6065T	1012
160-165/67-70	5805CB+5065CB	5805T+5065T	982	6805CB+6065CB	6805T+6065T	1017
165-170/67-70	5806CB+5065CB	5806T+5065T	989	6806CB+6065CB	6806T+6065T	1026
Range (front/fixe side)	COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
140-145/72-74	5801CB+5066CB	5801T+5066T	985	6801CB+6066CB	6801T+6066T	1017
145-150/72-74	5802CB+5066CB	5802T+5066T	991	6802CB+6066CB	6802T+6066T	1027
150-155/72-74	5803CB+5066CB	5803T+5066T	998	6803CB+6066CB	6803T+6066T	1033
155-160/72-74	5804CB+5066CB	5804T+5066T	1003	6804CB+6066CB	6804T+6066T	1042
160-165/72-74	5805CB+5066CB	5805T+5066T	1012	6805CB+6066CB	6805T+6066T	1047
165-170/72-74	5806CB+5066CB	5806T+5066T	1019	6806CB+6066CB	6806T+6066T	1056

*Option fixed-fixed connection profile copper ref. 0182CB +75 points (indicate side).

*Option fixed-fixed connection profile gunmetal ref. 0182T +75 points (indicate side).



Fix side panel to meas.

Description	TRANSPARENT			FROST PLUS		
	COPPER	GUNMET.	P.	COPPER	GUNMETAL	P.
Measure until 40cm	1350CB	1350T	376	1350CB+1312	1350T+1312	559
Measure from 40 until 80cm	1334CB	1334T	496	1334CB+1313	1334T+1313	679
Measure from 80 until 120cm	1335CB	1335T	601	1335CB+1315	1335T+1315	784

*Delivery time 3 weeks

BASIC BATHTUB 2F+ 2S




Range	Op.	TRANSPARENT				FROST PLUS			
		CHR	BLACK	WHITE	Points	CHR	BLACK	WHITE	Points
152-162	64-74	5810	5810N	5810B	620	6810	6810N	6810B	650
162-172	66-76	5811	5811N	5811B	636	6811	6811N	6811B	666
172-182	72-82	5812	5812N	5812B	648	6812	6812N	6812B	678

Accessories	CHR	BLACK	WHITE	Points
Compensation profile +1,5 cm	5429	5477	5473	53
Decorative plate 195x3,8 cm	0007	0007N	0007B	45
Option fix-fix connection profile (indicate side)	0182	0991	0182B	60



TO MEASURE
AND SPECIALS
See page 288


BASIC BATHTUB 2F+ 2S



Range	TRANSPARENT					FROST PLUS				
	GOLD	NIC	COPP	GUNM	Points	GOLD	NIC	COPP	GUNM	Points
152-162	5810OR	5810NK	5810CB	5810T	708	6810OR	6810NK	6810CB	6810T	738
162-172	5811OR	5811NK	5811CB	5811T	724	6811OR	6811NK	6811CB	6811T	754
172-182	5812OR	5812NK	5812CB	5812T	736	6812OR	6812NK	6812CB	6812T	766

Accessories	GOLD	NIC	COPP	GUNM	Points
Compensation profile +1,5 cm	5474	5475	5476	5478	68
Decorative plate 195x3,8 cm	0007OR	0007NK	0007CB	0007T	60
Option fix-fix connection profile (indicate side)	0182OR	0182NK	0182CB	0182T	75

BASIC BATHTUB + fix side panel 8 mm



WHEN ORDERING,
PLEASE INDICATE
THE SIDE WHERE
THE FIXED SIDE
PANEL WILL BE
INSTALLED.

Bathtub fix side panels

Description	Range
Fix side panel BASIC 70x150	67-70
Fix side panel BASIC 75x150	72-74

TRANSPARENT	
Ref.	Points
5065CR	263
5066CR	293

FROST PLUS	
Ref.	Points
6065CR	270
6066CR	300

combinations BASIC 2F+2S + fix side panel 8 mm

Measure	Ranges	Opening
160x70	152-162/67-69	64-74
170x70	162-172/67-69	66-76
180x70	172-182/67-69	72-82
Measure	Ranges	Opening
160x75	152-162/72-74	64-74
170x75	162-172/72-74	66-76
180x75	172-182/72-74	72-82

TRANSPARENT	
References	Points
5810+5065CR+0182	943
5811+5065CR+0182	959
5812+5065CR+0182	971
References	Points
5810+5066CR+0182	973
5811+5066CR+0182	989
5812+5066CR+0182	1001

FROST PLUS	
References	Points
6810+6065CR+0182	981
6811+6065CR+0182	997
6812+6065CR+0182	1009
References	Points
6810+6066CR+0182	1011
6811+6066CR+0182	1027
6812+6066CR+0182	1039

*When ordering, please indicate the side where the fixed side panel will be installed.



Fix side panel to measure

Description
Measure until 40 cm
Measure from 40 until 80cm
Measure from 80 until 120cm

TRANSPARENT	
Ref.	Points
1350+0182	384
1334+0182	504
1335+0182	609

FROST PLUS	
Ref.	Points
1350+0182+1312	567
1334+0182+1313	687
1335+0182+1315	792

Boxed
+32
+32
+32

Indicate the side where the fixed lateral goes. Delivery time 3 weeks.

BASIC COLOR BATHTUB + fix side panel 8 mm

BLACK PROFILE FRONT



FRONT WHITE PROFILE



Bathtub fix side panels

Description	Range
Fix side panel BASIC 70x150	67-70
Fix side panel BASIC 75x150	72-74

TRANSPARENT		Points
BLACK	WHITE	
5065N	5065B	353
5066N	5066B	383

FROST PLUS		Points
BLACK	WHITE	
6065N	6065B	360
6066N	6066B	390

TRANSPARENT			
Ranges	BLACK	WHITE	Points
152-162/67-69	5810N+5065N+0991	5810B+5065B+0182B	1033
162-172/67-69	5811N+5065N+0991	5811B+5065B+0182B	1049
172-182/67-69	5812N+5065N+0991	5812B+5065B+0182B	1061
Ranges	BLACK	WHITE	Points
152-162/72-74	5810N+5066N+0991	5810B+5066B+0182B	1063
162-172/72-74	5811N+5066N+0991	5811B+5066B+0182B	1079
172-182/72-74	5812N+5066N+0991	5812B+5066B+0182B	1091

FROST PLUS			
Ranges	BLACK	WHITE	Points
152-162/67-69	6810N+6065N+0991	6810B+6065B+0182B	1071
162-172/67-69	6811N+6065N+0991	6811B+6065B+0182B	1087
172-182/67-69	6812N+6065N+0991	6812B+6065B+0182B	1099
Ranges	BLACK	WHITE	Points
152-162/72-74	6810N+6066N+0991	6810B+6066B+0182B	1101
162-172/72-74	6811N+6066N+0991	6811B+6066B+0182B	1117
172-182/72-74	6812N+6066N+0991	6812B+6066B+0182B	1129

*When ordering, please indicate the side where the fixed side panel will be installed.

Fix side panels to measu.

TRANSPARENT			
Description	BLACK	WHITE	P
Measure until 40 cm	1350N+0991	1350B+0182B	384
Measure from 40 until 80cm	1334N+0991	1334B+0182B	504
Measure from 80 until 120cm	1335N+0991	1335B+0182B	609

FROST PLUS			
Description	BLACK	WHITE	P
Measure until 40 cm	1350N+0991+1312	1350B+0182B+1312	567
Measure from 40 until 80cm	1334N+0991+1313	1334B+0182B+1313	687
Measure from 80 until 120cm	1335N+0991+1315	1335B+0182B+1315	792

Indicate the side where the fixed lateral goes. Delivery time 3 weeks. Boxed +32 points.

BASIC COLOR BATHTUB + fix side panel 8 mm



Bathtub fix side panels

Description	Range
Fix side panel BASIC 70x150	67-70
Fix side panel BASIC 75x150	72-74

TRANSPARENT		
GOLD	NICKEL	Points
5065OR	5065NK	405
5066OR	5066NK	435

FROST PLUS		
GOLD	NICKEL	Points
6065OR	6065NK	413
6066OR	6066NK	443

Ranges	TRANSPARENT				FROST PLUS			
	GOLD	NICKEL	Points		GOLD	NICKEL	Points	
140-145/67-70	5810OR+5065OR+0182OR	5810NK+5065NK+0182NK	1188		6810OR+6065OR+0182OR	6810NK+6065NK+0182NK	1226	
145-150/67-70	5811OR+5065OR+0182OR	5811NK+5065NK+0182NK	1204		6811OR+6065OR+0182OR	6811NK+6065NK+0182NK	1242	
150-155/67-70	5812OR+5065OR+0182OR	5812NK+5065NK+0182NK	1216		6812OR+6065OR+0182OR	6812NK+6065NK+0182NK	1254	
Ranges	GOLD	NICKEL	Points		GOLD	NICKEL	Points	
140-145/72-74	5810OR+5066OR+0182OR	5810NK+5066NK+0182NK	1218		6810OR+6066OR+0182OR	6810NK+6066NK+0182NK	1256	
145-150/72-74	5811OR+5066OR+0182OR	5811NK+5066NK+0182NK	1234		6811OR+6066OR+0182OR	6811NK+6066NK+0182NK	1272	
150-155/72-74	5812OR+5066OR+0182OR	5812NK+5066NK+0182NK	1246		6812OR+6066OR+0182OR	6812NK+6066NK+0182NK	1284	

*When ordering, please indicate the side where the fixed side panel will be installed.

Fix side panel to mea.

Description
Measure until 40cm
Measure from 40 until 80cm
Measure from 80 until 120cm

TRANSPARENT		
GOLD	NICKEL	Points
1350OR+0182OR	1350NK+0182NK	451
1334OR+0182OR	1334NK+0182NK	571
1335OR+0182OR	1335NK+0182NK	676

FROST PLUS		
GOLD	NICKEL	Points
1350OR+0182OR+1312	1350NK+0182NK+1312	634
1334OR+0182OR+1313	1334NK+0182NK+1313	754
1335OR+0182OR+1315	1335NK+0182NK+1315	859

Indicate the side where the fixed lateral goes. Delivery time 3 weeks. Boxed +32 points.

BASIC COLOR BATHTUB + fix side panel 8 mm



Bathtub fix side panels

Description	Range	TRANSPARENT			FROST PLUS		
		COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
Fix side panel BASIC 70x150	67-70	5065CB	5065T	405	6065CB	6065T	413
Fix side panel BASIC 75x150	72-74	5066CB	5066T	435	6066CB	6066T	443

Ranges	TRANSPARENT			FROST PLUS		
	COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
140-145/67-70	5810CB+5065CB+0182CB	5810T+5065T+0182T	1188	6810CB+6065CB+0182CB	6810T+6065T+0182T	1226
145-150/67-70	5811CB+5065CB+0182CB	5811T+5065T+0182T	1204	6811CB+6065CB+0182CB	6811T+6065T+0182T	1242
150-155/67-70	5812CB+5065CB+0182CB	5812T+5065T+0182T	1216	6812CB+6065CB+0182CB	6812T+6065T+0182T	1254
Ranges	COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
140-145/72-74	5810CB+5066CB+0182CB	5810T+5066T+0182T	1218	6810CB+6066CB+0182CB	6810T+6066T+0182T	1256
145-150/72-74	5811CB+5066CB+0182CB	5811T+5066T+0182T	1234	6811CB+6066CB+0182CB	6811T+6066T+0182T	1272
150-155/72-74	5812CB+5066CB+0182CB	5812T+5066T+0182T	1246	6812CB+6066CB+0182CB	6812T+6066T+0182T	1284

*When ordering, please indicate the side where the fixed side panel will be installed.


Fix side panel to mea.

Description	TRANSPARENT			FROST PLUS		
	COPPER	GUNMETAL	Points	COPPER	GUNMETAL	Points
Measure until 40cm	1350CB+0182CB	1350T+0182T	451	1350CB+0182CB+1312	1350T+0182T+1312	634
Measure from 40 until 80cm	1334CB+0182CB	1334T+0182T	571	1334CB+0182CB+1313	1334T+0182T+1313	754
Measure from 80 until 120cm	1335CB+0182CB	1335T+0182T	676	1335CB+0182CB+1315	1335T+0182T+1315	859

Indicate the side where the fixed lateral goes. Delivery time 3 weeks. Boxed +32 points.

BASIC BATHTUB FREE CORNER





STEP 1: Select size/color of CORNER PROFILES

STEP 2: Select size/decoration of GLASSES

STEP 1: PROFILES

Description	CHROME	BLACK	WHITE	Points
	Ref.	Ref.	Ref.	
Accessories until 120x90 cm	5423+5447	5490+5447N	5580+5447B	391
Accessories until 140x100 cm	5424+5447	5491+5447N	5581+5447B	406

Description	GOLD	NICKEL	COPPER	GUNMET.	Points
	Ref.	Ref.	Ref.	Ref.	
Accessories until 120x90 cm	5448+5447OR	5463+5447NK	5590+5447CB	5563+5447T	518
Accessories until 140x100 cm	5449+5447OR	5464+5447NK	5591+5447CB	5564+5447T	533

STEP 2: GLASSES

Ranges (front/free side)	TRANSPARENT		FROST PLUS	
	References	Points	References	Points
140-145 / 65-100	5050	224	6050	248
145-150 / 65-100	5051	230	6051	258
150-155 / 65-100	5052	237	6052	264
155-160 / 65-100	5053	242	6053	273
160-165 / 65-100	5054	251	6054	278
165-170 / 65-100	5055	258	6055	287

Description	References	Points
Compensation profile +1,5 cm chrome	5429	53
Compensation profile +1,5 cm black	5477	53
Compensation profile +1,5 cm white	5473	53
Compensation profile +1,5 cm gold	5474	68
Compensation profile +1,5 cm nickel	5475	68
Compensation profile +1,5 cm copper	5476	68
Compensation profile +1,5 cm gunmetal	5478	68







Shower enclosing to measure and special glasses	TRANSPARENT	FROST PLUS PARSOL / MATT	BOXED
Height until 195cm	+45%	+60%	+32

*Delivery time 3 weeks (more information on p. 288)

SLIDING SHOWER ENCLOSURES TO MEASURE AND SPECIALS

Futura Temple Basic Twenty

SHOWER ENCLOSURE TO MEASURE TRANSPARENTS		ONLY MODEL BASIC CHR.	
-For the calculation of the price, the price shall be increased by 45% to the price of the reference covering that range or the one immediately above. - Indicate Model / Reference / Measure. - We do not accept width measurements greater than the largest width of the table, except Basic until 220 cm high.	Ref. 0868	Ref. 0871	
	+45%	+75%	
	 HEIGHT 195 cm	 HEIGHT 196 a 220 cm	
SHOWER ENCLOSURE TO MEASURE SPECIAL FINISHES		ONLY MODEL BASIC CHROME	
Finish FROST PLUS ACID, PARSOL, CARGLASS / MATT -For the calculation of the price, the price shall be increased by 60% to the price of the reference covering that range or the one immediately above. - It is necessary to indicate the position of the door and the fix. - Indicate Model / Reference / Measure. - We do not accept width measurements greater than the greatest width of the table, except Basic until 220 cm high.	Ref. 0870	Ref. 0872	
	+60%	+90%	
	 HEIGHT 195 cm	 HEIGHT 196 a 220 cm	

SPECIAL FINISHES:



FROST PLUS



PARSOL BRONZE



PARSOL SMOCKED



MATT

AVERAGE DELIVERY TIME 15 DAYS (No returns or cancellations will be accepted for glass to measure)

FOLDING SHOWER ENCLOSURES TO MEASURE

Glass Open Glass Bifold

FIX PANEL

MODEL
FIX PANEL OPEN 6 mm
FIX PANEL OPEN BLACK 6 mm
FIX PANEL GLASS 8 mm  CHROME
FIX PANEL GLASS 8 mm  BLACK
FIX PANEL GLASS 8 mm  WHITE
FIX PANEL GLASS 8 mm  GOLD
FIX PANEL GLASS 8 mm  COPPER
FIX PANEL GLASS 8 mm  NICKEL
FIX PANEL GLASS 8 mm  GUNMETAL

Width <40cm	
Ref.	Point
1345	311
1345N	311
1339	578
1339N	578
1339BL	578
1339OR	673
1339CB	673
1339NK	673
1339T	673

Width > 40 and < 80cm	
Ref.	Point
1316	424
1316N	424
1336	653
1336N	653
1336BL	653
1336OR	748
1336CB	748
1336NK	748
1336T	748

Width > 80 and < 120cm	
Ref.	Point
1317	529
1317N	529
1337	825
1337N	825
1337BL	825
1337OR	920
1337CB	920
1337NK	920
1337T	920

Includes profiles and fittings.

GLASS BIFOLD

MODEL	Width <80cm	
	Ref.	Point
DOOR GLASS BIFOLD 6 mm	1338	225

GLASS DOOR HINGED TO WALL



FINISH	Width <80cm	
	Ref.	Point
DOOR GLASS 6 mm  CHROME	1338CR	506
DOOR GLASS 6 mm  BLACK	1338N	506
DOOR GLASS 6 mm  WHITE	1338BL	506
DOOR GLASS 6 mm  GOLD	1338OR	587
DOOR GLASS 6 mm  COPPER	1338CB	587
DOOR GLASS 6 mm  NICKEL	1338NK	587
DOOR GLASS 6 mm  GUNMETAL	1338T	587

Includes made to measure door + hardware for wall hinge installation

GLASS DOOR HINGED TO FIX

FINISH	Width <80cm	
	Ref.	Point
DOOR GLASS 6 mm  CHROME	1385CR	498
DOOR GLASS 6 mm  BLACK	1385N	498
DOOR GLASS 6 mm  WHITE	1385BL	498
DOOR GLASS 6 mm  GOLD	1385OR	593
DOOR GLASS 6 mm  COPPER	1385CB	593
DOOR GLASS 6 mm  NICKEL	1385NK	593
DOOR GLASS 6 mm  GUNMETAL	1385T	593

Includes custom door + hardware for fixed glass installation



TO MEASURE

AVERAGE DELIVERY TIME 15 DAYS (No returns or cancellations will be accepted for glass to measure)

FIX SIDE PANEL TO MEASURE

MODEL	Width <40 cm		Width >40 and <80cm		Width >80 and <120cm	
	Ref.	Point	Ref.	Point	Ref.	Point
Fix side panel 8 mm VETRUM	1340	458	1300	585	1306	690
Fix side panel 8 mm MOVING	1341	458	1301	585	1307	690
Fix side panel 8 mm TEMPLE	1349	340	1302	460	1308	565
Fix side panel 6 mm BYPASS	1346	327	1318	446	1319	551
Fix side panel 8 mm FUTURA	1347	344	1330	464	1331	569
*Fix STD 8 mm AKTUAL / PRESTIGE / AKORD/OPEN/GLASS/GLASS FOLDING	1343	263	1304	375	1310	480
*Fix STD BLACK 8 mm	1343N	263	1304N	375	1310N	480

*Arm not included

Increase finish FROST PLUS	1312	+183	1313	+183	1315	+183
----------------------------	------	------	------	------	------	------

*Indicate the position of the side panel

Increase finish PARSOL	Ref. 0870SC - Points Fix side panel to measure +35%
------------------------	--

FIX SIDE SPECIAL HEIGHT BASIC 195 A 220 (CHROME ONLY)


MODEL	Ref.	Point	Ref.	Point	Ref.	Point
Fix side panel 8 mm BASIC 195 until 220 cm	1350H2	384	1334H2	504	1335H2	609

BOXED


Ref.: 0862 | Description: Square cut/Boxed
Points: 32

*Except Vetrum, Kenna, Prestigetitan, Aktual, Folding Glass and Bypass.

(Total size including profile)



In case boxed is needed, indicate location



AVERAGE DELIVERY TIME 15 DAYS (No returns or cancellations will be accepted for glass to measure)

FIX SIDE PANEL TO MEASURE

BASIC	 CHROME	 BLACK	 WHITE	Points	
Width <40 cm	1350	1350N	1350B	324	
Width >40 and <80cm	1334	1334N	1334B	444	
Width >80 and <120cm	1335	1335N	1335B	549	
BASIC	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Width <40 cm	1350OR	1350CB	1350NK	1350T	376
Width >40 and <80cm	1334OR	1334CB	1334NK	1334T	496
Width >80 and <120cm	1335OR	1335CB	1335NK	1335T	601

GLASS/OPEN	 CHROME	 BLACK	 WHITE	Points	
Width <40 cm	1345	1345N	1345B	311	
Width >40 and <80cm	1316	1316N	1316B	424	
Width >80 and <120cm	1317	1317N	1317B	529	
GLASS/OPEN	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Width <40 cm	1345OR	1345CB	1345NK	1345T	326
Width >40 and <80cm	1316OR	1316CB	1316NK	1316T	439
Width >80 and <120cm	1317OR	1317CB	1317NK	1317T	544

*Arm not included

GLASS BIFOLD	CHROME	BLACK	Points
Width <40 cm	1380	1380N	311
Width >40 and <80cm	1381	1381N	424
Width >80 and <120cm	1382	1382N	529

*Arm not included

TRIO	CHROME	BLACK	Points
Width <40 cm	1342	1342N	309
Width >40 and <80cm	1303	1303N	429
Width >80 and <120cm	1309	1309N	534

TWENTY	 CHROME	Points	 BLACK	Points
Width <40 cm	1375	318	1375N	326
Width >40 and <80cm	1376	437	1376N	445
Width >80 and <120cm	1377	542	1377N	550
TWENTY	 GOLD	 COPPER	Points	
Width <40 cm	1375OR	1375CB	341	
Width >40 and <80cm	1376OR	1376CB	460	
Width >80 and <120cm	1377OR	1377CB	565	

KENNA	CHROME	Points	BLACK	Points	GOLD	Points
Width <40 cm	1365	386	1365N	394	1365OR	421
Width >40 and <80cm	1366	513	1366N	521	1366OR	548
Width >80 and <120cm	1367	618	1367N	626	1367OR	653

FIX SCREEN TO MEASURE

(DELIVERY TIME 15 DAYS)

Description	 CHROME	 BLACK	 WHITE	Points	
Width <80cm Height until 195cm	1305	1305N	1305B	500	
Width from 80 until 120cm Height until 195cm	1311	1311N	1311B	611	
Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Width <80cm Height until 195cm	1305OR	1305CB	1305NK	1305T	533
Width from 80 until 120cm Height until 195cm	1311OR	1311CB	1311NK	1311T	644

These prices include all components (hardware and arm) for assembly.

FROST PLUS FINISH

Description	Ref.	P	Description	Ref.	P
Increase FROST PLUS width <80cm	1313	183	Increase FROST PLUS width 80-120cm	1315	183


HEIGHT XXL CHROME ONLY

Description	Ref.	Points
Width <80cm Height of 195 until 220 cm	1363	599
Width from 80 until 120cm Height of 195 until 220 cm	1364	749

*Includes arm

BOXED

Description	Ref.	Points
Square Cut/Boxed	0862	32




In case of boxed, please indicate measurements

PARSOL FINISHES ON SCREEN/FIX SIDES TO MEASURE 8 mm

Ref. 0870SC - P. Screen to measure +35%



FROST PLUS



PARSOL BRONZE



PARSOL SMOCKED



MATT

AVERAGE DELIVERY TIME 15 DAYS (No returns or cancellations will be accepted for glass to measure)

MOBILE SCREEN HINGED 180° TO MEASURE

(DELIVERY TIME 15 DAYS)

Description	 CHROME	 BLACK	 WHITE	Points	
Width <40 cm Height until 195cm	1355	1355N	1355B	309	
Measure from 40 until 80cm Height until 195cm	1356	1356N	1356B	407	
Description	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Width <80cm Height until 195cm	1355OR	1355CB	1355NK	1355T	329
Width <80cm Height until 195cm	1356OR	1356CB	1356NK	1356T	427


These prices include all components (hardware and hinges) for assembly.

FROST PLUS FINISH

Description	Ref.	Points
Increase FROST PLUS width <80cm	1313	183

HEIGHT XXL CHROME ONLY

Description	Ref.	Points
Width <80cm Height of 195 until 220 cm	1355H2	525



PROFILE AND HARDWARE KITS FOR SCREEN

PROFILE KIT + ARM SCREEN

 CHROME	 BLACK	 WHITE	Points	
5184	5185	5183	126	
 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
5186	5188	5189	5187	159

These kits are already included in the references in the tables above.

MOBILE HINGES 180°

 CHROME	 BLACK	 WHITE	Points	
0330	0330NG	0330BL	120	
 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
0330OR	0330CB	0330NK	0330T	140

These kits are already included in the references in the tables above

AVERAGE DELIVERY TIME 15 DAYS (No returns or cancellations will be accepted for glass to measure)

COMPENSATION TUBES (INCLUDES COVER AND HARDWARE)

Description	References	Points
Compensation tube 40x20x2000 mm chrome	0001	50
Compensation tube 40x40x2000 mm chrome	0002	57
Compensation tube 40x40x2000 mm black matt	0002N	57
Compensation tube 40x40x2000 mm white	0002B	57
Compensation tube 40x40x2000 mm gold	0002OR	68
Compensation tube 40x40x2000 mm copper	0002CB	68
Compensation tube 40x40x2000 mm nickel	0002NK	68
Compensation tube 40x40x2000 mm gunmetal	0002T	68
Compensation tube 40x60x2000 mm chrome	0003	65
Corner 30x30x2000 mm chrome	0004	42
Compensation tube INOX 40x20x2000 mm	0009	90
Compensation tube INOX 40x40x2000 mm	0010	135

PROFILES AND HARDWARE FOR FIXED SIDEWALLS MADE TO MEASURE

Model	 CHROME	 BLACK	 WHITE	Points
Fix STD	0821	9023	-	89
Trio	0006	0006N	-	153
Spazio until 90cm	0825	0825N	-	135
Spazio until 120cm	0826	0826N	-	203
Moving	1081	-	-	230
Vetrum	1080	-	-	200
Futura	5328	-	-	203
Temple	5128	-	-	122
Bypass	1277	-	-	174
Basic	5528	5492	5588	128
Twenty	2025	2026	-	120/128
Kenna	6564	6564N	-	132/140

Model	 GOLD	 COPPER	 NICKEL	 GUNMETAL	Points
Basic	5445	5597	5469	5567	180
Kenna	6564OR	-	-	-	167
Twenty	2027	2028	-	-	143

*Includes everything except glass

OPTIONS SHOWER ENCLOSURE



REF. 1731 / 1732 EXTRA SLIM HANDLE: It gains 7 cm of entry clearance in intermediate sizes and 2 cm in the rest.



REF. 1221 EXPANSION MAGNET +1,2 OPEN: set of wider magnets to increase the range of the combination by +1.2 cm.



REF. 1072 OPTION PROFILE SEAL+BUBBLE SEAL: Closing system with "U" profile to wall and anti-shock rubber on "C" door.



REF. 0007 ALUMINIUM TRIM TRIO/BASIC: Polished aluminium plate to cover the space between the edge of the tray and the closing profile. Used when the ceramic is different inside the screen. Dimensions 195x3,8 cm.

REF. 0008 STEEL TRIM FUTURA/ROTARY/TEMPLE: Polished steel plate to cover the space between the edge of the plate and the closing profile. It is used when the ceramic is different inside the screen. Dimensions 195x3,8 cm.



REF. 1222 EXPANSION PROFILE DOOR OPEN: H-shaped profile used to offset the profile of Open and Glass folding doors. Item no. 1222 also makes it possible to connect the door profile to the Fix sides STD.



REF. 1215 PROFILE DOOR OPEN: replacing the profile 1211 with this profile reduces the range by 1 cm of the combination.



REF. 1075 FIX CONNECTION PROFILE+FIX SIDE: In **Vetrum** and **Moving** In **Vetrum** and **Moving** allows the installation of the fix side to the front fix side instead of to the door (photo). Only valid for Fix side panel to measure, if applied to a standard fix side it will lose 5 cm of range.

Temple/Basic does not alter either the references or the ranges of the door-fix combination, so it is only necessary to indicate the position where the fix panel is to be installed.

In series **Screen** allows to join 2 fix corner.

SPARE PARTS FOR SHOWER ENCLOSURE

In the following QR code we show you the detail views of the different formats of our shower enclosures, separated by models, to make it easier to identify the spare part you need.



GME BASIC TITANIO

1FUJO+2CORREDERAS **FRONTAL+LAX FUJO**

2FUJOS+2CORREDERAS **FREE**

FUJO+CORREDERAS+FUJO **ANGULAR AL VÉRTICE**

REPUESTOS

GME BASIC TITANIO 1F+1C

REPUESTOS

GME BASIC TITANIO SPAZIO 2F+2C

REPUESTOS

GME BASIC TITANIO

BASIC 1F+1C + LAX FUJO **BASIC 1F+1C FREE**

A **B**

REPUESTOS

GME BASIC TITANIO ANGULAR 2F+2C

REPUESTOS

GME BASIC CRISTALES FIJOS Y CORREDERAS

INSUMIBLE **CORREDAJES**

REPUESTOS

PROFILE SIZES AND PRICES (cm)




VERTICAL WALL PROFILES OF FIX GLASS


AKTUAL / PRESTIGE AKORD/GLASS	VETRUM	MOVING	FUTURA / TEMPLE	BASIC	OPEN/GLASS SPAZIO	KENNA
PA3F / PA3U / 39p / 39p	VE12 / 54p	MO17 / 54p	FTR3 / 54p	B03C* / 42p	OP4C* / 44p	K040 / 45p
TWENTY	SCREEN CHROME	GLASS				
TW30C* / 42p	S01C* / 29p	G014C* / G015C* 44p / 59p				

VERTICAL PROFILES OF THE DOOR CLOSING

VETRUM MOVING	FUTURA	BASIC TEMPLE	OPEN GLASS	TRIO	BYPASS	PRESTIGE	KENNA
VE11 / 42p	F007 / 57p	B07C* / 57p	R195C* / 21p	TR20* / TR19* 50p / 44p	BY12 / 98p	PA05 / 84p	K040* / 45p

HORIZONTAL TOP PROFILES

TEMPLE	BASIC	FUTURA	BYPASS	TRIO
				
High 4,2 Width 1,3	High 4,8 Width 2,3	High 2,5 Width 3,1	High 4 Width 6	High 5,7 Width 5,7
TE21C180 / 161p	B21C*210 / 128p	F21C210 / 158p	BY74 / 155p	TR246* / 167p

AKTUAL PRESTIGE	MOVING	TWENTY	SPAZIO	SLI. DOOR	
					
High 4,5 Width 2	Ø2,5	High 2 Width 3,1	High 4 Width 2,5		
A599 / 105p	MO180 / 225p	TW190C* / 123p	SP02C* / 68p	PP85C* / 128p	PP8C* / 98p

*If the spare part is of a model available in several colors, please include the color code reference:
C - CHROME | **N** - BLACK | **B** - WHITE | **O** - GOLD | **CB** - COPPER | **NK** - NICKEL | **T** - GUNMETAL





WALL SUPPORTS

TEMPLE	BASIC	FUTURA	MOVING	BYPASS	TRIO
					
High 5,4 Width 3,8	High 5,8 Width 5,2	High 3,5 Width 6	Ø3	High 5,4 Width 7	High 6,2 Width 6,6
TE14 / 27p	B15C* / 27p	F15 / 27p	MO09 / 24p	BY09 / 30p	TR8* / 30p









LOWER HORIZONTAL PROFILES (METAL FLASHINGS)

FUTURA/TEMPLE BASIC/GLASS	MOVING	BYPASS	TRIO	AKTUAL	VETRUM	OPEN	FOLDING GLASS
							
1x0,6 cm	0,9x0,9 cm	1,6x1,1 cm	1,1x1 cm	0,8x1,2 cm	1,8x0,8 cm	0,6x0,6 cm	1x0,5 cm
B12C*210 / 29p	MO15 / 42p	BY07 / 42p	TR1395* / 24p	A011 / 29p	VE08 / 102p	OP6C* / 24p	GP08* / 24p






LOWER HORIZONTAL PROFILES

VITRO	TWENTY (front)	TWENTY (corner and 2f+2c)	KENNA
			
1x2,3 cm	1,6x0,9 cm	1,6x0,9 cm	1,6x2,9 cm
VI14 210 / 120p	TW2C* / 24p	TW44C* / 57p	K120* / 98p

BOTTOM GUIDES

FUTURA	TEMPLE BASIC	MOVING	AKTUAL	VETRUM	BYPASS	TRIO	TWENTY	SLI. DOOR
								
F011 / 56p	G10C* / 56p	MO14 / 42p	A009 / 20p	VE07 47p	BY5 / BY08 20p / 62p	TR12* 42p	TW14C* / TW15C* 24p / 24p	PP9C* 12p

BOTTOM CORNER PIECES


FUTURA TEMPLE/BASIC	MOVING	VETRUM	TRIO	OPEN	GLASS	TWENTY
						
B29C* / B42C* 18p / 18p	MO22 / 24p	VE44 / VE90 24p / 24p	TR37* / 18p	OP3C* / 12p	G009* / G011* 15p / 15p	TW43C* / 24p

*If the spare part is of a model available in several colors, please include the color code reference:

C - CHROME | **N** - BLACK | **B** - WHITE | **O** - GOLD | **CB** - COPPER | **NK** - NICKEL | **T** - GUNMETAL

RUBBER

SEALING BUBBLE RUBBER

FUTURA/TEMPLE/BASIC	TRIO	SPAZIO	FUTURA/TEMPLE/BASIC/TRIO	KENNA	SPAZIO
					
B006 / 12p	TR16 / 12p	SP13* / 15p	B027 / B66C* / B65C* / 18p / 23p / 18p	K220 / 32p	SP12* / 30p

RUBBER MAGNETS ADHESIVES

MAGNET CLOSING RUBBER

FUTURA / TEMPLE BASIC	VETRUM	MOVING	AKTUAL / PRESTIGE	OPEN / GLASS	KENNA	TWENTY
						
B036 / 24p	VE14 / 32p	MO20 / 29p	A017 / A007 20p / 20p	OP2C* / 24p	K180 / 24p	TW10 / 24p


VERTICAL RUBBER FLASHINGS

FUTURA / TEMPLE BASIC/GLASS/TWENTY	VETRUM	MOVING	AKTUAL/PRESTIGE	AKORD	KENNA	
			 8/6mm			
B005 / 18p	VE19 / 24p	MO19 / 26p	A006 / A008 12p / 15p	AK06 / 27p	K070 / 15p	K080 / 18p



PRESSURE RUBBER

FUTURA TEMPLE / BASIC	VETRUM	MOVING	AKTUAL	SCREEN	OPEN / GLASS	KENNA	TWENTY	SPAZIO
								
B004 / 12p	VE15 / 12p	MO18 / 12p	A013 / 12p	S002 / 12p	OP05 / 12p	K050 / 12p	TW08 / 12p	SP19 / 12p




BOTTOM FLASHING RUBBER

FUTURA TEMPLE / BASIC	TRIO	TWENTY	AKTUAL	BYPASS	OPEN GLASS	PANEL OPEN	PANEL GLASS	KENNA
								
B011 / 18p	TR28 / TR11 18p / 24p	TW41 / 24p	A010 / 18p	BY06 / 18p	OP07 / 18p	GB06 / 18p	G012 / 18p	K150 / 18p

DOOR BRAKES


FUTURA	TEMPLE	MOVING	BASIC	AKTUAL PRESTIGE	KENNA	TWENTY	SLI. DOOR
						 SOFT CLOSE	
F019 / 18p	TE15 / 11p	M010 / 27p	B22C* / 11p	PA1 / 8p	K290 / 15p	TW28 / 39p	PP11 / 18P

HINGES



GLASS	GLASS	GLASS BIFOLD	SCREEN HINGE	SCREEN/OPEN	AKORD
					
HG07* / 63p	G16C* / 71p	HM03* / 63p	S31C* / 63p	HU01C* / 26p	AK21 / 35p

*If the spare part is of a model available in several colors, please include the color code reference:
C - CHROME | **N** - BLACK | **B** - WHITE | **O** - GOLD | **CB** - COPPER | **NK** - NICKEL | **T** - GUNMETAL


ROLLERS (POINTS PER UNIT)




FUTURA	TEMPLE	VETRUM	MOVING	BASIC	SPAZIO	AKTUAL
						
F014 / 45p	TE13 / 35p	VE10 / 53p	MO12 / 68p	B013 / 23p	SP06C* / 90p	A016 / 23p

ROLLERS (POINTS PER UNIT)




KENNA	TWENTY		PRESTIGE	AKORD	BYPASS	SLI. DOOR
						
K300* / 39p	TW25C* / 24p	TW45C* / 39p	P010 / P007 23p / 23p	AK19 / 26p	BY11 / 39p	PP04 / 26p

UPPER CORNER PIECES (ENTRANCE TO THE CORNER)



FUTURA	TEMPLE	MOVING	BASIC	TWENTY	AKTUAL PRESTIGE
					
F022 / 35p	TE25 / 35p	MO23 / 30p	B25C* / 35p	TW27C* / 24p	PA 17 / PA16 / 15p / 15p

TEMPLE	BASIC	BYPASS	TRIO
			
TE44 / TE31 / 39p	B44C* / B31C* / 39p	BY16 / 53p	TR8* / 30p

GUIDE STOPS (POINTS PER UNIT)

AKTUAL / PRESTIGE	KENNA	TWENTY	SLI. DOOR
			
PA02 / 12p	K09 / 15p	TW24C* / 15p	PP10C* / 24p

HANDLES

ROTARY / TEMPLE / BASIC GLASS / FUTURA / AKTUAL PRESTIGE	MOVING	VETRUM	BYPASS	TRIO	KENNA	TWENTY	SLI. DOOR	OPEN
								
22x2,5 cm	21x4 cm	42x2 cm	22x1 cm	28x3 cm	22x4,5 cm	22,5x3 cm		28x3 cm
T22C* / 35p	MO13 35p	VE06 53p	BY04 35p	T28C* 38p	K200* 38p	TW29C* 38p	PP6C* 72p	T28C* 38p

*If the spare part is of a model available in several colors, please include the color code reference:

C - CHROME | **N** - BLACK | **B** - WHITE | **O** - GOLD | **CB** - COPPER | **NK** - NICKEL | **T** - GUNMETAL

SPARE GLASSES	OPEN	OPEN FROST	OPEN BLACK	FOLDING GLASS
Fix glass of 20	149			225
Fix glass of 25	156			240
Fix glass of 30	164	186	179	255
Fix glass of 40	177	200	192	270
Fix glass of 50	195	218	210	285
Fix glass of 60	207	230	222	
Door of 30				
Door of 35				
Door of 40	240			
Door of 45	255			
Door of 50	270	300	285	
Door of 55	285	315	300	
Door of 60	300	330	315	
Door of 65	315	345	330	
Door of 70	323	353	338	
Door of 75	330	360	345	
Door of 80	338	368	353	
Door of 85	351	381	366	

SPARE PARTS TRIO	FIX	INTERM.	DOOR
Front of 90	138	117	120
Front of 95	143	122	125
Front of 100	147	126	131
Front of 105	152	132	135
Front of 110	156	138	141
Front of 115	161	143	146
Front of 120	167	147	150
Front of 125	171	152	155
Front of 130	176	156	159
Front of 135	180	161	165
Front of 140	185	167	170
Front of 145	189	171	174
Front of 150	195	176	179
Front of 155	200	180	183
Front of 160	204	185	188
Rollers Trio		33	36

SPARE GLASSES BYPASS	Points
Door of Bypass 120	212
Door of Bypass 130	221
Door of Bypass 140	231
Door of Bypass 150	240
Door of Bypass 160	249

	VETRUM	MOVING	AKTUAL		PRESTIGE	
	TRANSP	TRANSP	TRANSP	F.PLUS	TRANSP	F.PLUS
Fix glass 70	327	221	158	180	137	159
Fix glass 75					140	162
Fix glass 80	336	234	171	194	143	165
Fix glass 90	345	246	191	213	150	173
Fix glass 100	353	260	204	227	158	180
Fix glass 110	362	270	224	246	164	186
Fix glass 120	369	284	239	261	170	192
Fix glass 130	384	296	252	275	176	198
Fix glass 140	401	309	267	290	182	204
Fix glass 150	417	321	282	305	188	210
Fix glass 160	434	335	294	317	192	215
Fix glass 170	450	348	309	332	200	222
Fix glass 180	465	362				
Sliding door 70	323	234	159	182	114	137
Sliding door 75	323	234			117	141
Sliding door 80	330	254	171	194	123	146
Sliding door 90	339	267	186	209	132	155
Sliding door 100	348	287	201	224	140	162
Sliding door 110	356	299	215	237	149	171
Sliding door 120	365	315	227	249	159	182
Sliding door 130	380	327	240	263	168	191
Sliding door 140	396	341	252	275	176	198
Sliding door 150	411	354	266	288	185	207
Sliding door 160	429	368	279	302	194	216
Sliding door 170	446	380	296	318	204	227
Sliding door 180	461	393				
Fix side glass70	326	306	279	302	279	302
Fix side glass 75	344	326	285	308	285	308
Fix side glass 80	359	344	294	317	294	317
Fix side glass 90	375	362	311	333	311	333

SPARE PARTS BATHTUB PANELS	Points
Hinge Glass (1 unit)	63
Supporting arm	57
Bathtub Open	105
Fix glass Open bathtub	155
Door Open bathtub	26
Hinge Open	30

SCREEN CHR	Points
Vertical rubber	12
Bottom rubber	9
Profile to wall	24
Corner profile	60
Hinge top/bot moving	26
Arm clamp	12

CLAMP ARMS	Points
Vetrum side arm	78
Vetrum arm wall-to-wall	114
Open	48
Glass	48
Vitro arm wall-to-wall	63
Vitro side arm	99
Vitro arm vértice	48
Kenna arm wall-to-wall	63
Kenna side arm	99

IT WILL BE NECESSARY TO INDICATE MODEL AND REFERENCE OF THE SCREEN
TO PLACE AN ORDER FOR ANY SPARE PART

SPARE PARTS REFERENCE /POINT

SERIES BASIC BATHTUB

FIX + DOOR

	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
GLASSES FIX+DOOR 140-145 BATHTUB	5050	224	6050	248
GLASSES FIX+DOOR 145-150 BATHTUB	5051	230	6051	258
GLASSES FIX+DOOR 150-155 BATHTUB	5052	237	6052	264
GLASSES FIX+DOOR 155-160 BATHTUB	5053	242	6053	273
GLASSES FIX+DOOR 160-165 BATHTUB	5054	251	6054	278
GLASSES FIX+DOOR 165-170 BATHTUB	5055	258	6055	287
GLASSES 2F+2S FIX+DOOR 80-85 BATHTUB	5060	129	6060	144
GLASSES 2F+2S FIX+DOOR 85-90 BATHTUB	5062	137	6062	152
GLASSES 2F+2S FIX+DOOR 90-95 BATHTUB	5061	143	6061	158

FIX

	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
FIXED FRONT GLASS BATHTUB 5050 (71,5cm)	F5050	143	F6050	158
FIXED FRONT GLASS BATHTUB 5051 (71,5cm)	F5051	143	F6051	158
FIXED FRONT GLASS BATHTUB 5052 (76,5cm)	F5052	150	F6052	165
FIXED FRONT GLASS BATHTUB 5053 (76,5cm)	F5053	150	F6053	165
FIXED FRONT GLASS BATHTUB 5054 (86,5cm)	F5054	158	F6054	173
FIXED FRONT GLASS BATHTUB 5055 (86,5cm)	F5055	158	F6055	173
FIXED FRONT GLASS BATHTUB 5060 (39,6cm)	F5060	98	F6060	113
FIXED FRONT GLASS BATHTUB 5062 (39,6cm)	F5062	98	F6062	113
FIXED FRONT GLASS BATHTUB 5061 (44,6cm)	F5061	113	F6061	128

DOORS

	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
DOOR FRONT GLASS 5050 (72,3cm)	P5050	150	P6050	180
DOOR FRONT GLASS 5051 (77,3cm)	P5051	158	P6051	188
DOOR FRONT GLASS 5052 (77,3cm)	P5052	158	P6052	188
DOOR FRONT GLASS 5053 (82,3cm)	P5053	165	P6053	195
DOOR FRONT GLASS 5054 (77,3cm)	P5054	158	P6054	188
DOOR FRONT GLASS 5055 (82,3cm)	P5055	165	P6055	195
DOOR FRONT GLASS 5060 (40,4cm)	P5060	105	P6060	128
DOOR FRONT GLASS 5062 (45,4cm)	P5062	120	P6062	143
DOOR FRONT GLASS 5061 (45,4cm)	P5061	120	P6061	143

BASIC PROFILES AND CHROME HARDWARE

	Ref.	Points
KIT 1F+1S UNTIL 180 cm	5458	276
KIT 2F+2S UNTIL 182 cm	5459	362

SPARE PARTS REFECCE /POINTS

SERIES BASIC/FUTURA/TEMPLE/SCREEN

FIX + DOOR

	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
Fix Glass + Door side of 65-70	5018	174	6018	206
Fix Glass + Door side of 70-75	5029	182	6029	215
Fix Glass + Door side of 75-80	5019	189	6019	221
Fix Glass + Door side of 80-85	5030	198	6030	230
Fix Glass + Door side of 85-90	5020	206	6020	237
Fix Glass + Door side of 90-95	5031	210	6031	245
Fix Glass + Door side of 95-100	5021	213	6021	254
Fix Glass + Door side of 115-120	5022	245	6022	300
Fix Glass + Front door of 95-100	5001	218	6001	258
Fix Glass + Front door of 100-105	5002	228	6002	269
Fix Glass + Front door of 105-110	5003	237	6003	278
Fix Glass + Front door of 110-115	5004	245	6004	288
Fix Glass + Front door of 115-120	5005	251	6005	299
Fix Glass + Front door of 120-125	5006	261	6006	309
Fix Glass + Front door of 125-130	5007	269	6007	320
Fix Glass + Front door of 130-135	5008	275	6008	327
Fix Glass + Front door of 135-140	5009	284	6009	338
Fix Glass + Front door of 140-145	5010	291	6010	348
Fix Glass + Front door of 145-150	5011	299	6011	359
Fix Glass + Front door of 150-155	5012	309	6012	369
Fix Glass + Front door of 155-160	5013	317	6013	380
Fix Glass + Front door of 160-165	5014	323	6014	386
Fix Glass + Front door of 165-170	5015L	326	6015L	414
Fix Glass + Front door of 170-175	5016L	335	6016L	426
Fix Glass + Front door of 175-180	5017L	344	6017L	437
Fix Glass + Front door of 180-190	5023L	359	6023L	459
Fix Glass + Front door of 190-200	5024L	375	6024L	482

GLASS FIX SIDE PANEL AND SCREEN

Fix side panel of 70	5025	180	6025	210
Fix side panel of 75	5057	188	6057	218
Fix side panel of 80	5026	195	6026	225
Fix side panel of 90	5027	218	6027	248
Fix side panel of 100	5033	240	6033	270
Fix side panel of 110	5034	263	6034	293
Fix side panel of 120	5035	285	6035	315

BASIC PROFILES AND HARDWARE

	CHROME	BLACK	WHITE	Points	GOLD	NICKEL	COPPER	GUNMETAL	Points
	Ref.	Ref.	Ref.		Ref.	Ref.	Ref.	Ref.	
KIT CORNER 120X90	5423	5490	5580	368	5448	5463	5590	5563	495
KIT CORNER 140X100	5424	5491	5581	383	5449	5464	5591	5564	510
KIT 1F+1S UNTIL 140	5434	5493	5583	264	5440	5460	5592	5560	315
KIT 1F+1S UNTIL 180	5438	5494	5584	276	5441	5461	5593	5561	326
KIT 1F+1S UNTIL 200	5446	5495	5585	302	5442	5462	5594	5562	345
KIT 2F+2S UNTIL 172	5451	5496	5586	356	5498	5465	5595	5565	405
KIT 2F+2S UNTIL 210	5454	5497	5587	362	5499	5466	5596	5566	450
KIT FIX SIDE PANEL	5444	5492	5588	128	5445	5469	5597	5567	180

FIX (glass only)

	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
FIX GLASS SIDE 5018 (29,6cm)	5018F	98	6018F	120
FIX GLASS SIDE 5029 (34,6cm)	5029F	105	6029F	129
FIX GLASS SIDE 5019 (34,6cm)	5019F	105	6019F	128
FIX GLASS SIDE 5030 (39,6cm)	5030F	113	6030F	135
FIX GLASS SIDE 5020 (39,6cm)	5020F	113	6020F	135
FIX GLASS SIDE 5031 (44,6cm)	5031F	120	6031F	149
FIX GLASS SIDE 5021 (44,6cm)	5021F	120	6021F	143
FIX GLASS SIDE 5022 (54,6cm)	5022F	143	6022F	165
FRONT FIX GLASS 5001 (46,5cm)	5001F	126	6001F	149
FRONT FIX GLASS 5002 (51,5cm)	5002F	135	6002F	150
FRONT FIX GLASS 5003 (51,5cm)	5003F	135	6003F	158
FRONT FIX GLASS 5004 (56,5cm)	5004F	150	6004F	173
FRONT FIX GLASS 5005 (56,5cm)	5005F	150	6005F	167
FRONT FIX GLASS 5006 (61,5cm)	5006F	158	6006F	176
FRONT FIX GLASS 5007 (61,5cm)	5007F	158	6007F	176
FRONT FIX GLASS 5008 (66,5cm)	5008F	164	6008F	186
FRONT FIX GLASS 5009 (66,5cm)	5009F	164	6009F	186
FRONT FIX GLASS 5010 (71,5cm)	5010F	170	6010F	195
FRONT FIX GLASS 5011 (71,5cm)	5011F	170	6011F	195
FRONT FIX GLASS 5012 (76,5cm)	5012F	174	6012F	209
FRONT FIX GLASS 5013 (76,5cm)	5013F	174	6013F	209
FRONT FIX GLASS 5014 (86,5cm)	5014F	182	6014F	218
FRONT FIX GLASS 5015 (86,5cm)	5015F	182	6015F	228
FRONT FIX GLASS 5016 (91,5cm)	5016F	194	6016F	243
FRONT FIX GLASS 5017 (96,5cm)	5017F	200	6017F	254
FRONT FIX GLASS 5023 (106,5cm)	5023F	219	6023F	260
FRONT FIX GLASS 5024 (116,5cm)	5024F	234	6024F	278

DOOR (glass only)

	TRANSPARENT		FROST PLUS	
	Ref.	Points	Ref.	Points
GLASS DOOR SIDE 5018 (35,4cm)	P5018	107	P6018	119
GLASS DOOR SIDE 5029 (35,4cm)	P5029	107	P6029	129
GLASS DOOR SIDE 5019 (40,4cm)	P5019	113	P6019	129
GLASS DOOR SIDE 5030 (40,4cm)	P5030	113	P6030	135
GLASS DOOR SIDE 5020 (45,4cm)	P5020	126	P6020	135
GLASS DOOR SIDE 5031 (45,4cm)	P5031	126	P6031	149
GLASS DOOR SIDE 5021 (50,4cm)	P5021	135	P6021	149
GLASS DOOR SIDE 5022 (60,4cm)	P5022	147	P6022	167
GLASS FRONT DOOR 5001 (52,3cm)	P5001	134	P6001	149
GLASS FRONT DOOR 5002 (52,3cm)	P5002	134	P6002	149
GLASS FRONT DOOR 5003 (57,3cm)	P5003	147	P6003	158
GLASS FRONT DOOR 5004 (57,3cm)	P5004	147	P6004	158
GLASS FRONT DOOR 5005 (62,3cm)	P5005	161	P6005	167
GLASS FRONT DOOR 5006 (62,3cm)	P5006	161	P6006	167
GLASS FRONT DOOR 5007 (67,3cm)	P5007	171	P6007	176
GLASS FRONT DOOR 5008 (67,3cm)	P5008	171	P6008	176
GLASS FRONT DOOR 5009 (72,3cm)	P5009	179	P6009	186
GLASS FRONT DOOR 5010 (72,3cm)	P5010	179	P6010	186
GLASS FRONT DOOR 5011 (77,3cm)	P5011	188	P6011	198
GLASS FRONT DOOR 5012 (77,3cm)	P5012	188	P6012	198
GLASS FRONT DOOR 5013 (82,3cm)	P5013	194	P6013	215
GLASS FRONT DOOR 5014 (77,3cm)	P5014	188	P6014	198
DOOR 5015/16/17/23/24B 165/200 TRANSPARENT (82,3cm)	P5015	194	P6015	219
	P5016	194	P6016	219
	P5017	194	P6017	219
	P5023	194	P6023	219
	P5024	194	P6024	219

POINTS/REFERENCE TWENTY

FIX + DOOR	Ref.	Points
Fix Glasses + Door side of 65-70	2030	143
Fix Glasses + Door side of 70-75	2031	150
Fix Glasses + Door side of 75-80	2032	156
Fix Glasses + Door side of 80-85	2033	164
Fix Glasses + Door side of 85-90	2034	171
Fix Glasses + Door side of 90-95	2035	177
Fix Glasses + Door side of 95-100	2036	183
Fix Glasses + Door side of 115-120	2037	212
Fix Glasses + Front door of 110-115	1999	197
Fix Glasses + Front door of 115-120	2000	203
Fix Glasses + Front door of 120-125	2001	209
Fix Glasses + Front door of 125-130	2002	215
Fix Glasses + Front door of 130-135	2003	221
Fix Glasses + Front door of 135-140	2004	227
Fix Glasses + Front door of 140-145	2005	233
Fix Glasses + Front door of 145-150	2006	239
Fix Glasses + Front door of 150-155	2007	246
Fix Glasses + Front door of 155-160	2008	252
Fix Glasses + Front door of 160-165	2009	258
Fix Glasses + Front door of 165-170	2010	263
Fix Glasses + Front door of 170-175	2011	270
Fix Glasses + Front door of 175-180	2012	276

FIX (glass only)	Ref.	Points
FIX SIDE GLASS 70 TWENTY (28.3cm)	F2030	98
FIX SIDE GLASS 75 TWENTY (30.8cm)	F2031	105
FIX SIDE GLASS 80 TWENTY (33.3cm)	F2032	113
FIX SIDE GLASS 85 TWENTY (35.8cm)	F2033	120
FIX SIDE GLASS 90 TWENTY (38.3cm)	F2034	128
FIX SIDE GLASS 95 TWENTY (40.8cm)	F2035	135
FIX SIDE GLASS 100 TWENTY (43.3cm)	F2036	143
FIX SIDE GLASS 120 TWENTY (53.3cm)	F2037	150
FIX SIDE 115 TWENTY (51,8cm)	F1999	146
FIX SIDE 120 TWENTY (54,3cm)	F2000	150
FIX SIDE 125 TWENTY (56,8cm)	F2001	158
FIX SIDE 130 TWENTY (59,3cm)	F2002	161
FIX SIDE 135 TWENTY (61,8cm)	F2003	164
FIX SIDE 140 TWENTY (64,3cm)	F2004	167
FIX SIDE 145 TWENTY (66,8cm)	F2005	170
FIX SIDE 150 TWENTY (69,3cm)	F2006	173
FIX SIDE 155 TWENTY (71,8cm)	F2007	176
FIX SIDE 160 TWENTY (74,3cm)	F2008	179
FIX SIDE 165 TWENTY (76,8cm)	F2009	182
FIX SIDE 170 TWENTY (79,3cm)	F2010	185
FIX SIDE 175 TWENTY (81,8cm)	F2011	194
FIX SIDE 180 TWENTY (84,3cm)	F2012	200

FRONT DOORS (glass only)	Ref.	Points
GLASS DOOR 115 TWENTY (58,8cm)	P1999	159
GLASS DOOR 120 TWENTY (61,3cm)	P2000	164
GLASS DOOR 125 TWENTY (63,8cm)	P2001	168
GLASS DOOR 130 TWENTY (66,3cm)	P2002	173
GLASS DOOR 135 TWENTY (68,8cm)	P2003	177
GLASS DOOR 140 TWENTY (71,3cm)	P2004	182
GLASS DOOR 145 TWENTY (73,8cm)	P2005	186
GLASS DOOR 150 TWENTY (76,3cm)	P2006	191
GLASS DOOR 155 TWENTY (78,8cm)	P2007	195
GLASS DOOR 160 TWENTY (81,3cm)	P2008	200
GLASS DOOR 165 TWENTY (83,8cm)	P2009	204
GLASS DOOR 170 TWENTY (86,3cm)	P2010	209
GLASS DOOR 175 TWENTY (88,8cm)	P2011	213
GLASS DOOR 180 TWENTY (91,3cm)	P2012	218

SIDE DOORS (glass only)	Ref.	Points
GLASS DOOR SIDE 70 TWENTY (36.3cm)	P2030	120
GLASS DOOR SIDE 75 TWENTY (38.8cm)	P2031	128
GLASS DOOR SIDE 80 TWENTY (41.3cm)	P2032	135
GLASS DOOR SIDE 85 TWENTY (43.8cm)	P2033	143
GLASS DOOR SIDE 90 TWENTY (46.3cm)	P2034	150
GLASS DOOR SIDE 95 TWENTY (48.8cm)	P2035	158
GLASS DOOR SIDE 100 TWENTY (51.3cm)	P2036	165
GLASS DOOR SIDE 120 TWENTY (61.3cm)	P2037	173

TWENTY PROFILES AND HARDWARE

	TWENTY CHROME		TWENTY BLACK		TWENTY GOLD		TWENTY COPPER	
	Ref.	Points	Ref.	Points	Ref.	Points	Ref.	Points
KIT CORNER 120X90	2038	539	2039	560	2046	615	2062	615
KIT 1F+1S UNTIL 150	2021	363	2023	380	2044	429	2060	429
KIT 1F+1S UNTIL 180	2022	387	2024	411	2045	464	2061	464
KIT 2F+2S UNTIL 190	2042	525	2043	546	2047	602	2063	602

POINTS/REFERENCE KENNA

FIX + DOOR

	KENNA	
	Ref.	Points
FIX GLASS + DOOR SIDE OF 65-70	6553C	258
FIX GLASS + DOOR SIDE OF 70-75	6554C	267
FIX GLASS + DOOR SIDE OF 75-80	6555C	278
FIX GLASS + DOOR SIDE OF 80-85	6556C	282
FIX GLASS + DOOR SIDE OF 85-90	6557C	297
FIX GLASS + DOOR SIDE OF 90-95	6558C	308
FIX GLASS + DOOR SIDE OF 95-100	6559C	317
FIX GLASS + DOOR SIDE OF 115-120	6560C	369
FIX GLASS + FRONT DOOR OF 95-100	6530C	317
FIX GLASS + FRONT DOOR OF 100-105	6531C	335
FIX GLASS + FRONT DOOR OF 105-110	6532C	338
FIX GLASS + FRONT DOOR OF 110-115	6533C	341
FIX GLASS + FRONT DOOR OF 115-120	6534C	359
FIX GLASS + FRONT DOOR OF 120-125	6535C	371
FIX GLASS + FRONT DOOR OF 125-130	6536C	380
FIX GLASS + FRONT DOOR OF 130-135	6537C	392
FIX SIDE PANEL OF 70	6547C	182
FIX SIDE PANEL OF 75	6548C	192
FIX SIDE PANEL OF 80	6549C	203
FIX SIDE PANEL OF 90	6550C	222

FIX (glass only)

	Ref.	Points
FIX GLASS KENNA 140 (64.3cm)	6538AC	165
FIX GLASS KENNA 145 (69.3cm)	6539AC	174
FIX GLASS KENNA 150 (69.3cm)	6540AC	185
FIX GLASS KENNA 155 (74.3cm)	6541AC	194
FIX GLASS KENNA 160 (76.8cm)	6542AC	204
FIX GLASS KENNA 165 (81.8cm)	6543AC	216
FIX GLASS KENNA 170 (86.8cm)	6544AC	225
FIX GLASS KENNA 175 (91.8cm)	6545AC	236
FIX GLASS KENNA 180 (96.8cm)	6546AC	246

DOORS (glass only)

	Ref.	Points
GLASS DOOR KENNA 140/145 (73.5cm)	6539BC	263
GLASS DOOR KENNA B 150/155 (78.5cm)	6541BC	275
GLASS DOOR KENNA 160/165/170/175/180 (81cm)	6546BC	285

KENNA PROFILES AND HARDWARE

	KENNA CHROME		KENNA BLACK		KENNA GOLD	
	Ref.	Points	Ref.	Points	Ref.	Points
KIT CORNER 120X120	6563	462	6563N	477	6563OR	584
KIT 1F+1S UNTIL 140	6561	288	6561N	303	6561OR	363
KIT 1F+1S UNTIL 180	6562	303	6562N	318	6562OR	380
KIT 2F+2S UNTIL 210	6565	468	6565N	483	6565OR	590
KIT FIX SIDE PANEL	6564	132	6564N	140	6564OR	167

Polymeric vinyl models

TRAZOS



FROST PLUS



FROST



DESERT



METEOR



BAMBÚ



Digital printing on vinyl

CUSTOMISE YOUR SHOWER ENCLOSURE

Thanks to the possibilities offered by innovative digital printing techniques, we can give personality to our screens. With this type of printing, the glass can be given a unique image by incorporating photographs, drawings, logos, symbols and much more. In addition, our digital printing system incorporates a film for the protection and conservation of the vinyl image.

If the image is a camera photograph, a minimum quality of 5Mpx and JPG format is required.

If the image is created or is an image file, a minimum resolution of 300dpi, JPG/ EPS/ PDF format, CMYK colour and a size greater than 70% of the final print size (1Mpx/m2) is required. Vector files are also acceptable.



WALL-TO-WALL
330 points

CORNERS
420 points



Vinyl decorated glass template

- A trazos ☐ E desert ☐
 B frost plus ☐ F meteor ☐
 C frost ☐ G bambú ☐


Customer
Shower enclosing model
Description
Reference

Format


F: FIX

P: DOOR


FRONT




CORNER LEFT




CORNER RIGHT




FRONT with FIX SIDE



SEMICIRCULAR



FRONT EXAMPLE



Decorated height (max. 118cm)

		ref.	points
INSTALLATION ON GME FROST / FROST PLUS ACIDIC	WALL-TO-WALL	OFROST1	120
	CORNERS	OFROST2	150
GME MOUNTING OTHER VINYL	WALL-TO-WALL	0021	210
	CORNERS	0020	300
MOUNTING ON GME DIGITAL PRINTING VINYL	WALL-TO-WALL	0019	330
	CORNERS	0018	420
VINYL ONLY, MOUNTING AT CUSTOMER'S EXPENSE	WALL-TO-WALL	0023	90
	CORNERS	0022	120



GME PRESENTS ITS COLLECTION OF SHOWER TRAYS :

Ardesia / Style Plus:

Four models of extra-flat trays manufactured in resin with a new formula of mineral charge and sanitary gel coat of the latest generation that allows us to produce a tray with a considerable weight reduction and greater resistance to torsion, maintaining all the advantages of the resin trays. These models are manufactured with a slate texture and have a class 3 anti-slip certificate, as well as a highly resistant Gel Coat layer that prevents possible scratches and the appearance of organisms such as fungi or mould.



CERTIFICATES

Concerned about the quality we offer to our customers, GME DIVISIÓN BAÑOS SL has certificates that guarantee the quality of all its products, which comply with all European regulations.

At the same time, GME DIVISIÓN BAÑOS SL is associated with AIDIMME (Technological Institute), where inspections and laboratory tests are carried out to guarantee the quality and proper functioning of the products we offer.

Ardesia Plus

Latest generation resin, slate texture
ISO NPG Sanitary Gel Coat




Colour chart RAL

+ 120 p



*Delivery time 25 days

TABLE DISTANCE TO DRAIN



	WIDTH 70	WIDTH 75	WIDTH 80	WIDTH 90	WIDTH 100
90/100	30	30	30	30	30
110	40	35	40	35	35
120	35	35	35	35	35
130	40	40	40	40	40
140	45	40	45	40	40
150	40	45	40	40	40
160	45	50	45	45	45
170	45	50	50	50	45
180	50	50	50	50	50
190	50	52	57	60	50
200	50	52	57	50	50

80x80 / 90x90 / 100x100 and dishes longer than 200 have a center drain.



	WHITE	GRAPHITE	BEIGE	GREY	Points
90x70	3886	3887	3888	3889	345
100x70	3900	3918	3936	3954	375
110x70	3901	3919	3937	3955	409
120x70	3902	3920	3938	3956	426
130x70	3903	3921	3939	3957	471
140x70	3904	3922	3940	3958	481
150x70	3905	3923	3941	3959	510
160x70	3906	3924	3942	3960	545
170x70	3907	3925	3943	3961	601
180x70	3908	3926	3944	3962	611
190x70	3972	3974	3976	3978	626
200x70	3973	3975	3977	3979	646
90x75	7500	7512	7524	7536	355
100x75	7501	7513	7525	7537	383
110x75	7502	7514	7526	7538	416
120x75	7503	7515	7527	7539	432
130x75	7504	7516	7528	7540	482
140x75	7505	7517	7529	7541	488
150x75	7506	7518	7530	7542	515
160x75	7507	7519	7531	7543	553
170x75	7508	7520	7532	7544	611
180x75	7509	7521	7533	7545	619
190x75	7510	7522	7534	7546	636
200x75	7511	7523	7535	7547	652
80x80	3830	3832	3834	3836	336
100x80	3909	3927	3945	3963	392
110x80	3910	3928	3946	3964	426
120x80	3911	3929	3947	3965	442
130x80	3912	3930	3948	3966	487
140x80	3913	3931	3949	3967	497
150x80	3914	3932	3950	3968	527
160x80	3915	3933	3951	3969	561
170x80	3916	3934	3952	3970	617
180x80	3917	3935	3953	3971	627
190x80	3980	3982	3984	3986	642
200x80	3981	3983	3985	3987	659

	WHITE	GRAPHITE	BEIGE	GREY	Points
90x90	3831	3833	3835	3837	424
120x90	3840	3849	3858	3867	485
130x90	3841	3850	3859	3868	578
140x90	3842	3851	3860	3869	611
150x90	3843	3852	3861	3870	644
160x90	3844	3853	3862	3871	677
170x90	3845	3854	3863	3872	710
180x90	3846	3855	3864	3873	743
190x90	3847	3856	3865	3874	751
200x90	3848	3857	3866	3875	768
100x100	3700	3712	3724	3736	487
110x100	3701	3713	3725	3737	545
120x100	3702	3714	3726	3738	586
130x100	3703	3715	3727	3739	611
140x100	3704	3716	3728	3740	636
150x100	3705	3717	3729	3741	660
160x100	3706	3718	3730	3742	710
170x100	3707	3719	3731	3743	743
180x100	3708	3720	3732	3744	784
190x100	3709	3721	3733	3745	842
200x100	3710	3722	3734	3746	858
220x100	3711	3723	3735	3747	1007

ARDESIA XXL

	Ref.	Points
Length up to 160 Width 120cm	3990	899
Length up to 220 Width 70 a 90 cm	3998	1020
Length up to 220 Width 120cm	3991	1344

Average delivery time 3 weeks

Central drain in XXL with width from 100 to 120cm or length from 200 to 220 cm.

*Including standard extra-flat valve with screw fixing + 316 stainless steel grille
2 mm stainless steel color

TO MEASURE PLATES AND CUTTING

(technical drawing required)

- **Finished cuts Gel Coat ref. 7777 / 38 points**

*Delivery time 7 days

- **Unfinished cuts Gel Coat ref. 8888 / free**

*Delivery time 5 days

*This option only when the cutout is hidden in the wall



COLOR GRIDS NEXT PAGE

ARDESIA PLUS COLOR GRIDS



BLACK GRID
ref. 0382NG
+21 points



WHITE GRID
ref. 0382BL
+21 points



BEIGE GRID
ref. 0382BE
+21 points



GREY GRID
ref. 0382GR
+21 points

ARDESIA PLUS COLOR GRIDS



GOLD GRID
ref. 0382OR
+21 points



COPPER GRID
ref. 0382CB
+21 points



CHROME GRID
ref. 0382NK
+21 points



GUNMETAL GRID
ref. 0382T
+21 points

Ardesia Plus Semicircular

Latest generation resin, slate texture

ISO NPG Sanitary Gel Coat



Any other colour from the RAL chart +120 p


Supplied with stainless steel grid


Average delivery time 25 days

(Cancellations will not be accepted once the order has been placed)

A	B	C	R	Kg
800	800	320	550	18
900	900	370	550	19

Technical





WHITE GRID
ref. 0382BL
+21 points



BLACK GRID
ref. 0382NG
+21 points



BEIGE GRID
ref. 0382BE
+21 points



GREY GRID
ref. 0382GR
+21 points



GOLD GRID
ref. 0382OR
+21 points



COPPER GRID
ref. 0382CB
+21 points



NICKEL GRID
ref. 0382NK
+21 points



GUNMETAL GRID
ref. 0382T
+21 points

SEMICIRCULAR STANDARD RADIUS R 55

	WHITE	GRAPHITE	BEIGE	GREY	Points
80x80	3820	3822	3824	3826	363
90x90	3821	3823	3825	3827	435

*Including standard extra-flat valve with screw fixing + 316 stainless steel grille
2 mm stainless steel color

TO MEASURE PLATES AND CUTTING

(technical drawing required)

Try to measure priced according to the next higher measurement
ej. 175x76 P.V.P. = 180X80 + cut **7777/8888**

- **Finished cutsGel Coat ref. 7777 / 38 points**

*Delivery time 7 days


- **Unfinished cuts Gel Coat ref.8888 / free**

*Delivery time 5 days

*This option only when the cutout is hidden in the wall.

Style Plus

Latest generation resin, slate texture
ISO NPG Sanitary Gel Coat



Distance to valve

width 70/80cm	12 cm
width 90 cm	14 cm





Any other colour from the RAL chart +120 points

Supplied with stainless steel grid

Average delivery time 25 days

(Cancellations will not be accepted once the order has been placed)



	WHITE	GRAPHITE	BEIGE	GREY	points
90x70	4886	4887	4888	4889	505
100x70	4900	4918	4936	4954	521
110x70	4901	4919	4937	4955	538
120x70	4902	4920	4938	4956	554
130x70	4903	4921	4939	4957	571
140x70	4904	4922	4940	4958	587
150x70	4905	4923	4941	4959	604
160x70	4906	4924	4942	4960	620
170x70	4907	4925	4943	4961	637
180x70	4908	4926	4944	4962	653
190x70	4972	4974	4976	4978	686
200x70	4973	4975	4977	4979	703
100x80	4909	4927	4945	4963	538
110x80	4910	4928	4946	4964	554
120x80	4911	4929	4947	4965	571
130x80	4912	4930	4948	4966	587
140x80	4913	4931	4949	4967	604
150x80	4914	4932	4950	4968	620
160x80	4915	4933	4951	4969	637
170x80	4916	4934	4952	4970	653
180x80	4917	4935	4953	4971	670
190x80	4980	4982	4984	4986	703
200x80	4981	4983	4985	4987	719
120x90	4840	4849	4858	4867	686
130x90	4841	4850	4859	4868	752
140x90	4842	4851	4860	4870	769
150x90	4843	4852	4861	4871	818
160x90	4844	4853	4862	4872	835
170x90	4845	4854	4863	4873	917
180x90	4846	4855	4864	4874	934
190x90	4847	4856	4865	4875	1049
200x90	4848	4857	4866	4876	1066

*Including standard extra-flat valve with screw fixing + 316 stainless steel grille 2 mm stainless steel color

TO MEASURE PLATES AND CUTTING

Try to measure priced according to the next higher measurement
ej. 175x76 P.V.P. = 180x80 + cut **7777/8888**

CUTTING OPTIONS

ref. 7777 / Cuts with Gel Coat finish / 38 points

*Delivery time 7 days

ref. 8888 / Cuts without Gel Coat finish / free


*Delivery time 5 days

*this option only when the cutout is concealed in the wall



CLASS CERTIFICATE: 3

Highest Rating
ANTI-SLIP



Grid Style color

Size/color	INOX COLOR	RESIN
Grid 70 White	0383BL70	0380BL70
Grid 80 White	0383BL80	0380BL80
Grid 90 White	0383BL90	0380BL90
Grid 70 Beige	0383BE70	0380BE70
Grid 80 Beige	0383BE80	0380BE80
Grid 90 Beige	0383BE90	0380BE90
Grid 70 Grey	0383GR70	0380GR70
Grid 80 Grey	0383GR80	0380GR80
Grid 90 Grey	0383GR90	0380GR90
Grid 70 Graphite	0383NG70	0380NG70
Grid 80 Graphite	0383NG80	0380NG80
Grid 90 Graphite	0383NG90	0380NG90




GRID COLOR
+53 points



RESIN GRID
+90 points

NEW TRAYS ENMARKED ARDESIA PLUS



Description	Reference	Points
Framed linear metre 4x4 cm std	0970	75 m/l

Technical drawing required.

To calculate the price of a plate with a frame, add the price of the linear metres of framing to the point of the plate.

The frame will measure 4x4 cm if not specified.

Approximate delivery time 3 weeks.

SPARE PARTS SHOWER TRAYS

GRIDS



Grid Inox Ardesia
14 Points



Grid Inox Style 70
36 Points
Grid Inox Style 80
39 Points
Grid Inox Style 90
42 Points

SPARE PARTS VALVE



Standard valve ref. 0372
23 Points



Siphon
8 Points



Filter
8 Points



Siphon plug
5 Points



Rubber set
5 Points

REPAIR KITS



Painting kit
30 P
Painting kit + putty
36 P
Painting kit complete plate
75 P

BATHTUB PANELS



NEWS PANELS ARDESIA PLUS +RIGID +RESISTANT

Panels with fibreglass and Gel Coat 0.6 cm thickness

Finishing [STYLE/ARDESIA](#)

Length	Height until 55		Height 55 to 110	
	Reference	Points	Reference	Points
Until 70 cm	1411	107	1415	216
From 71 cm to 100 cm	1412	153	1416	308
From 101 cm to 140 cm	1413	216	1417	432
From 141 cm to 208 cm	1414	338	1418	599

Delieri time approximate 3 weeks


ZOCALOS

Skirtings up to 9 cm high, 35 points per linear meter.
 Skirting boards up to 9 cm to 15 cm high, 66 points per linear meter.


*Indicate Model / Sizes / Color

Delivery time approximate 3 weeks


PARTITION DISPLAYS




ref. GME01
2 Shower enclosings of **90x90**



ref. GME02
2 Shower enclosings of **100x70**



ref. GME04
3 Shower enclosings of **120x80**
open/akord **70**
front **110**



ref. GME07
3 Shower enclosings
front **140**



ref. GME11

Display with 2 m masts in white lacquered aluminium




PLATE DISPLAY



ref. GME06
2 trays **120x70**
120x80



MIXERS IO DISPLAYS



ref. GME03

4 exposed columns or showers

ref. GME03+GME12

4 mixer set

2 walk-in showers/1 wall-mounted shower



ref. GME10

Size 161x43x50 cm

6 mixers IO

1 exposed shower



ref. GME17

Size 135x60x27 cm

3 mixers IO

2 exposed showers



ref. GME13

Size 80x40 cm

9 mixers IO



ref. GME14

Size 120x61 cm

14 mixers IO



ref. GME12

2 mixers IO



ref. GME16

Size 30x30 cm

1 wall mounted mixer



ref. GME15

Size 11x8 cm

1 mixer IO

IOΦ[®] by GME


IO[®] is the European trademark of the faucets designed and produced by **GME División Baños S.L.** With more than 30 years of experience in the commercialization and distribution of products oriented to the integral conditioning of the bathroom.

The group develops two general lines of business, one of which acts as a delegation of first level manufacturers, the other manufactures and markets products under the brand name **GME**.

Faucets **IO by GME** has all the necessary faucet lines for bathroom and kitchen conditioning, with a wide variety of formats and 7 colors following the latest market trends. Finished with PVD treatment in metallic colors with the same tone as our variety of color shower enclosings.

SEE CATALOG
IO FAUCETS





GME DIVISI3N BAÑOS S.L.

FISCAL ADDRESS

Polígono Ciudad de Mudeco
C/Pinadeta 16 - 46930
Quart de Poblet - Valencia - España

WAREHOUSE AND OFFICE ADDRESS

Av. Comarques del País Valencià, 197
46930 - Quart de Poblet
Valencia - España

COSTUMER SERVICE

Telf. +34 96 252 18 55
info@gmelovente.com
www.gmelovente.com

ORDERS

exportacion@gmelovente.com

